



# FIFRA

## Section 2(ee) Recommendation

Date: June 4, 2021

Product: Agri-Flex® Miticide/Insecticide  
EPA Reg. No. 100-1350

Use: For control of false spider mite (*Brevipalpus* sp.) in citrus

State: FL

### Directions for Use

- **It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**
- **The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.**
- **The user should have this recommendation in its possession at the time of use.**
- **This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.**

Agri-Flex Miticide/Insecticide will provide control of false spider mite (*Brevipalpus* sp.) in citrus when applied at the rate of 8.5 fl. oz/A. Apply when mites first appear.

To avoid illegal residues Agri-Flex must always be mixed with a non-phytotoxic, non-ionic activator type wetting, spreading, and/or penetrating spray adjuvant or horticultural oil (not a dormant oil) and applied as specified in the Citrus Crop Use Directions section of the Agri-Flex Section 3 label.

Thorough coverage is essential to obtain best results. Select a spray volume and spray pressure for the size of the trees and density of the foliage to ensure thorough spray coverage.

Apply this product diluted in a minimum volume of 25 gal/A by ground application. Under conditions such as high pest populations, dense foliage, or adverse application conditions (such as high temperatures), use a greater volume of water to ensure adequate coverage.

Do not apply by air for control of false spider mites (*Brevipalpus* sp.).

### Pollinator Precautions

- Agri-Flex Miticide/Insecticide is highly toxic to bees exposed to direct treatment or residues on blooming crops/plants or weeds.
- Do not apply Agri-Flex Miticide/Insecticide or allow it to drift to blooming crops/plants or weeds if bees are foraging in/or adjacent to the treatment area. This is especially critical if there are adjacent orchards that are blooming. (Refer to Spray Drift Precautions on the Section 3 label for additional information).
- For citrus, do not apply Agri-Flex Miticide/Insecticide during pre-bloom or during bloom when bees are actively foraging.
- **After a Agri-Flex Miticide/Insecticide application, wait at least 5 days before placing beehives in the treated field.**
- If bees are foraging in the ground cover and it contains any blooming plants or weeds, always remove flowers before making an Agri-Flex Miticide/Insecticide application. This may be accomplished by mowing, disking, mulching, flailing, or applying a labeled herbicide.

- Consult with your local cooperative extension service or state agency responsible for regulating pesticide use for additional pollinator safety practices.

---

Agri-Flex® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2021 Syngenta

2(ee) Registrant:  
Syngenta Crop Protection, LLC  
P. O. Box 18300  
Greensboro, NC 27419-8300

Expiration Date: June 4, 2026

Label Code: FL1350102AC0621