



# Seduce®

INSECT BAIT

**EPA Reg. No. 67702-25-70051**

**ACTIVE INGREDIENT:**

Spinosad (a mixture of spinosyn A and spinosyn D) ..... 0.07%

**OTHER INGREDIENTS:** ..... 99.93%

**TOTAL** ..... 100.00%

## **FIFRA Section 2(ee) Recommendation For Aerial Application on Leafy Vegetables and Cole Crops in CA and AZ Only**

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the US Environmental Protection Agency.

**DIRECTIONS FOR USE**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

**AERIAL APPLICATION**

Use appropriate spreading/application equipment to ensure thorough coverage of the treatment area. Apply when wind conditions are favorable and will limit offsite drift. Aerial applications count against the maximum number of yearly applications for spinosad, either by ground or air. Do not apply more than the maximum number of yearly applications specified on the EPA-registered label.

**APPLICATION RATE:** Apply 20-44 lb/A.

**CROPS:**

- Cole Crops (broccoli, broccoli raab, Brussels sprouts, cabbage, cauliflower, cavalo, Chinese broccoli, Chinese cabbage (bok choy), Chinese cabbage (napa), Chinese mustard cabbage (gai choy), collards, kale, kohlrabi, izuna, mustard greens, mustard spinach, rape greens)

- Leafy Vegetables (except Brassica) and leaves of root and tuber and legume vegetables (arugula, beets, celery, peas, lettuce, rhubarb, spinach, swiss chard), turnip greens, and watercress

**PESTS:** Earwigs, cutworms

**MAXIMUM APPLICATIONS:** Do not make more than 6 applications per calendar year.

**APPLICATION INTERVAL:** Do not make applications less than 4 days apart.

**PRE-HARVEST INTERVAL:** Do not apply within one day of harvest.

**OTHER RESTRICTIONS:**

- For cole crops: Do not apply more than a total of 0.45 lb ai spinosad (including foliar uses) per acre per crop. Do not apply to seedling cole crops grown for transplant.
- For leafy vegetables: Do not apply more than a total of 0.45 lb ai spinosad (including foliar uses) per acre per crop. Do not apply to seedling leafy crops grown for transplant within a greenhouse or shade house.

**All applicable directions, restrictions, and precautions on the EPA-registered labels are to be followed.** This FIFRA Section 2(ee) recommendation contains new or additional directions for use of this product, which may not appear on the package label. Read and observe the cautionary statements plus all other information appearing on the product labels. **This recommendation must be in the possession of the user at the time of pesticide application.**