

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/21/2015 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Acidifier P
CAS No : 7664-38-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

MarVista Resources 745 North Ave. Corcoran, Ca. 93212 - USA T 559-992-4535

1.4. Emergency telephone number

Emergency number : 24 Hour Emergency Response Chemtrec: 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin corrosion/irritation Category 1B H314 Full text of H statements : see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger Contains : 0-52-0

Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US) : P260 - Do not breathe mist, spray, vapors

P264 - Wash hands, forearms and face thoroughly after handling P280 - Wear eye protection, face protection, protective gloves

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER
P321 - Specific treatment (see Section 4 on this label)
P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

02/23/2017 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name | Product identifier | % | Classification (GHS-US) |
|--------|--------------------|---------|---|
| 0-52-0 | (CAS No) 7664-38-2 | 10 - 20 | Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Possible inflammation of the respiratory tract.

Symptoms/injuries after skin contact : Burns.

Symptoms/injuries after eye contact : Serious damage to eyes.

Symptoms/injuries after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

gas/fumes/vapor/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8 Exposure controls/personal protection" ".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8 : Exposure-controls/personal protection"".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

mist, spray, vapors. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

02/23/2017 EN (English US) 2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products : Metals. Strong bases. Metal oxides.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Acidifier P (7664-38-2) | | |
|-------------------------|------------------------|----------------------|
| ACGIH | ACGIH TWA (mg/m³) | 1 mg/m³ |
| ACGIH | ACGIH STEL (mg/m³) | 3 mg/m³ |
| ACGIH | Remark (ACGIH) | URT, eye, & skin irr |
| OSHA | OSHA PEL (TWA) (mg/m³) | 1 mg/m³ |
| 0-52-0 (7664-38-2) | | |
| ACGIH | ACGIH TWA (mg/m³) | 1 mg/m³ |
| ACGIH | ACGIH STEL (mg/m³) | 3 mg/m³ |
| ACGIH | Remark (ACGIH) | URT, eye, & skin irr |

1 mg/m³

8.2. Exposure controls

Decomposition temperature

OSHA

Appropriate engineering controls : Ensure good ventilation of the work station.

OSHA PEL (TWA) (mg/m3)

Hand protection : Protective gloves. Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Mixture contains one or more component(s) which have the following colour(s):

green Blue

Odor : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

overexposure.

Mixture contains one or more component(s) which have the following odour(s):

Odourless

Odor threshold : No data available

pH : 0.9

Melting point Not applicable Freezing point No data available Boiling point No data available No data available Flash point Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) No data available **Explosion limits** No data available Explosive properties No data available No data available Oxidizing properties Vapor pressure No data available Relative density No data available Relative vapor density at 20 °C No data available No data available Solubility No data available Log Pow Auto-ignition temperature No data available

02/23/2017 EN (English US) 3/6

No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| 0-52-0 (7664-38-2) | |
|----------------------------|----------------------------|
| LD50 oral rat | 1530 mg/kg |
| LD50 dermal rat | 3160 mg/kg |
| LC50 inhalation rat (mg/l) | 0.422 mg/l |
| ATE US (oral) | 500.000 mg/kg body weight |
| ATE US (dermal) | 1100.000 mg/kg body weight |

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 0.9

Serious eye damage/irritation : Not classified

pH: 0.9

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : Possible inflammation of the respiratory tract.

Symptoms/injuries after skin contact : Burns.

Symptoms/injuries after eye contact : Serious damage to eyes.

Symptoms/injuries after ingestion : Burns.

SECTION 12: Ecological information

12.1. Toxicity

| 0-52-0 (7664-38-2) | |
|--------------------|-------------|
| LC50 fish 1 | 3 - 3.5 ppm |
| | |

02/23/2017 EN (English US) 4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability

| 0-52-0 (7664-38-2) | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| 0-52-0 (7664-38-2) | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Prevent liquid from entering sewers, watercourses, underground or low areas.

Waste disposal recommendations : Avoid release to the environment. Remove waste in accordance with local and/or national

regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1805 Phosphoric acid solution, 8, III

UN-No.(DOT) : UN1805

Proper Shipping Name (DOT) : Phosphoric acid solution

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241

DOT Special Provisions (49 CFR 172.102) : A7 - Steel packaging must be corrosion-resistant or have protection against corrosion

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision

IP8 in Table 2 for UN2672)

N34 - Aluminum construction materials are not authorized for any part of a packaging which is

normally in contact with the hazardous material T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the

following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk

temperature during transport, and tf is the temperature in degrees celsius of the liquid during

filling 154

DOT Packaging Exceptions (49 CFR 173.xxx)

DOT Quantity Limitations Passenger aircraft/rail

(49 CFR 173.27)

DOT Vessel Stowage Location

: 5 L

60 L

DOT Quantity Limitations Cargo aircraft only (49 :

CFR 175.75)

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel

Other information : No supplementary information available.

02/23/2017 EN (English US) 5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

No additional information available

Transport by sea

UN-No. (IMDG) : 1805

Proper Shipping Name (IMDG) : PHOSPHORIC ACID SOLUTION

Class (IMDG) : 8 - Corrosive substances

Packing group (IMDG) : III - substances presenting low danger

Air transport

UN-No.(IATA) : 1805

Proper Shipping Name (IATA) : PHOSPHORIC ACID, SOLUTION

Class (IATA) : 8 - Corrosives
Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

Acidifier P (7664-38-2)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

0-52-0 (7664-38-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Not listed on SARA Section 313 (Specific toxic chemical listings)

CERCLA RQ 5000 lb

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

0-52-0 (7664-38-2)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

| H290 | May be corrosive to metals |
|------|---|
| H302 | Harmful if swallowed |
| H312 | Harmful in contact with skin |
| H314 | Causes severe skin burns and eye damage |

SDS US (GHS HazCom 2012)

All information contained in this Safety Data Sheet is furnished free of charge and is intended for your evaluation. In our opinion the information is, as of the date of this Safety Data Sheet, reliable, however, it is your responsibility to determine the suitability of the information for your use. You are advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional or variable conditions or circumstances exist or because of applicable laws or government regulations. Therefore, you should use this information only as a supplement to other information sgathered by you, and you must make independent determinations of the suitability and completeness of the information from all souces to assure both proper use of the material described herein and the safety and health of employees. Accordingly, no guarantee is expressed or implied as to the results to be obtained based upon your use of the information.

02/23/2017 EN (English US) 6/6