

SAFETY DATA SHEET



Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : Synchrony® XP

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC
9330 ZIONSVILLE RD
INDIANAPOLIS, IN, 46268-1053
UNITED STATES

Customer Information Number : 1-800-258-3033

E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).
800-992-5994 or 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Do not use product for anything outside of the above specified uses.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity : Category 1A

GHS label elements

SAFETY DATA SHEET



Synchrony® XP

Version 1.0 Revision Date: 07/01/2022 SDS Number: 800080000291 Date of last issue: -
Date of first issue: 07/01/2022

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H350 May cause cancer.

Precautionary Statements :

Prevention:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorimuron ethyl	90982-32-4	21.5
thifensulfuron-methyl (ISO)	79277-27-3	6.9
Kaolin	1332-58-7	>= 30 - < 40
Sucrose	57-50-1	>= 25 - < 30
Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	>= 1 - < 3
sodium carbonate	497-19-8	>= 1 - < 3
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	>= 0.3 - < 1
Quartz	14808-60-7	>= 0.1 - < 0.3

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Information presented in Section 4 conforms to the require-

SAFETY DATA SHEET



Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

ments of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies involving this product, call toll free 1-888-226-8832. See Label for Additional Precautions and Directions for Use.

- | | |
|---|--|
| If inhaled | : Move to fresh air.
If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Call a poison control center or doctor for treatment advice. |
| In case of skin contact | : Take off all contaminated clothing immediately.
Rinse skin immediately with plenty of water for 15-20 minutes.
Call a poison control center or doctor for treatment advice. |
| In case of eye contact | : Hold eye open and rinse slowly and gently with water for 15-20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice.

Hold eye open and rinse slowly and gently with water for 15-20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice. |
| If swallowed | : No specific intervention is indicated as the compound is not likely to be hazardous.
Consult a physician if necessary. |
| Most important symptoms and effects, both acute and delayed | : None known. |
| Notes to physician | : Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|--|
| Suitable extinguishing media | : Water spray
Alcohol-resistant foam |
| Unsuitable extinguishing media | : Dry chemical |
| Specific hazards during fire fighting | : Exposure to combustion products may be a hazard to health.
Applying foam will release significant amounts of hydrogen |

Synchrony® XP

Version 1.0	Revision Date: 07/01/2022	SDS Number: 800080000291	Date of last issue: - Date of first issue: 07/01/2022
----------------	------------------------------	-----------------------------	--

- gas that can be trapped under the foam blanket.
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
- Specific extinguishing methods : Do not allow extinguishing medium to contact container contents. Most fire extinguishing media will cause hydrogen evolution, and once the fire is put out, may accumulate in poorly ventilated or confined areas and result in flash fire or explosion if ignited.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
Avoid breathing dust.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, undewater. See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
Pick up and arrange disposal without creating dust.
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction

SAFETY DATA SHEET



Synchrony® XP

Version 1.0 Revision Date: 07/01/2022 SDS Number: 800080000291 Date of last issue: -
Date of first issue: 07/01/2022

with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Sweep up or vacuum up spillage and collect in suitable container for disposal.
See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

- Local/Total ventilation : Use with local exhaust ventilation.
- Advice on safe handling : Do not breathe vapors/dust.
Do not smoke.
Handle in accordance with good industrial hygiene and safety practice.
Avoid exposure - obtain special instructions before use.
Smoking, eating and drinking should be prohibited in the application area.
Do not get on skin or clothing.
Avoid inhalation of vapor or mist.
Avoid contact with skin and eyes.
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage : Store in a closed container.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep in properly labeled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Strong oxidizing agents
Organic peroxides
Explosives
Gases
- Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		TWA (total	15 mg/m3	OSHA Z-1

SAFETY DATA SHEET



Synchrony® XP

Version 1.0 Revision Date: 07/01/2022 SDS Number: 800080000291 Date of last issue: -
Date of first issue: 07/01/2022

		dust)		
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		PEL (respirable)	0.05 mg/m3	OSHA CARC
Sucrose	57-50-1	TWA	10 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
sodium carbonate	497-19-8	TWA	10 mg/m3	Dow IHG
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH
		TWA (Total dust)	10 mg/m3	OSHA P0
Quartz	14808-60-7	TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
		TWA (respirable)	10 mg/m3 / %SiO ₂ +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO ₂ +5	OSHA Z-3
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		PEL (respirable)	0.05 mg/m3	OSHA CARC

Engineering measures

: Information presented in Section 8 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory

When handlers use closed systems, enclosed cabs, or air-

SAFETY DATA SHEET



Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

craft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Personal protective equipment

- Respiratory protection : Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.
Provide adequate ventilation.
- Skin and body protection : Applicators and other handlers must wear:
Long sleeved shirt and long pants
Chemical resistant gloves made of any waterproof material, such as polyethylene or polyvinyl chloride.
Shoes plus socks
PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
Coveralls
Chemical resistant gloves made of any waterproof material, such as polyethylene or polyvinyl chloride.
Shoes plus socks
- Protective measures : Use this product in accordance with its label.
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Hygiene measures : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
Remove clothing/PPE immediately if material gets inside.
Wash thoroughly and put on clean clothing.
Remove personal protective equipment immediately after handling this product.
Wash the outside of gloves before removing.
As soon as possible, wash thoroughly and change into clean clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : solid, granules
- Color : light brown
- Odor : none

SAFETY DATA SHEET



Synchrony® XP

Version 1.0	Revision Date: 07/01/2022	SDS Number: 800080000291	Date of last issue: - Date of first issue: 07/01/2022
----------------	------------------------------	-----------------------------	--

Odor Threshold	:	No data available
pH	:	6.7 - 7.5
Melting point/range	:	No data available
Freezing point	:	Not applicable
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	0.77 - 0.93 g/cm3
Solubility(ies) Water solubility	:	dispersible
Autoignition temperature	:	Not applicable
Viscosity Viscosity, dynamic	:	Not applicable
Explosive properties	:	No data available
Oxidizing properties	:	The product contains no substances with oxidizing properties.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	No decomposition if stored and applied as directed. Stable under normal conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned. None known.

Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	Decomposition products depend upon temperature, air supply and the presence of other materials.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute oral toxicity	:	Acute toxicity estimate (Rat): > 5,000 mg/kg Method: Expert judgment
Acute inhalation toxicity	:	Acute toxicity estimate (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute toxicity estimate: 75.54 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate (Rat): > 5,000 mg/kg Method: Expert judgment

Components:**Chlorimuron ethyl:**

Acute oral toxicity	:	LD50 (Rat): > 11,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.18 mg/l Exposure time: 4 h Test atmosphere: dust/mist Symptoms: No deaths occurred at this concentration. Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg

thifensulfuron-methyl (ISO):

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	Remarks: Dust may cause irritation to upper respiratory tract (nose and throat). LC50 (Rat): > 7.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Sucrose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Acute oral toxicity : LD50 (Rat): > 4,500 mg/kg

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2,800 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Quartz:

Acute oral toxicity : LD50 (Rat): > 11,000 mg/kg

Skin corrosion/irritation**Product:**

Species : Rat
Result : No skin irritation

Components:**Chlorimuron ethyl:**

Species : Rabbit
Result : Skin irritation

Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

Kaolin:

Species	: Rabbit
Result	: No skin irritation

Sucrose:

Species	: Rabbit
Result	: No skin irritation

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species	: Rabbit
Result	: No skin irritation

sodium carbonate:

Result	: No skin irritation
--------	----------------------

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Quartz:

Species	: Rabbit
Result	: No skin irritation

Serious eye damage/eye irritation**Product:**

Species	: Rabbit
Result	: No eye irritation

Components:**Chlorimuron ethyl:**

Species	: Rabbit
Result	: No eye irritation

Kaolin:

Species	: Rabbit
Result	: No eye irritation

Sucrose:

Species	: Rabbit
Result	: No eye irritation

Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species	:	Rabbit
Result	:	Eye irritation

sodium carbonate:

Result	:	Eye irritation
--------	---	----------------

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Quartz:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitization**Product:**

Species	:	Guinea pig
---------	---	------------

Components:**Chlorimuron ethyl:**

Species	:	Mouse
Result	:	Does not cause skin sensitization.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitization.
Method	:	OECD Test Guideline 406

Species	:	Mouse
Assessment	:	Does not cause respiratory sensitization.

Quartz:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitization.

Germ cell mutagenicity**Components:****Sucrose:**

Germ cell mutagenicity - Assessment	:	In vitro genetic toxicity studies were inconclusive., Animal genetic toxicity studies were inconclusive
-------------------------------------	---	---

Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

sodium carbonate:

Germ cell mutagenicity - Assessment : No relevant data found.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative.

Carcinogenicity**Components:****thifensulfuron-methyl (ISO):**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Kaolin:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Available data suggest that the material is unlikely to cause cancer.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Quartz:

Carcinogenicity - Assessment : Human carcinogen.

Has caused cancer in humans.

IARC	Group 1: Carcinogenic to humans	
	Kaolin	1332-58-7
	(Silica dust, crystalline)	
	Group 1: Carcinogenic to humans	
	Quartz	14808-60-7
	(Silica dust, crystalline)	
	Group 2B: Possibly carcinogenic to humans	
	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7
OSHA	OSHA specifically regulated carcinogen	
	Kaolin	1332-58-7
	(crystalline silica)	
	OSHA specifically regulated carcinogen	
	Quartz	14808-60-7

Synchrony® XP

Version 1.0	Revision Date: 07/01/2022	SDS Number: 800080000291	Date of last issue: - Date of first issue: 07/01/2022
----------------	------------------------------	-----------------------------	--

(crystalline silica)

NTP	Known to be human carcinogen	
	Kaolin	1332-58-7
	(Silica, Crystalline (Respirable Size))	
	Known to be human carcinogen	
	Quartz	14808-60-7
	(Silica, Crystalline (Respirable Size))	

Reproductive toxicity**Components:****Chlorimuron ethyl:**

Reproductive toxicity - Assessment	:	In animal studies, did not interfere with reproduction. Has caused birth defects in laboratory animals only at doses toxic to the mother.
------------------------------------	---	--

sodium carbonate:

Reproductive toxicity - Assessment	:	Did not cause birth defects or any other fetal effects in laboratory animals.
------------------------------------	---	---

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Reproductive toxicity - Assessment	:	In animal studies, did not interfere with reproduction. Did not cause birth defects or any other fetal effects in laboratory animals.
------------------------------------	---	--

STOT-single exposure**Components:****Chlorimuron ethyl:**

Assessment	:	Evaluation of available data suggests that this material is not an STOT-SE toxicant.
------------	---	--

thifensulfuron-methyl (ISO):

Assessment	:	Available data are inadequate to determine single exposure specific target organ toxicity.
------------	---	--

Kaolin:

Assessment	:	Evaluation of available data suggests that this material is not an STOT-SE toxicant.
------------	---	--

Sucrose:

Assessment	:	Evaluation of available data suggests that this material is not an STOT-SE toxicant.
------------	---	--

Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

sodium carbonate:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Quartz:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

STOT-repeated exposure**Components:****Quartz:**

Target Organs : Lungs
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Chlorimuron ethyl:**

Remarks : In animals, effects have been reported on the following organs:
Liver.

thifensulfuron-methyl (ISO):

Remarks : No relevant data found.

Kaolin:

Remarks : Repeated excessive exposure to crystalline silica may cause silicosis, a progressive and disabling disease of the lungs.

sodium carbonate:

Remarks : No relevant data found.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Species : Rat
NOAEL : 1,000 mg/kg

SAFETY DATA SHEET



Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

Application Route : Oral
Method : OECD Test Guideline 408
Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Quartz:

Species : Rat
Application Route : Inhalation
Remarks : In animals, effects have been reported on the following organs:
lung

Aspiration toxicity

Product:

No aspiration toxicity classification

Components:

Chlorimuron ethyl:

Based on physical properties, not likely to be an aspiration hazard.

thifensulfuron-methyl (ISO):

Based on physical properties, not likely to be an aspiration hazard.

Kaolin:

Based on physical properties, not likely to be an aspiration hazard.

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Based on physical properties, not likely to be an aspiration hazard.

sodium carbonate:

Based on physical properties, not likely to be an aspiration hazard.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Based on physical properties, not likely to be an aspiration hazard.

Quartz:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Chlorimuron ethyl:

Synchrony[®] XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 120 mg/l
End point: mortality
Exposure time: 96 h
Test Type: Static

LC50 (Oncorhynchus mykiss (rainbow trout)): > 50 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,000 mg/l
End point: mortality
Exposure time: 48 h
Test Type: Static

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0.004 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: Static

NOEC (Selenastrum capricornutum (green algae)): 0.00052 mg/l

End point: Growth rate
Exposure time: 120 h
Test Type: Static

EC50 (Anabaena flos-aquae (cyanobacterium)): 0.045 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: Static

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0031 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: Static

EC50 (Lemna gibba (gibbous duckweed)): 0.00027 mg/l
End point: Number of fronds
Exposure time: 14 d
Test Type: Static

NOEC (Lemna gibba (gibbous duckweed)): 0.00007 mg/l
End point: Number of fronds
Exposure time: 14 d
Test Type: Static

EC50 (Lemna gibba (gibbous duckweed)): 0.00045 mg/l
End point: Biomass
Exposure time: 14 d
Test Type: Static

NOEC (Lemna gibba (gibbous duckweed)): 0.0002 mg/l
End point: Biomass
Exposure time: 14 d
Test Type: Static

SAFETY DATA SHEET



Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.001 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 7.6 mg/l
Exposure time: 90 d
Test Type: flow-through

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 106 mg/l
Exposure time: 21 d
Test Type: semi-static test

M-Factor (Chronic aquatic toxicity) : 1,000

Toxicity to terrestrial organisms : LC50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm
Exposure time: 8 d
End point: mortality

contact LD50 (Apis mellifera (bees)): > 12.5 µg/bee
Exposure time: 48 h
End point: mortality

oral LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg

thifensulfuron-methyl (ISO):

Toxicity to fish : Remarks: Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50 (Fish): 0.1 mg/l
Exposure time: 96 h
Remarks: estimated

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.1 mg/l
Exposure time: 28 d
Remarks: Estimated value

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Sucrose:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: Method Not Specified.

Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 265 mg/l
Exposure time: 48 h
Test Type: static test
Method: Method Not Specified.

EC50 (Daphnia magna (Water flea)): 390 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: Method Not Specified.

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h

NOEC (Algae): 5,600 mg/l
Exposure time: 72 h

Persistence and degradability**Components:****Chlorimuron ethyl:**

Biodegradability : Biodegradation: 0.21 %

Result: Not readily biodegradable.
Remarks: Material is not readily biodegradable according to OECD/EEC guidelines.

Sucrose:

ThOD : 1.12 kg/kg

Photodegradation : Test Type: Half-life (indirect photolysis)
Sensitizer: OH radicals
Concentration: 1,500,000 1/cm³
Rate constant: 1.1479E-10 cm³/s
Method: Estimated.

sodium carbonate:

Biodegradability : Remarks: Biodegradation is not applicable.

Synchrony[®] XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

Bioaccumulative potential**Components:****Chlorimuron ethyl:**

Partition coefficient: n-octanol/water : log Pow: 1.3 (77 °F / 25 °C)
pH: 7

Kaolin:

Partition coefficient: n-octanol/water : Remarks: Partitioning from water to n-octanol is not applicable.

Sucrose:

Bioaccumulation : Bioconcentration factor (BCF): 3
Method: Estimated.

Partition coefficient: n-octanol/water : Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).
Potential for mobility in soil is very high (Koc between 0 and 50).

log Pow: -3.7 - -3.67

Method: Estimated.

Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Partition coefficient: n-octanol/water : Remarks: No data available for this product.

sodium carbonate:

Partition coefficient: n-octanol/water : Remarks: Partitioning from water to n-octanol is not applicable.

Mobility in soil**Components:****Sucrose:**

Distribution among environmental compartments : Koc: 3.16
Method: Estimated.
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

sodium carbonate:

Distribution among environmental compartments : Remarks: Relevant data not available.

Synchrony® XP

Version 1.0	Revision Date: 07/01/2022	SDS Number: 800080000291	Date of last issue: - Date of first issue: 07/01/2022
----------------	------------------------------	-----------------------------	--

Other adverse effects**Components:****Chlorimuron ethyl:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Kaolin:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Sucrose:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

sodium carbonate:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the

Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorimuron ethyl, Thifensulfuron-methyl)
Class	: 9
Packing group	: III
Labels	: 9

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Chlorimuron ethyl, Thifensulfuron-methyl)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorimuron ethyl, Thifensulfuron-methyl)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

Not regulated as a dangerous good

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous

SAFETY DATA SHEET



Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Carcinogenicity

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Chlorimuron ethyl	90982-32-4	>= 20 - < 30 %
-------------------	------------	----------------

US State Regulations

Pennsylvania Right To Know

Kaolin	1332-58-7
Sucrose	57-50-1

California Prop. 65

WARNING: This product can expose you to chemicals including Kaolin, Quartz, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 352-648

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Causes moderate eye irritation.

Harmful if swallowed, inhaled or absorbed through skin.

Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

SECTION 16. OTHER INFORMATION**Information Source and References**

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
Dow IHG	: Dow Industrial Hygiene Guideline
OSHA CARC	: OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	: 8-hour, time-weighted average
Dow IHG / TWA	: Time weighted average
OSHA CARC / PEL	: Permissible exposure limit (PEL)
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Con-

SAFETY DATA SHEET



Synchrony® XP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/01/2022	800080000291	Date of first issue: 07/01/2022

trol Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07/01/2022

Product code: GF-4222

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN