

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03/19/2015 Revision date: 05/21/2015 Supersedes: 03/19/2015

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Slammer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Adjuvant, Spreader, Sticker

Agrochemical: component

1.3. Details of the supplier of the safety data sheet

MarVista Resources 745 North Ave. Corcoran, Ca. 93212 - USA

Corcoran, Ca. 93212 - USA T 559-992-4535

1.4. Emergency telephone number

Emergency number : 24 Hour Emergency HAZMAT Response: (800) 229-5252: EPA National Response Center:

(800) 424-8802

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Eye Irrit. 2B H320

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H320 - Causes eye irritation

Precautionary statements (GHS-US) : P264 - Wash hands, face thoroughly after handling

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
alkylphenol ethoxylate*	(CAS No) Trade Secret	10-20	Eye Irrit. 2B, H320 Aquatic Chronic 2, H411
silicone copolyol*	(CAS No) Trade Secret	10-20	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2B, H320 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

05/21/2015 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to First-aid measures after eye contact

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Dry skin.

Symptoms/injuries after eye contact : mild eye irritation.

Symptoms/injuries after ingestion Abdominal pain. Risk of aspiration pneumonia.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

6.1.1. For non-emergency personnel

: Ventilate spillage area. Avoid contact with skin and eyes. Emergency procedures

6.1.2. For emergency responders

: Do not attempt to take action without suitable protective equipment. For further information Protective equipment

refer to section 8 Exposure controls/personal protection" ".

6.2. **Environmental precautions**

Avoid release to the environment.

Methods and material for containment and cleaning up 6.3.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

Reference to other sections 6.4.

For further information refer to section 8: Exposure-controls/personal protection"".

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Specific end use(s) 7.3.

No additional information available

SECTION 8: Exposure controls/personal protection

Not applicable

8.1. **Control parameters**

OSHA

Slammer		
ACGIH	Not applicable	
OSHA	Not applicable	
silicone copolyol		
ACGIH	Not applicable	

05/21/2015 EN (English US) 2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

alkylphenol ethoxylate		
ACGIH	Not applicable	
OSHA	Not applicable	

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Protective gloves. Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colorless to pale yellow liquid.
Color : Colourless to light yellow

Odor : mild

Odor threshold : No data available pH : Not Applicable Melting point : Not applicable Freezing point : No data available Boiling point : > 140 °C

Boiling point : $> 140 \, ^{\circ}\text{C}$ Flash point : $> 199 \, ^{\circ}\text{F}$

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** : No data available Explosive properties No data available Oxidizing properties : No data available : < 0.1 mbar Vapor pressure Relative density : No data available Relative vapor density at 20 °C : No data available Specific gravity / density : 0.91 g/ml

Solubility : Insoluble in water.

Water: Solubility in water of component(s) of the mixture :

• :

Log Pow : No data available
Log Kow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

05/21/2015 EN (English US) 3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

silicone copolyol	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (ppm)	0
ATE US (gases)	0.000 ppmV/4h
ATE US (dust, mist)	2.000 mg/l/4h

alkylphenol ethoxylate	
LD50 oral rat	960 - 3980 mg/kg
LD50 dermal rabbit	2000 - 2991 mg/kg
LC50 inhalation rat (ppm)	1.15 ppm/4h
ATE US (oral)	960.000 mg/kg body weight
ATE US (dermal)	2000.000 mg/kg body weight
ATE US (gases)	1.150 ppmV/4h

Skin corrosion/irritation : Not classified

pH: Not Applicable

Serious eye damage/irritation : Causes eye irritation.

pH: Not Applicable

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

silicone copolyol

IARC group 3 - Not Classifiable

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Symptoms/injuries after skin contact : Dry skin.
Symptoms/injuries after eye contact : mild eye irritation.

Symptoms/injuries after ingestion : Abdominal pain. Risk of aspiration pneumonia.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

silicone copolyol	
LC50 fish 1	1 - 10 mg/l Similar material
EC50 Daphnia 1	10 - 100 mg/l 48 h similar material
ErC50 (algae)	1 - 10 mg/l

05/21/2015 EN (English US) 4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

alkylphenol ethoxylate	
LC50 fish 1	5 mg/l (96 h; Gasterosteus aculeatus; Intermittent flow)
EC50 Daphnia 1	>= 9 - 21 mg/l 48 h
EC50 other aquatic organisms 1	500 mg/l (Selenastrum capricornutum; Chronic)
LC50 fish 2	7 mg/l (96 h; Leuciscus idus)
Threshold limit algae 1	500 mg/l (Selenastrum capricornutum; Cell numbers)

12.2. Persistence and degradability

alkylphenol ethoxylate	
Persistence and degradability	Not readily biodegradable in water.

12.3. Bioaccumulative potential

silicone copolyol		
BCF fish 1	Not Estabilished	
alkylphenol ethoxylate		
BCF fish 1	0 (5.9 - 48)	
Log Pow	>4	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Prevent liquid from entering sewers, watercourses, underground or low areas. Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

Additional information

Other information : Adhesives, Adjuvants, Spreaders or Stickers, Liquid NMFC Item 4612, LTL Class 60.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Slammer

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

silicone copolyol

Listed on the United States TSCA (Toxic Substances Control Act) inventory

alkylphenol ethoxylate

Listed on the United States TSCA (Toxic Substances Control Act) inventory

05/21/2015 EN (English US) 5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

National regulations

No additional information available

15.3. US State regulations

SECTION 16: Other information

Revision date : 05/21/2015

Full text of H-phrases:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
H320	Causes eye irritation
H332	Harmful if inhaled
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects


NFPA health hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



SDS US (GHS HazCom 2012)

All information contained in this Safety Data Sheet is furnished free of charge and is intended for your evaluation. In our opinion the information is, as of the date of this Safety Data Sheet, reliable, however, it is your responsibility to determine the suitability of the information for your use. You are advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional or variable conditions or circumstances exist or because of applicable laws or government regulations. Therefore, you should use this information only as a supplement to other information sgathered by you, and you must make independent determinations of the suitability and completeness of the information from all souces to assure both proper use of the material described herein and the safety and health of employees. Accordingly, no guarantee is expressed or implied as to the results to be obtained based upon your use of the information.

05/21/2015 EN (English US) 6/6