FIFRA §2(ee) RECOMMENDATION FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO



For post-plant pre-emergence applications on dry beans

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- · All applicable directions, restrictions, and precautions on the EPA registered label are to be followed.
- This labeling must be in the possession of the user at the time of pesticide application.

DRY BEANS - Cicer arietinum (chickpea, garbanzo bean); Lupinus spp. (including sweet lupine, white sweet lupine, white lupine, and grain lupine); Phaseolus spp. (including kidney bean, lima bean, mung bean, navy bean, pinto bean, snap bean, and waxbean); Vicia faba (broad bean, fava bean); Vigna spp. (including asparagus bean, blackeyed pea and cowpea) (Does not include soybean)

Sonalan HFP - Alone

Apply and incorporate Sonalan HFP in the spring after planting and before emergence. Follow Soil Preparation, Application, Timing and Soil Incorporation Procedures sections of this label.

Broadcast Application Rates for General Weed Control Except Groundcherry and Nightshade:

Soil Texture	Sonalan HFP (pt/acre)
coarse	1 1/2 - 2
medium	2 - 2 1/2
fine	2 1/2 - 3

Broadcast Application Rates for General Weed Control Including Groundcherry and Nightshade From Seed:

Soil Texture	Sonalan HFP (pt/acre)
coarse	3 - 3 1/2
medium	3 1/2 - 4
fine	4 - 4 1/2

21-03-01

Produced For:
Gowan Company
P.O. Box 5569
Yuma, AZ 85366



EPA Reg. No. 10163-356 EPA Est. No.