

Report 25-Feb-21 Date

Page 1 of 4

#### Identification

Product Name: VERIFIED VaporGrip Xtra Agent

Synonyms: None

Product Use: Volatility Reducing Agent Manufacturer/Supplier: Helena Agri-Enterprises, LLC

Address: 225 Schilling Blvd. Collierville, TN 38017

**General Information**: 901-761-0050

Transportation Emergency Number : CHEMTREC:800-424-9300

#### **Hazard Identification**



Signal Word: Warning

Skin Irritation: Causes skin irritation Eye Irritation: Causes serious eye irritation Acute Toxicity Oral : No LD50 data available

Acute Toxicity Dermal: No LD50 data available **Hazard Categories**: Eye/Skin Irritation-2A/2

Hazard Statement : Causes serious eye irritation

Causes skin irritation

## **Composition / Information on Ingredients**

Component **CAS Number** Weight % Potassium Acetate 127-08-2 50.0 Label components: Potassium Proprietary 50.0 Hydroxide/Ethanoic Acid

### **First Aid Measures**

Eye: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a physician or poison control center immediately.

Skin: Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control

center immediately.

Inhalation: Move to fresh air. If not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a physician or poison

control center immediately.

Ingestion: Call a physician or poison control center immediately. Rinse mouth and give

water in small sips to drink. Do NOT induce vomiting unless told to do so by a physician/poison control center. Never give anything by mouth if unconscious.

Stay with victim.

**Attention and Special Treatment** 

Indication of Immediate Medical : Appropriate supportive and symptomatic treatment as indicated by the patient's

condition is recommended.

Needed

#### **Fire Fighting Measures**



Report 25-Feb-21

Page 2 of 4

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

extinguishing agents. Do not use high volume water jet.

Specific Hazards Arising from the : Minimize use of water to prevent environmental contamination. May release

**Chemical** carbon monoxide, carbon dioxide and nitrogen oxides in the event of fire. **Special Fire Fight Proc**: Do not breathe fumes. Wear self-contained breathing apparatus and full

protective clothing. Equipment should be thoroughly decontaminated after use.

#### 6. Accidental Release Measures

Personal Precautions : Keep unprotected and unnecessary personnel out of spill area. Avoid contact

with spilled product or contaminated surfaces.

**Protective Equipment**: Splashproof goggles and face protection, chemical-resistant gloves, long-

sleeved shirt, long pants, shoes, socks. Use an air purifying respirator if airborne exposure is excessive. Eyewash/emergency shower should be available in work

area.

Emergency Procedures : Do not allow spilled product to enter soil, waterways or waste water canals. Do

not allow product to contact non-target plants.

**Methods and Materials for**: Soak up with inert absorbent material (e.g., sand, silica gel, acd binder, **Containment and Cleanup** universal binder, sawdust). Collect and transfer the product into a proper

universal binder, sawdust). Collect and transfer the product into a properly labeled ad tightly closed container. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing

environmental regulations.

#### 7. Handling and Storage

Precautions for Safe Handling: Avoid contact with eyes, skin and clothing. Ensure adequate ventilation. Wash

hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove

PPE immediately after handling the product. Remove soiled clothing

immediately and clean thoroughly before reuse. Wash thoroughly and put on clean clothing. Keep working clothes separate. Garments that cannot be

cleaned must be destroyed (burned).

Conditions for Safe Storage : Store in original container. Store in a cool, dry place and in such a manner as to

prevent cross contamination with other crop protection products, fertilizers, food and feed. Store in a place accessible by authorized personnel only. Protect from

freezing. Do not store near acids.

### 8. Exposure Controls / Personal Protection

**TLV/PEL**: No TLV/PEL established for the components or mixture.

**Appropriate Engineering Controls**: Provide local exhaust ventilation.

Personal Protective Equipment : Splashproof goggles and face protection, chemical-resistant gloves, long-

sleeved shirt, long pants, shoes, socks. Use an air purifying respirator if airborne exposure is excessive. Eyewash/emergency shower should be available in work

area.

## 9. Physical and Chemical Properties

**Odor/Appearance**: Clear to light yellow liquid; sour odor.

Flash Point, <sup>0</sup>F : Does not flash Boiling Point, <sup>0</sup>F : No data available

Melting Point(Freezing point), °C : No data available

Vapor Pressure, mm Hg @ 20 °C : No significant volatility

**Vapor Density** : No data available **Solubility in Water** : Completely miscible



Report 25-Feb-21

Page 3 of 4

**Molecular Formula**: Not applicable, formulated mixture.

Density, g/mL @ 25 °C : 1.27

Evaporation Rate(Butyl Acetate = : No data available

1)

Octanol/Water Partition : No data available

Coefficient

**pH** : 7.5 to 8.5 (100%)

Flammable Limits (approximate : No data available

volume % in air)

**Auto-ignition Temperature** : Not applicable **Decomposition temperature** : No data available

## 10. Stability and Reactivity

Reactivity: Reacts with galvanized steel or unlined mild steel

Chemical Stability: Stable

**Hazardous Decomposition**: No decomposition expected under normal use conditions.

**Products** 

Hazardous Polymerization: Will not occur

Conditions to Avoid: Extremes of temperature and direct sunlight.

Incompatible Materials: Galvanized steel, mild steel. Reacts with galvanized steel or unlined mild steel

to product hydrogen, a highly flammable gas that could explode.

## 11. Toxicological Information

Acute Toxicity (Oral LD50): No LD50 data available. Not classified as hazardous under 29 CFR 1910.1200

(2012).

Acute Toxicity (Dermal LD50) : No LD50 data available. Not classified as hazardous under 29 CFR 1910.1200

(2012).

**Acute Toxicity Inhalation LC50**: No LC50 data available. Not classified as hazardous under 29 CFR 1910.1200

(2012).

Likely Routes of Exposure : Skin, eyes

**Skin Irritation**: Causes skin irritation. **Eye Irritation**: Causes serious eye irritation.

**Skin Sensitization**: No information found

Carcinogenic: Not listed by IARC, NTP or OSHA.

Chronic Effects: No information found

Other Hazards : CA PROPOSITION 65 WARNING: No listed ingredients appear on the CA

PROPOSITION 65 WARNINGS listing.

# 12. Ecological Information

**Ecotoxicity**: No environmental studies conducted on this product.

Persistence and Degradability: No environmental studies conducted on this product.

Bioaccumulative Potential: No environmental studies conducted on this product.

Mobility in Soil: No environmental studies conducted on this product.

Other Adverse Effects: No environmental studies conducted on this product.

### 13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State or Local

procedures under the Resource Conservation and Recovery Act.



Report 25-Feb-21

Page 4 of 4

## 14. Transport Information

UN Proper Shipping Name : Not regulated by DOT (see Bulk note below), IATA or IMDG.

Transport Hazard Class : None UN Identification Number : None Packaging Group : None

Environmental Hazards: Reportable Quantity (RQ) for Potassium Hydroxide = 1,000 lbs (> 6,294 gallons,

approx.)

Transport in Bulk : If shipped in bulk tankers (>6294 gallons), ship as: RQ, UN3082,

Environmentally Hazardous Substance, Liquid, n.o.s., (Potassium Hydroxide), 9,

PG III "ERG # 171"

Special Precautions for : No special precautions needed

schortotion

Transportation

Freight Classification: Adhesives, Adjuvants, Spreaders or Stickers, N.O.I. (NMFC Item 42652, Class

60)

## 15. Regulatory Information

National Fire Protection : Association Rating

Health: 1 Fire: 1 Reactivity: 1

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

Immediate( Acute) Health: Y Delayed (Chronic) Health: N Sudden Release of N

Pressure: Fire: N Reactive: N

## 16. Other Information

Data of Preparation/Revision: 25-February-2021