Metam KLR 54%



Version **Revision Date:** SDS Number: Date of last issue: 03/03/2016 06/27/2017 150000103671 Date of first issue: 10/22/2015 1.2

PRD SDSUS / EN / 0001

SECTION 1. IDENTIFICATION

Product name Metam KLR 54%

Product code 51144-00, P5114401

EPA Registration Number 45728-27

Manufacturer or supplier's details

Company name of supplier Eastman Chemical Company

Address 200 South Wilcox Drive

Kingsport TN 37660-5280

Telephone (423) 229-2000

Emergency telephone num-

CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

Recommended use of the chemical and restrictions on use

Recommended use : Agrochemical (soil disinfectant)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Acute toxicity (Oral) Category 4

Acute toxicity (Inhalation) Category 4

Skin corrosion Category 1B

Serious eye damage Category 1

Carcinogenicity Category 2

Reproductive toxicity Category 2

Specific target organ toxicity

- repeated exposure

Category 2

Corrosive to metals Category 1

GHS label elements

Hazard pictograms







Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

Metam KLR 54%



Version 1.2 PRD Revision Date: 06/27/2017

SDS Number: 150000103671 SDSUS / EN / 0001 Date of last issue: 03/03/2016 Date of first issue: 10/22/2015

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs through prolonged or re-

peated exposure.

H302 Harmful if swallowed. H332 Harmful if inhaled.

H290 May be corrosive to metals.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
metam potassium	137-41-7	54

Metam KLR 54%



Version 1.2

PRD

Revision Date: 06/27/2017

SDS Number: 150000103671 SDSUS / EN / 0001

Date of last issue: 03/03/2016 Date of first issue: 10/22/2015

SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

Call a physician immediately.

If inhaled : Move to fresh air.

If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

Treat symptomatically.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

Wash off immediately with plenty of water for at least 15

minutes.

Wash contaminated clothing before re-use.

In the case of skin irritation or allergic reactions see a physi-

cian.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

If easy to do, remove contact lens, if worn.

Call a physician or poison control centre immediately.

If swallowed : Seek medical advice.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Health injuries may be delayed.

Liver disorders Kidney disorders

Headache Nausea

Use of alcoholic beverages may enhance toxic effects

Harmful if swallowed. Harmful if inhaled.

Causes severe skin burns and eye damage.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

Notes to physician : General advice for dithiocarbamates

Biomonitoring possible at chronical exposure: determination of

TTCA in the urine at the end of the workday/week.

Bloodtesting for delayed effects: livertests, kidney function,

thyroid function

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Dry chemical Water spray

Metam KLR 54%



Version 1.2 PRD Revision Date: 06/27/2017

SDS Number: 150000103671 SDSUS / EN / 0001 Date of last issue: 03/03/2016 Date of first issue: 10/22/2015

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

Do NOT use water jet.

Hazardous combustion prod-

ucts

Nitrogen oxides (NOx)
Carbon monoxide

Sulphur oxides

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective equipment:

for firefighters

Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Wear appropriate personal protective equipment.

Local authorities should be advised if significant spillages

cannot be contained.

Environmental precautions : Avoid release to the environment.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours).

Advice on safe handling : Do not breathe vapours or spray mist.

Do not get on skin or clothing.

Do not get in eyes.

Avoid contact with skin, eyes and clothing.

Do not swallow.

Ensure adequate ventilation. Wash thoroughly after handling.

Conditions for safe storage : Keep tightly closed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation (typically 10 air changes per hour)

should be used. Ventilation rates should be matched to con-

Metam KLR 54%



Version 1.2 PRD Revision Date: 06/27/207

SDS Number: 150000103671 SDSUS / EN / 0001

Date of last issue: 03/03/2016 Date of first issue: 10/22/2015

ditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an

acceptable level.

Ensure adequate ventilation.

Personal protective equipment

Respiratory protection : Wear respiratory protection.

Filter type : Filter type ABEK-P

Hand protection

Remarks : Neoprene gloves Rubber gloves The data about break

through time/strength of material are standard values! The exact break through time/strength of material has to be ob-

tained from the producer of the protective glove.

Eye protection : Safety glasses

Tightly fitting safety goggles

Face-shield

Skin and body protection : Complete suit protecting against chemicals

Protective measures : Remove respiratory and skin/eye protection only after va-

pours have been cleared from the area.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Use personal protective equipment as required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow

pH : 7.5 - 10.5

Concentration: 510 g/l

Melting point/freezing point : No data available

Boiling point/boiling range : 97 - 102 °C

Flash point : Not applicable

Flammability (solid, gas) : not auto-flammable

Vapour pressure : 0.057 Pa (20 °C)

Metam KLR 54%



Version 1.2 PRD Revision Date: 06/27/2017

SDS Number: 150000103671 SDSUS / EN / 0001

Date of last issue: 03/03/2016 Date of first issue: 10/22/2015

Density

: 1.28 g/cm3

Solubility(ies)

Water solubility : completely soluble

Partition coefficient: n-

octanol/water

: log Pow: -2.9

Viscosity

Viscosity, dynamic : 3.77 mPa.s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Hazardous decomposition products formed under fire condi-

tions.

Corrosive in contact with metals

MITC vapour can be released during processing

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Acids

Metals

Hazardous decomposition

products

Carbon dioxide (CO2)
Nitrogen oxides (NOx)

Sulphur oxides

Carbon disulfide

MITC vapour can be released during processing

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

Product:

Acute oral toxicity : LD50 Oral (Rat): 1,000 mg/kg

Remarks: Harmful if swallowed.

Acute inhalation toxicity : LC50 (Rat): 3.03 mg/l

Exposure time: 4 h

Metam KLR 54%



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/03/2016

 1.2
 06/27/2017
 150000103671
 Date of first issue: 10/22/2015

PRD SDSUS / EN / 0001

Remarks: Harmful if inhaled.

Acute dermal toxicity : LD50 Dermal (Rat): > 2,000 mg/kg

Remarks: No significant adverse effects were reported

Skin corrosion/irritation

Causes severe burns.

Product:

Species: Rabbit

Result: Corrosive after 3 minutes to 1 hour of exposure

Remarks: Causes severe skin burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Assessment: Corrosive

Remarks: Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity -

Assessment

Did not show mutagenic effects in animal experiments.

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

Metam KLR 54%



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/03/2016

 1.2
 06/27/2017
 150000103671
 Date of first issue: 10/22/2015

PRD SDSUS / EN / 0001

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Product:

Reproductive toxicity - As-

Possible risk of harm to the unborn child.

sessment

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Target Organs: Nasal inner lining, Kidney, Liver, Bladder

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Information on likely routes of exposure

Product:

Skin contact : Symptoms: Causes skin burns.

Eye contact : Symptoms: Causes eye burns.

Further information

Product:

Remarks: None known.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Fish): 0.10 - 100 mg/l

Exposure time: 96 h

Metam KLR 54%



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/03/2016

 1.2
 06/27/2017
 150000103671
 Date of first issue: 10/22/2015

PRD SDSUS / EN / 0001

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1 - 10 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 0.56 mg/l

Exposure time: 72 h

Toxicity to microorganisms : IC50 (Bacteria): 4.36 mg/l

Exposure time: 3 h

Persistence and degradability

Product:

Biodegradability : Remarks: Readily biodegradable

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil

Product:

Distribution among environ-

mental compartments

Koc: < 50

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 3267

Metam KLR 54%



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/03/2016

 1.2
 06/27/2017
 150000103671
 Date of first issue: 10/22/2015

PRD SDSUS / EN / 0001

Proper shipping name : Corrosive liquid, basic, organic, n.o.s.

(Metam-Potassium 54% in water)

Class : 8 Packing group : II

Labels : Corrosive Packing instruction (cargo : 855

aircraft)

Packing instruction (passen: 851

ger aircraft)

IMDG-Code

UN number : UN 3267

Proper shipping name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(Metam-Potassium 54% in water)

Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 3267

Proper shipping name : Corrosive liquid, basic, organic, n.o.s.

(Metam-Potassium 54% in water)

Class : 8 Packing group : II

Labels : Class 8 - Corrosive

ERG Code : 153 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute Health Hazard

Chronic Health Hazard

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

metam potassium 137-41-7 50 - 70 %

EPA Labeling Information

This Chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under the federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Danger. Fatal if absorbed through skin. Corrosive. Causes skin burns and irreversible eye damage. Do not get in eyes, on skin, or on clothing. May be fatal if swallowed or inhaled. Do not breathe vapor or mist. Prolonged or frquently repeated skin contact may cause allergic reactions in some individuals.

The components of this product are reported in the following inventories:

CH INV : On the inventory, or in compliance with the inventory

Metam KLR 54%



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/03/2016

 1.2
 02/27/2017
 150000103671
 Date of first issue: 10/22/2015

PRD SDSUS / EN / 0001

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : Not listed

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations;

Metam KLR 54%



Version 1.2 PRD Revision Date: 06/27/2017


SDS Number: 150000103671 SDSUS / EN / 0001

Date of last issue: 03/03/2016 Date of first issue: 10/22/2015

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

NFPA:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 06/27/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN