



1 of 4 Extend

# MATERIAL SAFETY DATA

**December 30, 2014** 

### 1. CHEMICAL PRODUCT AND COMPANY INDENTIFICATION

PRODUCT NAME : **Extend** SYNONYMS : None

CHEMICAL FAMILY : Spray Adjuvant Surfactant

MOLECULAR FORMULA : Polymer MOLECULARWEIGHT : Polymer

EGE PRODUCTS, P.O. BOX 538, 450 COUNTY RD. C, MINNEOLA, KS USA

EMERGENCY PHONE: For emergency call: 1 (888) 679-5103

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

OSHA REGULATED COMPONENTS

COMPONENT CAS. NO. % TWA/CEILING REFERENCE

No permissible Exposure Limits (PEL/TLV) have been established by OSHA or ACGIH

#### 3. HAZARDS INDENTIFICATION

**EMERGENCY OVERVIEW** 

APPEARANCE AND ODOR : LIGHT BLUE LIQUID

STATEMENTS OF HAZARD : IMPORTANT! SPILLS OF THIS PRODUCT ARE VERY SLIPPERY

WHEN WET

# POTENTIAL HEALTH EFFECTS

**EFFECTS OF OVEREXPOSURE:** 

This product has an acute oral (rat) LD50 and acute dermal (rabbit) LD50 of > 2.5 g/kg and >10.0 g/kg respectively. This product produced no eye irritation and no dermal irritation during primary irritation tests in rabbits. The inhalation of the vapors is not likely to cause adverse health effects.

# 4. FIRST AID MEASURES

In case of skin contact, wash affected areas of skin with soap and water. In case of eye contact, immediately irrigate with plenty of water for 15 minutes.

#### 5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT : Not applicable

**FLAMMABLELIMITS** 

(% BY VOL) : Not applicable AUTOIGNITION TEMP : Not available DECOMPOSITION TEMP : Not available

#### **EXTINGUISHING MEDIA AND FIRE FIGHTING INSTRUCTIONS**

As with many solids, any dust that is generated may be explosive if mixed with air in critical proportions and in the presence of a source of ignition. Use water, carbon dioxide or dry chemical to extinguish fires. Wear self-contained, positive pressure breathing apparatus.

#### 6. ACCIDENTAL RELEASE MEASURES

#### STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Spilled material becomes very slippery when wet. Sweep up spills and place in a waste disposal container. Flush the area thoroughly with water and scrub to remove residual. If slipperiness remains, apply more drysweeping compound. Do not flush large quantity of the material to sewer.

#### 7. HANDLING AND STORAGE

Spills should be scooped up or wiped up immediately, and spill area flushed with water.

Maintained good housekeeping to control dust accumulations.

To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum container or equipment.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT (PPE)

Engineering controls are not usually necessary if good hygiene practices are followed. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water. Avoid unnecessary skin contact. Impervious gloves are recommended to prevent prolonged skin contact. For operations where eye or face contact can occur, eye protection is recommended.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR : LIGHT BLUE LIQUID

BOILING POINT : Not applicable
MELTING POINT : Not available
VAPOR PRESSURE : Not applicable
SPECIFIC GRAVITY : 48 - 55; lb/ft<sup>3</sup>
VAPOR DENSITY : Not applicable
% VOLATILE (BY WT) : 8 - 12; (water)

pH : 7 - 9; (aqueous solution)

SATURATED IN AIR (BY VOL) : Not applicable EVAPORATION RATE : Not applicable SOLUBILITY IN WATER : Limited by viscosity

# 10. STABILITY AND REACTIVITY

STABILITY : Stable
CONDITIONS TO AVOID : None known
POLYMERIZATION : Will not occur
CONDITIONS TO AVOID : None known

INCOMPATIBLE MATERIALS : Strong oxidizing agents

HAZARDOUS DECOMPOSITION : Thermal decomposition or combustion may produce carbon

PRODUCTS monoxide, carbon dioxide, ammonia, and/or oxides or nitrogen.

#### 11. TOXICOLOGICAL INFORMATION

Toxicological information on the OSHA regulated components of this product is as follows: Not Applicable

Not applicable/Not Regulated

None required

Not applicable

#### 12. ECOLOGICAL INFORMATION

LC50

BLUEGILL, 96 HOUR: 180 mg/L TROUT, 96 HOUR: 130 mg/L DAPHNIA, 48 HOUR: > 1000 mg/L

OCTANOL/H2O PARTITION COEF .: Not available

# 13. DISPOSAL CONSIDERATIONS

Disposal must be made in accordance with applicable governmental regulations.

#### 14. TRANSPORT INFORMATION

TRANSPORT INFORMATION				
		D.O.T SHIPPING INFORMATION	IMO SHIPPING INFORMATION	
SHIPPINGNAME	:	Not applicable/Not Regulated	Not applicable/Not Regulated	
HAZARD CLASS/ PACKING GROUP	:	Not applicable	Notapplicable	
UNNUMBER	:	Not applicable	Not applicable	
IMDG PAGE	:	Not applicable	Not applicable	
D.O.THAZARDOUS SUBSTANCES	:	(Product Reportable Quantity) Not applicable	Not applicable	
TRANSPORTLABEL REQUIRED	:	None required	None required	
		ICAO/IATA	TRANSPORT CANADA	

Not applicable/Not Regulated

ICAO/IATA	TRANSPORT CANADA

HAZARD CLASS Not applicable Not applicable SUBSIDIARYCLASS Not applicable Not applicable UN / ID NUMBER Not applicable Not applicable PACKING GROUP Not applicable Not applicable

None required

**TRANSPORTLABEL** 

PACKING INSTRUCTIONS

SHIPPING NAME

REQUIRED

Passenger Not applicable

Not applicable Cargo

MAX NET QTY Passenger Not applicable Not applicable

Not applicable Cargo

**ADDITIONAL TRASPORT INFORMATION** 

TECHNICAL NAME (N.O.S.) Not applicable

#### 15. REGULATORY INFORMATION

#### INVENTORY INFORMATION

USTSCA: This product is manufactured in compliance with all provisions of the Toxic

Substances control Act, 15 U.S.C.

CANASA DSL : Components of this product have been reported to Environment Canada in

accordance with subsection 25 of the Canadian Environmental Protection Act and

are included on the Domestic Substances List.

EEC EINECS : All components of this product are included on the European Inventory of Existing

Chemical Substances [EINECS] in compliance with Council Directive 67/548/EEC,

Amended 79/831/EEC.

#### **OTHER ENVIRONMENTAL INFORMATION**

The following components are defined as toxic chemicals subject to reporting requirements of Section 313 of Title III and of 40 CFR 372 or subject to other EPA regulations.

COMPONENT CAS. NO. % TPQ(lbs) RQ (lbs) S313 RCRA TSCA 12B

This product does not contain any components regulated under these sections of the EPA

PRODUCT CLASSIFICATION UNDER SECTION 311 OF SARA

Not applicable under SARA TITLE III

#### 16. OTHER INFORMATION

# NFPA HAZARD RATING (National Fire Protection Association)

Fire FIRE : Materials that must be preheated before ignition can occur.

1 HEALTH: Materials which on exposure under fire conditions would offer

Health 0 0 Reactivity no hazard beyond that of ordinary combustible material.

- REACTIVTY : Materials which in themselves are normally stable, even under

Special fire exposure conditions, and which are not reactive with water.

#### **REASON FOR ISSUE:**

Revised Section 3

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation, and verification. Before using any product, read its label.