

SaniDate® 15.0

Form #:	SDS-010
Revision Date:	02/02/2021
Revision #:	06
Supersedes Date:	01/08/2021

	Section 1: Identification				
Product Name:	SaniDate® 15.0	Product Type / Description:	Sanitizer / Disinfectant		
Recommended Use:	Sanitizer / Disinfectant for commercial use.	Other Means of Identification:	Peracetic Acid Solution, Peroxyacetic Acid Solution, PAA		
Use Restrictions:	It is a violation of federal law to use this product in a manner inconsistent with its labeling.	Chemical Formula:	CH₃CO₃H		
Manufacturer:	BioSafe Systems, LLC 22 Meadow Street East Hartford, CT 06108	EPA Registration #:	70299-26		
Telephone Number:	1-888-273-3088	Emergency Number: 1-800-424-9300 (CHEMTREC)			

Section 2: Hazard Identification			
GHS Classification	н	azard Statements	
Organic Peroxide: Type F	H242: Heating may cause fire.		
Corrosive to Metals: Category 1	H290: May be corrosive to meta	ıls.	
Acute Toxicity	H302: Harmful if swallowed.	H302: Harmful if swallowed.	
Oral: Category 4	H312: Harmful in contact with s	H312: Harmful in contact with skin.	
Dermal: Category 4 H314: Causes severe skin burns and eye damage.		and eye damage.	
Inhalation: Category 4	H318: Causes serious eye damaş	ge.	
Skin Corrosion/Irritation: Category 1B H332: Harmful if inh			
Serious Eye Damage/Eye Irritation: Category 1 H401: Toxic to aquatic life.			
Specific Target Organ Toxicity (Single Exposure): Category 3			
Acute Hazard to the Aquatic Environment: Category 2			
Pictograms		Signal Word	







DANGER

Precautionary Statements			
General	Response		
P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use.			
Prevention	Storage / Disposal		
P210: Keep away from heat, sparks or open flames, no smoking. P220: Keep away from combustible materials. P221: Take any precautions to avoid mixing with combustibles. P234: Keep only in original container. P260: Do not breathe fumes, mist or vapors. P262: Do not get in eyes, on skin or on clothing. P264: Wash thoroughly after handling. P270: Do not eat, drink, or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P273: Avoid release to the environment. P280: Wear protective gloves, clothing, eye protection, face protection.	P403+P235: Store in a well-ventilated place. Keep cool. P404: Store in a closed container. P405: Store locked up. P406: Store in corrosive resistant container, never use metal containers. P410: Protect from sunlight. P411: Store at temperatures not exceeding 55°C (131°F). P420: Store away from incompatible materials. P501: Dispose of contents/container in accordance with local/regional/national/international regulations.		



SaniDate® 15.0

Form #:	SDS-010
Revision Date:	02/02/2021
Revision #:	06
Supersedes Date:	01/08/2021

Section 3: Composition / Information on Ingredients				
Components CAS-No % Composition (w/w)				
Hydrogen Peroxide	7722-84-1	9.0 – 11.0%		
Peroxyacetic Acid	79-21-0	13.5 – 16.5%		
Acetic Acid	64-19-7	38.96 – 41.36%		

Section 4: First-Aid Measures		
Eye	In case of eye contact, remove contact lenses and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.	
Contact:	See a medical doctor immediately.	
Skin	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Seek immediate medical	
Contact:	attention/advice.	
Ingestion:	Rinse mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. If swallowed, do not	
	induce vomiting - seek medical advice.	
Inhalation:	Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Consult a	
	physician if necessary.	
Notes to	This product can be corrosive to skin, eyes, and mucous membranes. Careful gastric lavage should be considered. Observations may be	
Physician:	warranted. Treatment is controlled removal of exposure followed by supportive care.	

Section 5: Fire-Fighting Measures			
Suitable Exting	guishing Media:	Water spray.	
Unsuitable Exting	ble Extinguishing Media: Carbon dioxide, alcohol foam, dry chemical. Heavy water stream can spread fire.		
Combu	pmbustion Products: Corrosive vapors, acetic acid, carbon oxides.		
Unusual Fire	ual Fire and Explosion Product is not flammable but during a fire, product can decompose and generate oxygen which can initiate or		
	Hazards: promote combustion.		
Protective	Full chemical protection suits and boots (rubber or PVC) and self-contained breathing apparatus. Cordon the area to keep out all		
Equipment for	unnecessary personnel. Keep upwind. Use large quantities of water spray to fight fire. Cool containers / tanks with water spray. If		
Firefighters:	safe to do, move product away from fire to secure area. Eliminate all possible sources of ignition and remove flammable material.		

	Section 6: Accidental Release Measures		
Personal Precau	tions:	Ensure adequate ventilation. Avoid inhalation, ingestion and contact with skin and eyes.	
Emergency Proced	dures:	Ensure clean-up is conducted by trained personnel. Personnel should wear appropriate protective equipment. Remove	
		all sources of ignition. Keep people away from and upwind of spill/leak. If facing concentrations above exposure limits	
personnel shall wear certified respirators.		personnel shall wear certified respirators.	
Environmental Precau	recautions: Prevent undiluted spillage from entering sewers, basements or watercourses.		
Methods and	Dike to collect large liquid spills. Contain spills with earth or sand or inert absorbent. Stop leak and contain spill if this can be		
Material for	done safely. Dilute with large quantities of water. If safe to do so, move product to secure area. Control runoff and isolate		
Containment and	discharged material for proper disposal. Do not seal waste material, do not use textiles, tissues, saw dust or combustible		
Clean-Up:	materials to clean the spill. Do not return product to the original storage container/tank due to risk of decomposition.		

Section 7: Handling and Storage		
Handling:	Wear protec	ctive gloves/eye protection/face protection/body, skin protection. Do not eat, drink, or smoke when using this product. Wash
	thoroughly after handling. Avoid breathing fumes/mist/vapors. Use only outdoors or in a well-ventilated area.	
Storage:	torage: Store in cool, ventilated area. Keep away from heat. Keep only in original container. Protect from sunlight. Store at temperatures not	
exceeding 30°C (86°F) for product quality. Do not store near combustible materials.		
Incompatible Materials: Oxidizing agents, strong reducing agents, combustible materials, heavy metals.		
Compatible	Compatible Materials: 304L Stainless Steel, 316L Stainless Steel, Passivated Aluminum; High Density Polyethylene (HDPE), Polyvinyl Chloride (PVC)	

Section 8: Exposure Controls / Personal Protection				
Components with Workplace Control Parameters				
Component	Component ACGIH NIOSH OSHA			
Acetic Acid	TWA: 10 ppm STEL: 15 ppm	TWA: 25 mg/m ³ - 8 hours. TWA: 10 ppm - 8 hours. IDLH: 50 ppm	TWA: 25 mg/m ³ - 8 hours. TWA: 10 ppm - 8 hours.	
Hydrogen Peroxide	TWA: 1 ppm	TWA: 1.4 mg/m³ - 8 hours. TWA: 1 ppm - 8 hours. IDLH: 75 ppm	TWA: 1.4 mg/m³ - 8 hours. TWA: 1 ppm - 8 hours.	
Peracetic Acid	STEL: 0.4 ppm			



SaniDate® 15.0

Form #:	SDS-010
Revision Date:	02/02/2021
Revision #:	06
Supersedes Date:	01/08/2021

Engineering Controls:	Ensure adequate ventilation. Emergency eye wash stations / emergency showers should be available in the immediate vicinity of any potential exposure.
General Hygienic Practices:	Do not eat, drink or smoke during use. Wash hands immediately after handling the product.
	Personal Protective Equipment
Respiratory Protection:	Use NIOSH-approved air-purifying or supplied air respirator where airborne concentrations of vapor or mist are
	expected to exceed exposure limits. Recommended respirators are those with an organic vapor / acid gas cartridge.
Eye / Face Protection:	Chemical resistant goggles or face shield if splashes are expected to occur.
Hand Protection:	Rubber/latex/neoprene or other suitable chemical resistant gloves. Do not use leather or cotton gloves.
Skin / Body Protection:	Wear non-combustible clothing and footwear (PVC, neoprene, nitrile or natural rubber).

Section 9: Physical and Chemical Properties									
Appearance:	Clear, colorless liquid.	Odor:	Pungent, vinegar-like.		Odor Threshold:	NA			
Physical State:	Liquid.	рН:		OH: <1.5 (Concentrate); 3.05 1.0% v/v solution at 25 C) Specific Gravity:		1.10 – 1.12 g/cm ³			
Melting Point:	NA	Freezing Point:	-30°C (-22°F)		Boiling Point:	NA			
Flash Point:	NA	Flammability:	NA		Flammability Limits:	NA			
Vapor Pressure:	22 mm Hg (25°C)	Vapor Density:	NA		Solubility:	Complete.			
Evaporation	NA	Auto-Ignition	NA	N.A.		SADT > 55°C (131°F)			
Rate:	NA .	Temperature:	INA		Temperature:	3AU1 > 33 C (131 F)			
Relative Density:	NA	Partition Coeffic	ient n-octanol / water:	NA	Viscosity:	NA			

Section 10: Stability and Reactivity							
Reactivity:	Reactive and oxidizing agent, organic peroxide.						
Stability:	Stable under recommended storage conditions.						
Conditions to Avoid:	Open flames/heat sources, temperatures above 55°C (131°F), direct sunlight, combustible materials.						
Incompatible Materials:	Acids, bases, reducing agents, organic materials, soft metals, salts of metals.						
Hazardous Decomposition Products:	Thermal decomposition generates corrosive vapors, acetic acid and oxygen which supports combustion.						

Section 11: Toxicological Information									
Acute Toxicological Data									
Oral LD50 Rat:	1026-1780 mg/kg	Dermal LD50 Rat:		Inhalation LC50 Rat:	4 hr – 4080 mg/m ³				
Symptoms and Effects									
Condition	А	cute Effects		Chronic (Delayed) Effects					
Eye Contact:	Causes serious eye dama	ige.		None.					
Skin Contact:	Causes severe skin burns	5.		None.					
Inhalation:	May cause respiratory tr	act irritation.		None.					
Ingestion:	Probable mucosal damag	ge.		None.					

Section 12: Ecological Information									
Duration		n	Species	Value					
Ecotoxicity:	Ecotoxicity: 96 hr LC50		Oncorhynchus mykiss (rainbow trout)	0.53 mg/L					
	21 d NO	C	Daphnia magna	0.05 mg/L					
Persistence and	Degradability:	Peraceti	eracetic acid is completely miscible with water. Product is biodegradable due to chemical properties.						
Bioaccumulative Potential: Does not bioaccumulate.									
ı	Mobility in Soil:	Non-sign	nificant adsorption soil degradation, >99% in 20 minutes.						
Results of PBT & vPvB: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).									
Other A	Other Adverse Effects: None known.								

Section 13: Disposal Considerations								
Waste from Residues and Unused Product:	Dispose of waste material in accordance with all local, regional, national, provincial, territorial and							
	international regulations.							
Contaminated Container Disposal:	Do not reuse or refill containers. Triple rinse empty containers with clean water. Clean and empty							
	containers should be taken to an approved waste handling site for recycling or disposal.							



SaniDate® 15.0

Form #:	SDS-010			
Revision Date:	02/02/2021			
Revision #:	06			
Supersedes Date:	01/08/2021			

Section 14: Transport Information										
LINI N	umber	UN Proper Shipping Name	Hazard Class	Packing	IATA	Marine				
UN Number		ON FTOPEL SHIPPING Name	(Subsidiary)	Group	IATA	Pollutant				
DOT	3109	Organic peroxide type F, liquid (Peroxyacetic Acid, Type F, Stabilized, <43%)	5.2	NA	Not permitted					
TDG	3109	Organic peroxide type F, liquid (Peroxyacetic Acid, Type F, Stabilized, <43%)	5.2	NA	for shipment					
IMDG	3109	Organic peroxide type F, liquid (Peroxyacetic Acid, Type F, Stabilized, <43%)	5.2		by air.	No				

Special Frecautions

Shipping container: UN certified vented polyethylene

Shipping Placards:



				Se	ction 15:	: Regulat	tory Inforn	natio	n				
TSCA Inv		US EPA CERCLA Hazardous Substances						Clean Water Act					
Acetic A	Acid	Yes		Acetic Acid 5000 lbs.					5000 lbs.				
Hydrogen Perox	kide	Yes		Hydrogen Peroxide NA					NA				
Peracetic A	Acid	Yes				Pera	cetic Acid	NA			NA		
						SARA Ti	tle III						
	Se	ec. 302 TPC	. Sec	304 RQ.	Se	c 311 / 9	Sec 312 Ha	zard	Categor	у	Se	c 313	Clean Air Act Threshold Qty.
Acetic A	Acid	NA		NA			NA					NA	NA
Hydrogen Perox	kide	1000 lbs.	100	00 lbs.*		Acute Health, Reactivity						NA	NA
Peracetic A	Acid	500 lbs.	50	00 lbs.		Acute Health, Reactivity					,	Yes	10000 lbs.
*Hydrogen Peroxide	Reportab	le Quantity	only appl	ies to cond	centratio	ns > 52%	6						
NFPA 70	4 Rating	Health:	2	Flamma	bility:	0	Reactivi	ty:	3	Spec	ial:	OX (Oxi	idizer)
НМІ	S Rating	Health:	2	Flamma				P	PPE: Recommended. (B)				
Uniform Fire	e Code (N	FPA 400)	Organic	Peroxide:	Class IV,	Liquid					•		
California Prop 65		This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.											
FIFRA	differ fr Systems	om the class (GHS), and	ssification d for work	criteria an place labe	d hazard Is of non	l informa -pesticio	ation requi le chemica	red fo	or a safe is a viola	ty data tion of	sheet Feder	under t). These requirements may the Global Harmonized o use this product in a manner nd use directions.

Section 16: Other Information

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither BioSafe Systems nor any of its affiliates make any warranty, expressed or implied, or accept any liability relating to the information or its use. The information is for use by technically skilled persons at their own discretion and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed. Always read and follow label directions.

For additional information, call us toll-free at 1.888.273.3088 or visit www.biosafesystems.com ©2021 BioSafe Systems, LLC.

BiSafe Systems