



AMS Plus DRY

Dry Ammonium Sulfate / Drift Retardant

Active Ingredients:

Ammonium Sulfate, Polyacrylamide, and dimethylpolysiloxane ...	96.15%
Constituents Ineffective as a spray adjuvant	3.85%
Total	100%

All Ingredients are exempt from tolerance requirements under 40 CFR 180.1001(d)

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid ingestion. When mixing or applying this product, wear eye protection and chemical-resistant gloves in addition to protective clothing required on the pesticide product label(s). Avoid eye and skin contact and breathing vapors/spray/mist.
Note: Read and follow all label directions and cautions on all products used.



Manufactured By:
Coastal AgroBusiness, Inc.
Greenville, North Carolina

GENERAL INFORMATION

AMS Plus Dry is a highly active ammonium sulfate/drift retardant designed to reduce drift while enhancing herbicide performance by modifying solution pH and water hardness. The ammoniacal nitrogen in **AMS Plus Dry** has been found to promote herbicide (such as glyphosate) uptake in agricultural applications. The use of high-quality spray-grade ammonium sulfate in **AMS Plus Dry** eliminates cold water sedimentation and nozzle plugging. **AMS Plus Dry** also contains a pH-stable antifoam, which helps control foaming during tank mixing.

USE PRECAUTIONS

The degree of drift hazard varies with the type of pesticide, application conditions, and vegetation near the sprayed area. Common sense and sound application technology must be followed when spraying pesticides. **AMS Plus Dry** will retard but may not totally eliminate drift.

FIRST AID

If swallowed: Call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

If in eyes: Flush eyes with copious amounts of clean water for at least 15 minutes. Remove contacts if present, and easy to do. Do not let the victim rub their eye. Get medical attention.

If on skin: Remove contaminated clothing and wash skin with soap and water. If irritation develops, get medical attention.

If inhaled: Remove the person from the area of exposure. Give artificial respiration if necessary. If breathing is difficult, give oxygen if a qualified operator is available. Seek medical attention.

DIRECTIONS FOR USE

FOR USE WITH PRODUCTS REGISTERED FOR: AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, ORNAMENTAL, RIGHTS-OF-WAY, AND OTHER USES.

The addition of **AMS Plus Dry** to a tank mix should always follow the review of herbicide(s) labels and their procedures, rates, and application requirements. Before using **AMS Plus Dry**, it is recommended that the user be familiar with or have experience with the combination, or must have conducted a phytotoxicity trial.

RATE SELECTION CHART	
Application	Rate of AMS Plus Dry
Glyphosate Tank Mixes	9 to 18 lbs. per 100 gallons of solution
Other Tank Mixes	9.0 lbs. = 8.5 lbs. active ingredient/AMS 18.0 lbs. = 17 lbs. active ingredient/AMS

STORAGE AND DISPOSAL

For optimum storage stability, store at temperatures between 60°F (16°C) and 90°F (32 °C). Avoid contact with iron-clad, copper, and copper-bearing materials. Avoid contact with the eyes and skin. Do not store near oxidizing agents.

ALWAYS READ AND FOLLOW LABEL DIRECTIONS

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with the directions contained on this label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to, damage to plants, crops, and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops, and personal injury.