



SAFETY DATA SHEET

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

HAT TRICK

SUPERSEDES: 02/26/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name HAT TRICK

Other means of identification

Product Code PST-0002
UN/ID no NA1993
Synonyms None
Registration Number(s) 34704-1017

Recommended use of the chemical and restrictions on use

Recommended Use Herbicide.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address
LOVELAND PRODUCTS, INC.
P.O. Box 1286
Greeley, CO 80632-1286

Emergency telephone number

Company Phone Number 1-888-LPI-CUST (574-2878)
Emergency Telephone Chemtrec 1-800-424-9300
Medical Emergencies: 1-866-944-8565
US regulations require reporting spills of this material that could reach any surface waters.
The toll-free phone number for the US Coast Guard National Response Center is 1-800-424-8802

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|---|----------------------|
| Acute toxicity - Oral | Category 4 - (H302) |
| Acute toxicity - Dermal | Category 4 - (H312) |
| Acute toxicity - Inhalation (Vapors) | Category 3 - (H331) |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 - (H332) |
| Carcinogenicity | Category 1B - (H350) |
| Reproductive toxicity | Category 1B - (H360) |
| Aspiration toxicity | Category 1 - (H304) |
| Flammable liquids | Category 4 - (H227) |

Label elements



Signal word

DANGER

Hazard statements

H304 - May be fatal if swallowed and enters airways



SAFETY DATA SHEET

HAT TRICK

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 02/26/2018

H331 - Toxic if inhaled
 H350 - May cause cancer
 H360 - May damage fertility or the unborn child
 H227 - Combustible liquid

Precautionary Statements - Prevention

P201 - Obtain special instructions before use
 P202 - Do not handle until all safety precautions have been read and understood
 P281 - Use personal protective equipment as required
 P264 - Wash face, hands and any exposed skin thoroughly after handling
 P270 - Do not eat, drink or smoke when using this product
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
 P271 - Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
 P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 P311 - Call a POISON CENTER or doctor/physician
 P312 - Call a POISON CENTER or doctor/physician if you feel unwell
 P330 - Rinse mouth
 P331 - Do NOT induce vomiting
 P363 - Wash contaminated clothing before reuse

Precautionary Statements - Storage

P405 - Store locked up
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Chemical Name | CAS No | Weight-% | GHS Classification | Trade Secret |
|---|------------|----------|---|--------------|
| Solvent naphtha (petroleum), heavy aromatic | 64742-94-5 | 15 - 40 | Asp. Tox. 1 (H304) | * |
| Fluroxypyr 1-methylheptyl ester | 81406-37-3 | 5 - 10 | Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | * |
| Clopyralid Technical | 57754-85-5 | 3 - 7 | | * |
| N-methyl pyrrolidone | 872-50-4 | 3 - 7 | Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Repr. 1B (H360D) STOT SE 3 (H335) | * |
| Naphthalene | 91-20-3 | 1 - 5 | Acute Tox. 4 (H302) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.
 OSHA Hazard Communication 29 CFR 1910.1200



SAFETY DATA SHEET

HAT TRICK

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 02/26/2018

4. FIRST AID MEASURES

Description of first aid measures

| | |
|---|--|
| General advice | Get medical attention if symptoms occur. |
| Eye contact | Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| Skin contact | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| Inhalation | Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. |
| Ingestion | Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. |
| Self-protection of the first aider | Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|---|
| Treatment: | Treat symptomatically. Symptoms may be delayed. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-866-944-8565 for emergency medical treatment information. |
| Note to physicians | No tiene antídoto específico. Suministre tratamiento sintomático y de soporte. No specific antidote. Treat symptomatically. |
| Antidotes | No data available |



SAFETY DATA SHEET

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

HAT TRICK

SUPERSEDES: 02/26/2018

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO₂, water spray or regular foam, Water spray, fog or regular foam, Use water spray or fog; do not use straight streams, Move containers from fire area if you can do it without risk

Unsuitable extinguishing media ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Those substances designated with a "P" may polymerize explosively when heated or involved in a fire. Runoff to sewer may create fire or explosion hazard. Substance may be transported hot.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Stop leak if you can do it without risk.

Other Information

Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental precautions

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment

A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material.



SAFETY DATA SHEET

HAT TRICK

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 02/26/2018

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

.

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles.

Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection

Dependent on job function. If vapors or dusts exceed acceptable levels, wear a MSHA/NIOSH approved air-purifying respirator with any cartridges/filters approved for pesticides. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection Standard. Wear a supplied air respirator if exposure concentrations are unknown.

General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs.



SAFETY DATA SHEET

HAT TRICK

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 02/26/2018

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
 Appearance Clear liquid
 Color Amber
 Odor Pungent
 Odor threshold No data available

| <u>Property</u> | <u>Values (Remarks - Method)</u> | |
|--------------------------------|---|-------------------|
| pH | 2.45 - 2.55 (1% solution) | |
| Melting point / freezing point | No data available | No data available |
| Boiling point | No data available | No data available |
| Flash point | 69 °C / 156 °F Pensky-Martens Closed Cup (PMCC) | |
| Evaporation rate | No data available | |
| Flammability (solid, gas) | No data available | |
| Flammability Limit in Air | | |
| Upper flammability limit: | No data available | |
| Lower flammability limit: | No data available | |
| Vapor pressure | No data available | No data available |
| Vapor density | No data available | |
| Specific Gravity | 1.021 g/ml | |
| Water solubility | No data available | |
| Solubility in other solvents | No data available | |
| Partition coefficient | No data available | No data available |
| Autoignition temperature | No data available | No data available |
| Decomposition temperature | No data available | No data available |
| Kinematic viscosity | 7.867 @ 20 °C 4.213 @ 40 °C | |
| | Centistokes | |
| Dynamic viscosity | No data available | |
| Explosive properties | No data available | |
| Oxidizing properties | No data available | |

Other Information

VOC Content (%) No data available
 Density 8.52lbs/gal

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



SAFETY DATA SHEET

HAT TRICK

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 02/26/2018

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.



SAFETY DATA SHEET

HAT TRICK

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 02/26/2018

11. TOXICOLOGICAL INFORMATION

Acute toxicity of the formulated product:

Oral LD₅₀ > 2000 mg/kg
Dermal LD₅₀ > 2000 mg/kg
Inhalation (Vapors) LC₅₀ > 2.07 mg/l (rat, 4-hr)

| Chemical Name | Oral LD ₅₀ | Dermal LD ₅₀ | Inhalation LC ₅₀ |
|---|---|---|-------------------------------------|
| Solvent naphtha (petroleum), heavy aromatic | > 5000 mg/kg (Rat) | > 2 mL/kg (Rabbit) | > 590 mg/m ³ (Rat) 4 h |
| Fluroxypyr 1-methylheptyl ester | = 3162 mg/kg (Rat) > 5000 mg/kg (Rat) | = 2 g/kg (Rat) | |
| Clopyralid Technical | = 2675 mg/kg (Rat) | | |
| N-methyl pyrrolidone | = 3914 mg/kg (Rat) | = 8 g/kg (Rabbit) | = 3.1 mg/L (Rat) 4 h |
| Naphthalene | = 1110 mg/kg (Rat) = 490 mg/kg (Rat) | (= 1120 mg/kg (Rabbit) > 20 g/kg (Rabbit) | > 340 mg/m ³ (Rat) 1 h |

| Chemical Name | Skin corrosion/irritation | Eye damage/irritation | Respiratory sensitization | Skin sensitization |
|----------------------------------|---------------------------|-----------------------|---------------------------|--------------------|
| N-methyl pyrrolidone 872-50-4 | Category 2 | Category 2 | | |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|------------------------|-------|----------|------------------------|------|
| Naphthalene 91-20-3 | A3 | Group 2B | Reasonably Anticipated | X |

ACGIH (American Conference of Governmental Industrial Hygienists)
 A3 - Animal Carcinogen
 IARC (International Agency for Research on Cancer)
 Group 2B - Possibly Carcinogenic to Humans
 NTP (National Toxicology Program)
 Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic toxicity May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.

Target Organ Effects blood, Central nervous system, Eye damage/irritation, kidney, liver, Skin.

Aspiration hazard No information available.

Information on likely routes of exposure

Product Information No data available
Inhalation No data available.
Eye contact No data available.
Skin contact No data available.
Ingestion No data available.



SAFETY DATA SHEET

HAT TRICK

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 02/26/2018

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---|--|---|---|
| Solvent naphtha (petroleum), heavy aromatic 64742-94-5 | EC50 2.5 mg/L 72 h Skeletonema costatum | LC50 19 mg/L 96 h Pimephales promelas LC50 2.34 mg/L 96 h Oncorhynchus mykiss LC50 1740 mg/L 96 h Lepomis macrochirus LC50 45 mg/L 96 h Pimephales promelas LC50 41 mg/L 96 h Pimephales promelas | EC50 0.95 mg/L 48 h Daphnia magna |
| N-methyl pyrrolidone 872-50-4 | EC50 500 mg/L 72 h Desmodesmus subspicatus | LC50 832 mg/L 96 h Lepomis macrochirus LC50 1072 mg/L 96 h Pimephales promelas LC50 1400 mg/L 96 h Poecilia reticulata LC50 4000 mg/L 96 h Leuciscus idus | EC50 4897 mg/L 48 h Daphnia magna |
| Naphthalene 91-20-3 | EC50 0.4 mg/L 72 h Skeletonema costatum | LC50 5.74 - 6.44 mg/L 96 h Pimephales promelas LC50 1.6 mg/L 96 h Oncorhynchus mykiss LC50 0.91 - 2.82 mg/L 96 h Oncorhynchus mykiss LC50 1.99 mg/L 96 h Pimephales promelas LC50 31.0265 mg/L 96 h Lepomis macrochirus | LC50 2.16 mg/L 48 h Daphnia magna EC50 1.96 mg/L 48 h Daphnia magna EC50 1.09 - 3.4 mg/L 48 h Daphnia magna |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available



SAFETY DATA SHEET

HAT TRICK

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 02/26/2018

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrecycle.org/>. Do not contaminate water, food or feed by storage or disposal.

Contaminated packaging

Do not reuse container.

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|------------------------|------|--|------------------------|------------------------|
| Naphthalene 91-20-3 | U165 | Included in waste streams: F024, F025, F034, F039, K001, K035, K060, K087, K145 | - | U165 |

| Chemical Name | RCRA - Halogenated Organic Compounds | RCRA - P Series Wastes | RCRA - F Series Wastes | RCRA - K Series Wastes |
|------------------------|--------------------------------------|------------------------|--|------------------------|
| Naphthalene 91-20-3 | - | - | Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. | - |

14. TRANSPORT INFORMATION

Note: 119 GALLONS OR LESS: NOT REGULATED

DOT

| | |
|---|---|
| UN/ID no | NA1993 |
| Proper shipping name | Greater than 119 gallons Combustible Liquid, N.O.S. (Petroleum Distillates) |
| U.S. Surface Freight Classification: | COMPOUND, TREE OR WEED KILLING, NOI (NMFC 50320, SUB 2: CLASS: 60) |
| Packing Group | III |
| Emergency Response Guide Number | 128 |



SAFETY DATA SHEET

HAT TRICK

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 02/26/2018

15. REGULATORY INFORMATION

| | | | | | |
|-------------|------------------|----------------|--------------------|---|------------|
| NFPA | Health hazards 4 | Flammability 2 | Instability 0 | Physical and Chemical Properties - Personal protection B | |
| HMIS | Health hazards 2 | Flammability 2 | Physical hazards 0 | | |
| | 0 - Least | 1 - Slight | 2 - Moderate | 3 - High | 4 - Severe |

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|---------------------------------|-------------------------------|
| N-methyl pyrrolidone - 872-50-4 | 1.0 |
| Naphthalene - 91-20-3 | 0.1 |

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute health hazard | Yes |
| Chronic Health Hazard | Yes |
| Fire hazard | Yes |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Naphthalene 91-20-3 | 100 lb | X | X | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|------------------------|--------------------------|----------------|---|
| Naphthalene 91-20-3 | 100 lb 1 lb | - | RQ 100 lb final RQ RQ 45.4 kg final RQ 1 lb final RQ RQ 0.454 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|---------------------------------|---------------------------|
| N-methyl pyrrolidone - 872-50-4 | Developmental |
| Naphthalene - 91-20-3 | Carcinogen |

US EPA Waste Number U165

U.S. EPA Label Information

EPA Registration Number 34704-1017

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION - PRECAUCION



SAFETY DATA SHEET

HAT TRICK

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 02/26/2018

Difference between SDS and EPA Pesticide label

DANGER - Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

16. OTHER INFORMATION

Prepared By Product Stewardship and Regulatory Affairs

Reviewed By Safety, Health and Environment

Issue Date 05/07/2020

Revision Date 02/26/2018

Revision Note

All SDS sections updated

HAT TRICK is a registered trademark of Loveland Products, Inc.

Disclaimer

This safety data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

End of Safety Data Sheet