

Coastal AgroBusiness, Inc.

Product Label



# Foam-Eater

## Agricultural Foam Control

Principal Functioning Agent:

|                            |       |
|----------------------------|-------|
| Dimethylpolysiloxane ..... | 10.0% |
| Inert Ingredients .....    | 90.0% |
| Total .....                | 100%  |

All ingredients are exempt from tolerance requirements under 40 CFR 180.1001(d)

**CAUTION**

***KEEP OUT OF REACH OF CHILDREN***

Read the entire label for additional precautionary statements.



Manufactured By:  
Coastal AgroBusiness, Inc.  
Greenville, North Carolina

## GENERAL INFORMATION

**Foam-Eater** is a proprietary silicone antifoam emulsion designed for the prevention and/or suppression of foam formation in aqueous solutions. The functional properties include quick dispersibility, slight insolubility, relative stability, and spreadability in ionic solutions.

**Foam-Eater** is very aggressive in agricultural pesticide tank mixes. All emulsifiers used in this formulation are non-ionic, offering superior uniformity and compatibility.

This product cannot be used for aquatic applications.

**NOTE:** Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning off equipment or disposing of wastes.

### READ ENTIRE LABEL BEFORE USING

## PRECAUTIONARY STATEMENTS / HAZARDS TO HUMANS

**CAUTION:** Use only as directed. Harmful if swallowed or inhaled. Avoid breathing vapors or spray mists. Liquid contact with eyes or skin can cause irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

## FIRST AID

**If swallowed:** Call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

**If in eyes:** Flush eyes with copious amounts of clean water for at least 15 minutes. Remove contacts if present, and easy to do. Do not let the victim rub their eye. Get medical attention.

**If on skin:** Remove contaminated clothing and wash skin with soap and water. If irritation develops, get medical attention.

**If inhaled:** Remove the person from the area of exposure. Give artificial respiration if necessary. If breathing is difficult, give oxygen if a qualified operator is available. Seek medical attention.

## STORAGE AND DISPOSAL

Store in a cool, dry place. Keep from freezing. Do not reuse empty container. Dispose of container in a safe manner in accordance with federal, state, and local regulations.

**Notice:** Buyer assumes all risk of handling or use of this product, whether in accordance with the directions or not. Neither manufacturer nor the seller makes any representation or warranty, whether expressed or implied, for the results from the use of this product.

## DIRECTIONS FOR USE

Add **Foam-Eater** to spray liquid before foam starts to appear. This gives best foam control. If foam has already started to build, add **Foam-Eater** directly to the foam. The use of 1 to 4 ounces

of **Foam-Eater** per 100 gallons of spray mixture is generally sufficient to suppress or eliminate foam from most conventional spray tanks. Agitation will aid dispersion.

## **WARRANTY**

Coastal AgroBusiness warrants that this product, when used as directed and in accordance with sound agricultural practices, is reasonably fit for the purposes stated on the label. Buyer assumes the risk of any use contrary to the directions so stated. Coastal AgroBusiness makes no other expressed or implied warranty of Fitness or Merchantability. This warranty shall not be changed by oral or written agreement unless signed by a duly authorized officer of Coastal AgroBusiness, Inc. In no event shall Coastal AgroBusiness liability for any breach of warranty exceed the purchase price of the product to which a claim is made.

**ALWAYS READ AND FOLLOW LABEL DIRECTIONS**

**SHAKE WELL BEFORE USE**

**KEEP FROM FREEZING**