

AMMONIUM SULFATE, FLUID GRADE 21-0-0-24S MATERIAL SAFETY DATA SHEET

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identity: Ammonium Sulfate, Fluid Grade 21-0-0-24S

Manufacturer:

Teck Cominco Metals Ltd.
Trail Operations
Trail, British Columbia
V1R 4L8
Emergency Telephone: 250-364-4214

Supplier:

International Raw Materials Ltd.
Public Ledger Building
150 South Independence Mall West
Philadelphia, PA 19106-3407

MSDS Preparer:

Teck Cominco Metals Ltd.
600 - 200 Burrard Street
Vancouver, British Columbia
V6C 3L9

Date of Last Review/Edit: July 31, 2006.

Product Use: Agricultural industry: Fertilizer. Industrial applications: Manufacture of specialty fertilizers.

SECTION 2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	Approximate Percent by Weight	CAS Number	Occupational Exposure Limits (OELs)	LD ₅₀ /LC ₅₀ Species and Route
Ammonium Sulfate	100%	7783-20-2	OSHA PEL 15 mg/m ³ / 5 mg/m ³ * ACGIH TLV (see note below) NIOSH REL None established	Rat, Oral LD ₅₀ 4,540 mg/kg Rat, Dermal - >2,000 mg/kg

NOTE: OELs for individual jurisdictions may differ from OSHA PELs. Check with local authorities for the applicable OELs in your jurisdiction. OSHA PEL – All inert or nuisance dusts, whether mineral, inorganic, or organic not listed specifically by substance name in Tables Z-1 or Z-3 of CFR 1910.1000 are covered by the Particulates Not Otherwise Regulated (PNOR) limit of 15 mg/m³ total dust and 5 mg/m³ respirable fraction.

ACGIH® TLV® - ACGIH® believes that even biologically inert, insoluble, or poorly soluble particles may have adverse effects and recommends that airborne concentrations should be kept below 3 mg/m³ respirable particles and 10 mg/m³ inhalable particles, until such time as a TLV® is set for a particular substance. While ammonium sulfate does not completely meet the ACGIH® definition of a Particle Not Otherwise Specified (PNOS) due to its solubility, this is still considered to be a valid guideline for ammonium sulfate fertilizer dust.

OSHA - Occupational Safety and Health Administration; ACGIH - American Conference of Governmental Industrial Hygienists; NIOSH - National Institute for Occupational Safety and Health. OEL – Occupational Exposure Limit, PEL – Permissible Exposure Limit, TLV – Threshold Limit Value, REL – Recommended Exposure Limit.

Trade Names and Synonyms: 21-0-0-24 Ammonium Sulfate Fertilizer, Ammonium Sulphate, (NH₄)₂SO₄

SECTION 3. HAZARDS IDENTIFICATION

Emergency Overview: White crystalline granules that are stable under normal temperatures and pressures and will not burn. Relatively non-toxic in small doses, but undergoes thermal decomposition at elevated temperatures to release toxic and combustible gases such as ammonia, nitrogen oxides and sulfur oxide.

Potential Health Effects: This product may irritate eyes and skin upon prolonged or repeated contact. Over-exposure by inhalation may cause respiratory tract irritation. Ingestion of large amounts of this substance may produce irritation of the gastro-intestinal tract, characterized by burning and diarrhea. Small amounts are unlikely to cause any toxic effects. This material is not listed as a human carcinogen by ACGIH, IARC, OSHA, NTP or the EU (see Toxicological Information, Section 11).

Potential Environmental Effects: This product has high water solubility but has limited direct toxicity in aquatic and terrestrial environments. However, in water it can release free ammonia which can be very toxic to fish and other aquatic organisms.

SECTION 4. FIRST AID MEASURES

Eye Contact: Quickly and gently blot or brush chemical off face. Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes, while holding the eyelid(s) open. Obtain medical advice.

Skin Contact: No health effects expected. If irritation does occur, flush with lukewarm, gently flowing water for 5 minutes. If irritation persists, obtain medical advice.

Inhalation: Remove victim from exposure area to fresh air immediately. If breathing has stopped, trained personnel should begin artificial respiration. Medical oxygen may be administered by trained personnel, where breathing is difficult. If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR), or automated external defibrillation (AED). Quickly transport victim to an emergency care facility.

Ingestion: Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Have victim rinse mouth thoroughly with water. DO NOT INDUCE VOMITING. Have victim drink 2 – 8 oz. (60 – 240 ml) of water. If vomiting occurs naturally, have victim rinse mouth with water again. Obtain medical advice and bring a copy of this MSDS.

SECTION 5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Product is not considered a fire or explosion hazard. However, it can enhance the explosive properties of ammonium nitrate when they are mixed together.

Extinguishing Media: Use any means of extinction appropriate for surrounding fire conditions such as water spray, carbon dioxide, dry chemical or foam. Cool any containers that are exposed to heat or flames by the application of water streams until well after the fire has been extinguished.

Fire Fighting: This material will not burn. Material undergoes thermal decomposition at elevated temperatures to release toxic and combustible gases such as ammonia, nitrogen oxides and sulfur oxides. Firefighters must wear full protective clothing and an approved, self-contained breathing apparatus which supplies a positive air pressure within a full face-piece mask. Do not allow water run-off to enter sewers or watercourses.

Flashpoint and Method: Not Applicable.

Upper and Lower Flammable Limit: Not Applicable.

Autoignition Temperature: Not Applicable.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Procedures for Cleanup: Stop release if possible to do so safely. This material will dissolve and disperse in water; therefore reclaiming material may not be viable in all cases. Recover and place material in suitable container for intended use or disposal. Ensure disposal complies with government requirements and local regulations.

Personal Precautions: Protective clothing, gloves, and P95 respirator are recommended for persons responding to an accidental release (see also Section 8).

Environmental Precautions: This product can pose a threat to the environment. Do not allow spills or water run-off from storage area to enter sewers or watercourses.

SECTION 7. HANDLING AND STORAGE

Store in a dry, cool, well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust. Keep away from incompatible materials. Always practice good personal hygiene. Refrain from eating, drinking, or smoking in work areas. Thoroughly wash hands before eating, drinking, or smoking in appropriate designated areas. Keep out of reach of children.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Protective Clothing: A filtering face-piece dust mask is recommended for most applications if respiratory protection is needed. Where skin and eye contact may occur as a result of brief periodic exposures, wear long-sleeved clothing or coveralls, chemical resistant gloves, and safety glasses with side shields.

Ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Respiratory Protection: Where dust or fumes are generated and cannot be controlled to within acceptable levels by engineering means, use appropriate NIOSH-approved respiratory protection equipment (a 42CFR84 Class N, R or P-100 particulate filter cartridge).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid, off-white deliquescent crystals	Odor: Odorless	Physical State: Solid	pH: (10% Soln/Water) 6.5
Vapor Pressure: Not Applicable	Vapor Density: Not Applicable	Boiling Point/Range: Decomposes above 280 °C	Freezing/Melting Point/Range: 235 °C (455 °F)
Specific Gravity g/cc: 0.929 (Water = 1)	Evaporation Rate: Not Applicable	Coefficient of Water/Oil Distribution: No Data	Odor Threshold: Not Applicable
Solubility in Water: Highly soluble, 76g/100 mL at 20 °C		Bulk Density (kg/m³): Loose: 990 kg/m ³ ; Packed: 1070 kg/m ³	

SECTION 10. STABILITY AND REACTIVITY

Stability & Reactivity: Stable under normal temperatures and pressures.

Incompatibilities: Reactive with oxidizing agents, metals and alkalis. Corrosive to copper alloys such as brass and to ferrous metals and their alloys. Not corrosive to stainless steel.

Hazardous Decomposition Products: Ammonia, nitrogen oxides and sulphur oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

General: This product and its products of degradation are not toxic under normal conditions of use.

Acute:

Skin/Eye: This product may irritate eyes and skin upon prolonged or repeated contact.

Inhalation: Over-exposure by inhalation may cause respiratory tract irritation.

Ingestion: Ingestion of small quantities of ammonium sulfate fertilizer is unlikely to cause a toxic effect. The ingestion of large amounts of this substance may produce irritation of the gastro-intestinal tract, characterized by burning and diarrhea.

Chronic: Ammonium sulfate is not considered a human carcinogen by the American Conference of Governmental Industrial Hygienists (ACGIH), the International Agency for Research on Cancer (IARC), the Occupational Safety and Health Administration (OSHA), the National Toxicology Program (NTP) or the EU.

SECTION 12. ECOLOGICAL INFORMATION

This product has high water solubility but has limited direct toxicity in aquatic and terrestrial environments. Its components are not bioaccumulative. However, in water it can release free ammonia which can be very toxic to fish and other aquatic organisms at thresholds which depend on pH. If present in slow moving watercourses, this product will promote algae growth which may degrade water quality. It may be harmful to livestock and wildlife if ingested.

SECTION 13. DISPOSAL CONSIDERATIONS

Do not wash down drain. Recover and place material in a suitable container for intended use or disposal. Ensure disposal complies with government requirements and local regulations.

SECTION 14. TRANSPORT INFORMATION

Proper Shipping Name under Transport Canada and U.S. DOT..... Not regulated.
Hazard Classification Transport Canada and U.S. DOT Not controlled under TDG (Canada) or DOT (USA)
Product Identification Number Not applicable.
Marine Pollutant No

SECTION 15. REGULATORY INFORMATION

U.S.:

Listed on TSCA Inventory Yes
Hazardous under OSHA Hazard Communication Standard..... No
CERCLA Section 103 Hazardous Substance..... No
EPCRA Section 302 Extremely Hazardous Substance No
EPCRA Section 312 Hazard Categories None
EPCRA Section 313 Toxic Release Inventory (Supplier Notification) Ammonium Sulfate (Solution)
CAS No. 7783-20-2
Percent by Weight: 100%

CANADIAN:

Listed on Domestic Substances List..... Yes
WHMIS Classification:..... Not a Controlled Product

SECTION 16. OTHER INFORMATION

The information in this Material Safety Data Sheet is based on the following references:

- American Conference of Governmental Industrial Hygienists, 2004, Documentation of the Threshold Limit Values and Biological Exposure Indices, Seventh Edition.
- American Conference of Governmental Industrial Hygienists, 2006, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices.
- American Conference of Governmental Industrial Hygienists, 2005, Guide to Occupational Exposure Values.
- Bretherick's Handbook of Reactive Chemical Hazards, 20th Anniversary Edition. (P. G. Urban ed.) 1995.
- Canadian Centre for Occupational Health and Safety (CCOHS) CHEMINFO Chemical Substance Data Base, On-Line.
- Commission de la santé et la sécurité du travail, Service du répertoire toxicologique, Sulfate d'ammonium , 2000-07.
- European Economic Community, Commission Directives 91/155/EEC and 67/548/EEC and 88/379/EEC.
- European Fertilizer Manufacturers Association, Guidance for the Compilation of Safety Data Sheets for Fertilizer Materials – Ammonium Sulphate (<http://www.efma.org/publications/guidance/section10.asp> - last accessed 2006-07-25).
- Industry Canada, SOR/88-66, Controlled Products Regulations, as amended.
- International Agency for Research on Cancer (IARC), Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, 1972 – 2004, (multi-volume work), World Health Organization, Geneva.
- Merck & Co., Inc., 2001, The Merck Index, An Encyclopedia of Chemicals, Drugs, and Biologicals, Thirteenth Edition.
- U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, National Toxicology Program (NTP), 11th Report on Carcinogens, January 2005.
- U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Registry of Toxic Effects of Chemical Substances (RTECS) July 2006.
- U.S. Occupational Safety and Health Administration, 1989, Code of Federal Regulations, Title 29, Part 1910.

Notice to Reader

Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. Teck Cominco Metals Ltd. extends no warranty and assumes no responsibility for the accuracy of the content and expressly disclaims all liability for reliance thereon. This material safety data sheet provides guidelines for the safe handling and processing of this product; it does not and cannot advise on all possible situations. Therefore, your specific use of this product should be evaluated to determine if additional precautions are required. Individuals exposed to this product should read and understand this information and be provided pertinent training prior to working with this product.