FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

LOVELAND PRODUCTS, INC. **24-Hour Emergency Phone:** 1-800-424-9300 P.O. Box 1286 • Greeley, CO 80632-1286

Medical Emergencies: 1-866-944-8565

U.S. Coast Guard National Response Center: 1-800-424-8802

PRODUCT NAME: DYNA-SHIELD® METALAXYL 318 FS FUNGICIDE

CHEMICAL NAME: Metalaxyl: N-(2,6-dimethylphenyl)-N-(methoxyacetyl)alanine methyl ester]

CHEMICAL FAMILY: Fungicide **EPA REG. NO.:** 34704-1061

MSDS Number: 001061-13-LPI MSDS Revisions: Section 12 Date of Issue: 02/11/13 Supersedes: 03/08/11

HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN - CAUTION - Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

This product is a light tan-colored liquid suspension with faint odor.

COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Ingredients:	Percentage by Weight:	CAS No.	TLV (Units)
Metalaxyl	30.14	57837-19-1	not listed
Other Ingredients	69.86		

FIRST AID MEASURES

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to

swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth

to an unconscious person.

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first If in eyes:

5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by If inhaled:

mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL: 1-866-944-8565. Have the product label or container with you when calling a poison control

center or doctor, or going for treatment.

FIRE FIGHTING MEASURES

>212°F / >100°C (this is an aqueous formulation) FLASH POINT (°F/Test Method):

FLAMMABLE LIMITS (LFL & UFL): None established

Foam or water spray recommended for large fires. Carbon dioxide (CO₂) or dry chemical **EXTINGUISHING MEDIA:**

recommended for small fires.

HAZARDOUS COMBUSTION PRODUCTS: Heating or fire can produce oxides of carbon and nitrogen.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with full protective clothing. Fight fire from upwind and keep

all non-essential personnel out of area.

UNUSUAL FIRE AND EXPLOSION HAZARDS: If water is used to fight fire and cool the containers, contain run-off by diking to prevent

contamination of water supplies. Containers in fire may burst or explode from excessive heat.

ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Control the spill at its source. Contain the spill to prevent it from spreading, contaminating soil, or entering sewage and drainage systems or any body of water. Clean up spill immediately. Cover entire spill with absorbent material such as sand, diatomaceous earth, or other compatible absorbent material into compatible disposal containers. Scrub the spill area with water and detergent. Pick up wash liquid with additional absorbent and place into disposal container. Once all material is cleaned up and placed in a disposal container, seal the container(s) and handle in an approved manner. Check local, state and federal regulations for proper disposal.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

DYNA-SHIELD® METALAXYL 318 FS FUNGICIDE

pH: 6.0 - 7.5

1,466 mg/kg

HANDLING AND STORAGE

HANDLING: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide

gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the

outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE: Store in a cool, dry location, out of direct sunlight, and away from exposure to air and moisture. Do not store in

temperatures over 90°F for prolonged period of time. After prolonged storage in intense cold, allow product to return to

approximately 75°F before use. Do not contaminate water, food or feed by storage or disposal.

Personal Protective Equipment: Applicators and other handlers must wear: Long-sleeved shirt and long pants, shoes plus socks, chemicalresistant gloves such as barrier laminate or nitrile rubber or neoprene rubber or Viton®. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Maintain exposure levels below exposure limits through the use of general and local exhaust ventilation. Use product

in accordance with product labeling and with the requirements listed in the Worker Protection Standard (WPS),

40CFR Part 170.

RESPIRATORY PROTECTION:

EYE PROTECTION:

Not normally required, if vapors or mists exceed acceptable levels, wear a NIOSH approved respirator.

Chemical splash goggles.

SKIN PROTECTION: Wear protective clothing: coveralls over short-sleeved shirt and short pants, socks and chemical-resistant footwear.

Wear rubber or chemical-resistant gloves.

OSHA PEL 8 hr TWA ACGIH TLVs

No listings

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Light tan-colored liquid suspension with faint odor. **SOLUBILITY:** Dispersible

SPECIFIC GRAVITY (Water = 1): 1.059 g/ml BULK DENSITY: 8.84 lbs/gal. VAPOR PRESSURE: Not established **BOILING POINT:** Not established

PERCENT VOLATILE (by volume): Not established **EVAPORATION RATE:** Not established These physical data are typical values based on material tested but may vary from sample to sample. Note:

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable.

CONDITIONS TO AVOID: Excessive heat. Do not store near heat or open flame.

INCOMPATIBILITY: Strong oxidizing agents, bases and acids.

HAZARDOUS DECOMPOSITION PRODUCTS: Can decompose at high temperatures forming oxides of nitrogen and oxides of carbon.

HAZARDOUS POLYMERIZATION: Will not occur.

TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (female rat): 1,750 mg/kg (based on a similar formulation)

Eye Irritation (rabbit): Moderately irritating

Inhalation LC₅₀ (rat): > 2.02 mg/L (4 hr).

Carcinogenic Potential: None listed in OSHA, NTP, IARC, or ACGIH.

Acute Dermal LD₅₀ (rat): > 5,000 mg/kg Skin Irritation (rabbit): Slightly irritating

Skin Sensitization (guinea pig): Not a sensitizer

12. ECOLOGICAL INFORMATION

Do NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do NOT apply when weather conditions favor drift from treated areas. DO NOT contaminate water when disposing of equipment wash water or rinsate.

Ecotoxicity:

Data on Metalaxyl Technical:

96-hour LC₅₀ Bluegill: Bobwhite Quail 8-day Dietary LC₅₀: >10,000 ppm 139 mg/l 96-hour LC₅₀ Rainbow Trout: 132 mg/l Mallard Duck Oral LD₅₀: 48-hour EC₅₀ Daphnia: 29 mg/l

13. DISPOSAL CONSIDERATIONS

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER HANDLING: Non-refillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle.org. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. For packages up to 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. For packages greater than 5 gallons and less than 56 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Drain for 10 seconds after the flow begins to drip. For packages greater than 56 gallons: To clean the container before final disposal, empty the remaining contents from the container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. For refillable containers: Refill the container with pesticide only. Do not reuse the container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from the container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

DOT Shipping Description: NOT REGULATED BY USDOT

U.S. Surface Freight Classification: INSECTICIDES OR FUNGICIDES, INSECT OR ANIMAL REPELLENTS; NOI; OTHER THAN POISON (NMFC

102120; CLASS: 60)

Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

15. REGULATORY INFORMATION

NFPA **HMIS** NFPA & HMIS Hazard Ratings: Health Health 0 Least 1 Flammability Slight Flammability Reactivity Instability 2 Moderate 0 0 3 R PPE High Severe SARA Hazard Notification/Reporting SARA Title III Hazard Category: **Immediate** Sudden Release of Pressure Fire Delayed Reactive

Reportable Quantity (RQ) under U.S. CERCLA: Not listed

SARA, Title III, Section 313: Not listed

RCRA Waste Code: Not listed CA Proposition 65: Not listed.

CAUTION – This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

MATERIAL SAFETY DATA SHEET

DYNA-SHIELD® METALAXYL 318 FS FUNGICIDE

16. OTHER INFORMATION

MSDS STATUS: Section 12 revised

PREPARED BY: Registrations and Regulatory Affairs

®Dyna-Shield is a registered trademark of Loveland Products, Inc.

REVIEWED BY: Environmental Health and Safety

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.