

Revision date : 05/08/2015 Version: 1.0 Page: 1/9

## 1. Identification

Product identifier used on the label

## **Revolution SWDG**

## Recommended use of the chemical and restriction on use

Recommended use\*: Chemical

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

## Details of the supplier of the safety data sheet

<u>Company:</u> Aquatrols Corporation of America 1273 Imperial Way Paulsboro, NJ 08066

Telephone: +1 800-257-7797

## **Emergency telephone number**

CHEMTREC: 1-800-424-9300

Other means of identification

Synonyms: Polymer based on: block copolymer, modified

## 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## **Classification of the product**

No need for classification according to GHS criteria for this product.

#### Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

#### Hazards not otherwise classified

Revision date : 05/08/2015 Version: 1.0 Page: 2/9

No specific dangers known, if the regulations/notes for storage and handling are considered.

## According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### **Emergency overview**

CAUTION: INGESTION MAY CAUSE GASTRIC DISTURBANCES. Use with local exhaust ventilation. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. Wear NIOSH-certified chemical goggles. Wear protective clothing.

## 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

#### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
61419-46-3	10.0 - 20.0 %	Oxirane, methyl-, polymer with oxirane, dimethyl ether
Various	80.0 - 100.0 %	DG Lite

## 4. First-Aid Measures

#### Description of first aid measures

#### **General advice:**

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air.

#### If on skin:

Wash thoroughly with soap and water.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### If swallowed:

Rinse mouth and then drink plenty of water.

## Most important symptoms and effects, both acute and delayed

Symptoms: No significant symptoms are expected due to the non-classification of the product. Hazards: No data available.

#### Indication of any immediate medical attention and special treatment needed

 Note to physician
 Symptomatic treatment (decontamination, vital functions).

## Safety Data Sheet

## **Revolution SWDG**

Revision date : 05/08/2015 Version: 1.0

## 5. Fire-Fighting Measures

### **Extinguishing media**

Suitable extinguishing media: water spray, dry powder, foam

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting: unburned hydrocarbons, carbon oxides

#### Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

## 6. Accidental release measures

<u>Further accidental release measures:</u> High risk of slipping due to leakage/spillage of product.

#### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures see, section 8.

## **Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder). Dispose of absorbed material in accordance with regulations. For large amounts: Pump off product. Spills should be contained, solidified, and placed in suitable containers for disposal.

## 7. Handling and Storage

#### Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion: No special precautions necessary.

#### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and in a cool place. The packed product is not damaged by low temperatures or by frost. Bulk must be protected from solidification. Protect from temperatures above: 70 °C

Properties of the product change irreversibly on exceeding the limit temperature.

Revision date : 05/08/2015 Version: 1.0

## 8. Exposure Controls/Personal Protection

#### Personal protective equipment

**Respiratory protection:** Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection: Chemical resistant protective gloves

Consult with glove manufacturer for testing data.

#### Eye protection:

Safety glasses with side-shields.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and Chemical Properties

Form: Odour: Odour threshold: Colour:	Solid product specific brown	not determined
pH value: solidification temperature:	approx. 6 approx7 °C	( 50 g/l, 23 °C) (DIN ISO 2207)
Boiling point:	> 250 °C	
Flash point:	> 100 °C	(DIN 51758)
Flammability: Lower explosion limit:	not self-igniting	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.
Upper explosion limit:		For liquids not relevant for classification and labelling.
Autoignition:	> 200 °C	(DIN 51794)
Vapour pressure:	< 0.1 hPa	( 20 °C)
Density:	1.02 g/cm3	(23 °C)
Relative density: Vapour density:	1.0305	( 20 °C) (OECD Guideline 109) not determined
Partitioning coefficient n- octanol/water (log Pow):		not determined
Self-ignition		not self-igniting
temperature: Thermal decomposition:	> 300 °C	
Viscosity, dynamic:	150 mPa.s	( 23 °C)

Revision date : 05/08/2015 Version: 1.0		Page: 5/9	)
Viscosity, kinematic:	approx. 140 mm2/s	( 40 °C) (DIN 51562)	
Particle size:			
Solubility in water:		partly soluble	
Miscibility with water:		partly miscible	
Solubility (qualitative):	soluble		
	solvent(s): polar	solvents,	
Evaporation rate:		not determined	
Other Information:	<b>,</b>	rmation on other physical and chemical dicated in this section.	

## 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Oxidizing properties: Based on its structural properties the product is not classified as oxidizing.

#### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. The product is chemically stable.

### **Conditions to avoid**

See MSDS section 7 - Handling and storage. Avoid humidity.

#### Incompatible materials

acids, Alkalines, caustics, halogens, reactive chemicals

#### Hazardous decomposition products

Decomposition products: Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: > 300 °C

## 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Revision date : 05/08/2015 Version: 1.0

#### Acute Toxicity/Effects

<u>Oral</u> Type of value: LD50 Species: rat Value: > 2,000 mg/kg

Inhalation Type of value: LC50 Species: rat not determined

Dermal Type of value: LD50 Species: rat not determined

<u>Skin</u> Species: rabbit Result: non-irritant

<u>Eye</u> Species: rabbit Result: non-irritant

<u>Sensitization</u> Assessment of sensitization: No data available.

<u>Aspiration Hazard</u> No aspiration hazard expected.

## **Chronic Toxicity/Effects**

<u>Genetic toxicity</u> Assessment of mutagenicity: No data available concerning mutagenic effects.

<u>Carcinogenicity</u> Assessment of carcinogenicity: No data available concerning carcinogenic effects.

<u>Reproductive toxicity</u> Assessment of reproduction toxicity: No data available.

<u>Teratogenicity</u> Assessment of teratogenicity: No data available.

Other Information The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

## Symptoms of Exposure

No significant symptoms are expected due to the non-classification of the product.

Page: 6/9

# Safety Data Sheet

Revolution SWDG Revision date : 05/08/2015

Version: 1.0

Page: 7/9

## **12. Ecological Information**

### Toxicity

Toxicity to fish LC50 (96 h), Fish not determined

Aquatic invertebrates LC50 (48 h), daphnia not determined

Aquatic plants EC50 (72 h) > 100 mg/l, algae

Chronic toxicity to fish No data available.

Chronic toxicity to aquatic invertebrates No data available.

#### Microorganisms/Effect on activated sludge

Toxicity to microorganisms

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

#### Persistence and degradability

#### Elimination information

30 - 40 % CO2 formation relative to the theoretical value (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) Moderately/partially biodegradable.

#### Mobility in soil

<u>Assessment transport between environmental compartments</u> The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is possible.

## **Additional information**

Sum parameter

Chemical oxygen demand (COD): 2,010 mg/g

Add. remarks environm. fate & pathway: Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Do not release untreated into natural waters. The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition.

# Safety Data Sheet

Revolution SWDG

Revision date : 05/08/2015 Version: 1.0

## 13. Disposal considerations

#### Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

#### Container disposal:

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

## 14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

#### Sea transport IMDG

Not classified as a dangerous good under transport regulations

## Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

## **15. Regulatory Information**

#### **Federal Regulations**

 Registration status:

 Chemical
 TSCA, US
 released / listed

 TSCA § 5 commenced PMN

### EPCRA 311/312 (Hazard categories):

Not hazardous;

NFPA Hazard codes: Health : 1 Fire: 1 Reactivity: 0 Special:

HMIS III ratingHealth:1Flammability:1Physical hazard:0

## **16. Other Information**

**SDS Prepared by:** Aquatrols Regulatory SDS Prepared on: 05/08/2015

Revision date : 05/08/2015 Version: 1.0 Page: 9/9

Revolution is a registered trademark of Aguatrols Corporation of America IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET