## micronutrient spray

## **Guaranteed Analysis** 0-0-0

Boron (B)	0.02%
Cobalt (Co)	0.0005%
Copper (Cu)	0.05%
0.05% Chelated Coppe	er
Iron (Fe)	0.10%
0.10% Chelated Iron	
Manganese (Mn)	0.05%
0.05% Chelated Mang	anese
Molybdenum (Mo)	0.0005%
Zinc (Zn)	0.05%
0.05% Chelated Zinc	

## Micronutrient Sources

Sodium Borate; Copper, Iron. Manganese and Zinc of EDTA Ethylenediaminetetra-acetate; Cobalt Sulfate; and Sodium Molybdate.

General Recommendations: ProZyme™ is to be used to prevent deficiencies in crops grown in soil that may

contain low levels of available micronutrients.

ProZyme™ is to be used in conjunction with other fertilizer programs. Amount: Consult your local farm advisor or extension agent. Compatibilities: ProZyme™ should be used alone in spray tank. However, ProZyme™ has been mixed with fertilizers and numerous common pesticides with good results. Limited Warranty: Manufacturer or seller makes no warranty, whether expressed or implied concerning the use of this product, other than for the purposes indicated on the label. Neither manufacturer or seller shall be liable for any injury nor damage caused by this product to misuse, mishandling, or any application not specifically described on the label.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm Net Contents: 2.5 gallons/18.3 liters (8.4 lbs/gal)

Application: ProZyme™ may be applied with any conventional spray equipment that insures adequate and even coverage. Apply broadcasted and before planting with sufficient water for uniform coverage. Incorporate for best results. May also be applied in the furrow. Application should be made within 24 to 48 hours after dilution. Agitate the solution immediately before use.

> CAUTION: KEEP OUT OF REACH OF CHILDREN. DO NOT SWALLOW. STORE BELOW 110° F. KEEP OUT OF DIRECT SUNLIGHT. SHAKE WELL BEFORE USING.

> > Ag Concepts® Corp. 439 E Shore Dr. ste 200 Eagle, Idaho 83616 • (208) 388-1131