

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER:

TRADE NAME: ALL CLEAR®

1.2 RECOMMENDED USE: SPRAY TANK DECONTAMINATOR

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24-Hour Emergency Phone: 1-800-424-9300 - **Medical Emergencies:** 1-866-944-8565 - **Product Information:** 1-888-574-2878 (LPI-CUST)
U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200

Eye Damage/Irritation	Category 1	H318
Skin Corrosion/Irritation	Category 2	H315
Specific Target Organ Toxicity (Single Exposure)	Category 3	H335
Specific Target Organ Toxicity (Single Exposure)	Category 3	H336

2.2 Label elements



Signal word: DANGER
 Hazard Statements: H318 – Causes serious eye damage.
 H315 – Causes skin irritation.
 H335 – May cause respiratory irritation.
 H336 – May cause drowsiness or dizziness.

Precautionary Statements: P280 – Wear protective gloves/protective clothing/eye protection/face protection.
 (Prevention): P264 – Wash hands thoroughly after handling.
 P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.
 P271 – Use only outdoors or in a well-ventilated area.

Precautionary Statement: P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 (Response): P310 – Immediately call a poison center/doctor/physician.
 P302+P352 – IF ON SKIN: Wash with plenty of soap and water.
 P321 – Specific treatment (see First Aid on the product label).
 P332+P313 – If skin irritation occurs: Get medical advice/attention.
 P362 – Take off contaminated clothing and wash it before reuse.
 P304+P340 – IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.
 P312 – Call a poison center or doctor/physician if you feel unwell.

Precautionary Statement: P403+P233 – Store in a well-ventilated place. Keep container tightly closed.
 (Storage): P405 – Store locked up.

Precautionary Statement: P501 – Dispose of contents in container at an approved waste disposal facility in accordance with all local/state/national regulations.
 (Disposal):



SAFETY DATA SHEET

SDS NUMBER: 1000002081-17-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 05/12/17

ALL CLEAR®
SUPERSEDES: 05/29/15

2.3 Other hazards
None known

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Chemical Name:	CAS No.	Concentration [%]
2-aminoethanol	141-43-5	10 – 25%
Benzenesulfonic acid, C10-16 alkyl derivatives	68584-22-5	10 – 25%
Ethoxylated alcohols, C12-15	68131-39-5	2.5 – 10%
(2-methoxymethylethoxy)propanol (DPGME)	34590-39-5	2.5 – 10%
(1-hydroxyethane-1,1-diy)bis(phosphonic acid)	2809-21-4	2.5 – 10%
Benzenesulfonic acid, C10-16 alkyl derivatives with Ethanolamine	68910-32-7	2.5 – 10%
Sodium dodecylbenzene sulfonate	68081-81-2	2.5 – 10%

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms : Headache. Dizziness. Coughing. Breathing difficulty. Irritating to skin and mucous membranes. Strong irritant with danger of severe injury to eyes. May cause respiratory irritation. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. May be harmful if inhaled. Causes serious eye damage.

4.3 Immediate Medical Attention and Special Treatment

Treatment : Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565

Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.



SAFETY DATA SHEET

SDS NUMBER: 1000002081-17-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 05/12/17

ALL CLEAR®
SUPERSEDES: 05/29/15

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use water fog, alcohol foam, dry chemical, or carbon dioxide extinguishing media.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: Formation of toxic gases is possible in case of fire.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use alcohol-type or universal-type foam on larger fires. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapors, fumes, and spray mist and prolonged or repeated contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination.

Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling : Avoid inhalation of vapors / spray mist or fumes and contact with eyes, skin and clothing. Do not breathe mist or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking. Eye wash and safety shower on site are recommended.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Store locked up. Avoid storage near extreme heat, ignition sources or open flame. Store in a cool, dry place. Store in original container. Keep tightly closed. Do not reuse empty container. Store away from incompatible materials. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

ACGIH TLVs TWA

Components	Type	Value
2-Aminoethanol	TWA	3 ppm
DPGME	TWA	100 PPM (Skin)

OSHA PELs TWA

2-Aminoethanol	TWA	6 ppm
DPGME	TWA	100 ppm (Skin)

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen
No data		



SAFETY DATA SHEET

SDS NUMBER: 1000002081-17-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 05/12/17

ALL CLEAR®
SUPERSEDES: 05/29/15

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Chemical goggles or face shield are recommended.

Skin Protection: Wear protective clothing. Wear protective gloves.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment. Wear respiratory protection during operations where spraying or misting occurs. Wear air supplied respiratory protection. In the U.S.A., if respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE:	Liquid
ODOR:	Faint.
ODOR THRESHOLD:	Not determined.
COLOR:	Pale straw.
pH:	10.5 – 10.8
MELTING POINT / FREEZING POINT:	No data available
BOILING POINT:	No data available
FLASH POINT:	>100°C (>212°F)
FLAMMABILITY (solid, gas):	No data available
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	No data available
VAPOR PRESSURE:	No data available
SOLUBILITY:	No data available
PARTITION CO-EFFICIENT, n-OCTANOL / WATER:	No data available
AUTO-IGNITION TEMPERATURE:	No data available.
DECOMPOSITION TEMPERATURE:	No data available
VISCOSITY :	No data available
SPECIFIC GRAVITY (Water = 1):	1.08 g/ml
DENSITY:	9.01 lbs./gal. / 1.08 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Formation of toxic gases is possible in case of fire. Reacts with strong acids and alkali. Reacts with strong oxidizing agents. Will not polymerize.

10.4 CONDITIONS TO AVOID

Store away from oxidizing agents. Keep away from heat and direct sunlight.

10.5 INCOMPATIBLE MATERIALS

No data available.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Oxides of nitrogen, oxides of sulfur, oxides of carbon and other low molecular hydrocarbons.



SAFETY DATA SHEET

SDS NUMBER: 1000002081-17-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 05/12/17

ALL CLEAR®
SUPERSEDES: 05/29/15

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Eye contact, skin contact, inhalation.

LC₅₀ (rat): No data available.

LD₅₀ Oral (rat): 2,050 mg/kg (2-aminoethanol)

LD₅₀ Dermal (rabbit): 1,000 mg/kg (2-aminoethanol)

Skin Irritation (rabbit): Causes skin irritation.

Eye Irritation (rabbit): Causes serious eye damage.

Specific Target Organ Toxicity: No data available

Aspiration: No data available

Skin Sensitization (guinea pig): No data available

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Ecotoxicological Data

Components	Species	Test Results
No data available		

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available

12.4 MOBILITY IN SOIL

No data available

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Do not contaminate water, food or feed by storage or disposal. Wastes may be disposed of on-site or at an approved waste disposal facility.

Triple rinse (or equivalent) adding rinse water to spray tank. Offer container for recycling or dispose of container in sanitary landfill, or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The

Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

DOT Shipping Description: NOT REGULATED

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS: 60)



SAFETY DATA SHEET

SDS NUMBER: 100002081-17-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 05/12/17

ALL CLEAR®
SUPERSEDES: 05/29/15

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:	NFPA		HMIS
	3 Health	0 Least	3 Health
	1 Flammability	1 Slight	1 Flammability
	0 Instability	2 Moderate	0 Reactivity
		3 High	B PPE
		4 Severe	

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: Immediate Y Fire N Sudden Release of Pressure N
 Delayed N Reactive N

Reportable Quantity (RQ) under U.S. CERCLA: Not listed.

SARA, Title III, Section 313: Not listed

RCRA Waste Code: Not listed

CA Proposition 65: Not listed

16. OTHER INFORMATION

SDS STATUS: Section 2 revised

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

®All Clear is a registered trademark of Amega Sciences (North America) Ltd.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.