

WARRANTY

To the extent consistent with applicable law, Suterra LLC warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use. To the extent consistent with applicable law, Suterra LLC neither makes nor authorizes any agent or representative to make any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. To the extent allowable by law, Suterra LLC's maximum liability for breach of this warranty shall not exceed the purchase price of this product. To the extent consistent with applicable law, buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material contrary to label instructions.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE): Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves, and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID STATEMENT

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. For emergency information on product, uses, and treatment, etc., call the National Pesticides Information Center at 1-800-858-7378, 6:30 am - 4:30 pm Pacific Time (PT), 7 days a week. Otherwise, call the Poison Control Center at 1-800-222-1222.

ENVIRONMENTAL HAZARD

For terrestrial use: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposing of equipment washwaters or rinsates.

© 2021 Suterra LLC. All Rights Reserved. CHECKMATE, and SUTERRA are registered trademarks Suterra LLC.

L16349 DBM-F US FG 14978 Rev08112021v1

CheckMate®

DBM-F

A BIOCHEMICAL FOR MATING DISRUPTION OF DIAMONDBACK MOTH (*Plutella xylostella*)

ACTIVE INGREDIENTS:

(Z)-11-Hexadecen-1-yl Acetate	11.30%
(Z)-11-Hexadecenal	11.30%
Other Ingredients	77.40%
TOTAL	100.00%

NET CONTENTS: 15.2 fl. oz. (449 ml)

CONTAINS: 6.51 g/a.i./fl. ounce (0.22 g/a.i./ml)

Suterra®

KEEP OUT OF REACH OF CHILDREN

CAUTION

MANUFACTURED BY:

Suterra LLC
20950 NE Talus Place
Bend, Oregon, USA 97701
Phone: 1-866-326-6737
FAX: (541) 388-3705

EPA Reg.No.: 56336-35

EPA Est. No.: 56336-OR-1

BATCH CODE: See neck
of bottle.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For requirements specific to your state or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and green houses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and

emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during application of this product. A restricted entry interval of 0 hours has been established.

METHOD OF APPLICATION: For control of diamondback moth (*Plutella xylostella*) by mating disruption on cole crops (broccoli, brussels sprouts, cabbage, cauliflower, watercress, etc) and field-grown ornamentals such as annual and perennial flowers, flowering shrubs, and other ornamental plants where diamondback moth is a pest.

Immediately before using, shake well. Do not use CheckMate DBM-F from damaged, punctured, or unsealed containers. Use piston, diaphragm, or centrifugal pumps only. Do not use roller or gear pumps. For best results, apply immediately after tank-mixing. Do not let stand prior to application without thoroughly mixing again. Apply CheckMate DBM-F at 2 to 3 fluid ounces of formulated product per acre (13.2 to 19.7 g a.i./acre); or 145 to 220 ml/ha (32.2 to 48.9 g a.i./ha). Do not exceed 23 fluid ounces (680 ml) product/acre/year (150 g/a.i./acre/year).

Terrestrial and Greenhouse Applications: CheckMate DBM-F can be applied both in ultra-low volume and regular applications (1 pint to 100 gallons per acre). Aerial Applications: Apply CheckMate DBM-F in sufficient water for adequate coverage (5 to 50 gallons per acre). Do not apply to the point of run-off. Apply to foliage directly.

APPLICATION NOTES: Reapply as needed based on insect monitoring, field scouting programs and appropriate degree-day models. CheckMate® DBM-F interferes with the ability of males to find females and mate. It does not directly affect eggs, larvae or mated females of diamondback moth, or any other pests. Immigration of female moths from adjacent external sources of infestation is not affected by the product and may reduce the level of control. The use of CheckMate DBM-F should always take place in the context of an Integrated Pest Management strategy. The use of other pest control measures may be necessary and should be based on proper pest monitoring and field scouting.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool place until used. Protect from freezing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water when disposing of equipment washwater. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip the container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand container on its end and tip back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat the procedure two more times. Then offer for recycling or dispose of in a sanitary landfill, or incineration, if allowed by state and local authorities by burning.