

Fungicide/Bactericide EPA Reg. No. 80289-2

Rates for Suppression of Citrus Canker in the State of Florida

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF FLORIDA

FIFRA §2(ee) RECOMMENDATION: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the United States Environmental Protection Agency (EPA).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product bulletin must be in the possession of the user at the time of pesticide application of Kentan[®] DF Fungicide/Bactericide. This labeling contains supplemental instructions that may not appear on the product label. All applicable directions, restrictions, and precautions on the product label are to be followed.

CROP	Rate/Acre	USE INSTRUCTIONS
Citrus	1.75 – 3.5 pounds	Citrus canker is best managed when applications are made to protect new leaf flushes. Depending on the disease pressure and environmental conditions, applications may be required on 7 to 21 day intervals. For adequate protection, it is recommended that each new leaf flush receives a copper application and additional applications may be needed to protect expanding fruits.

Kentan is a registered trademark of Isagro S.p.A.





Manufactured by Isagro SpA for: Isagro USA, Inc., 430 Davis Drive, Suite 240, Morrisville, NC 27560 Distributed by : Gowan Company LLC P.O. Box 5569 Yuma, AZ 85366-5569