RESTRICTED USE PESTICIDE

Due to Toxicity to Fish and Aquatic Organisms

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



Bayer CropScience LP P.O. Box 12014 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937) Baythroid[®] XL

For use on Christmas Trees

EPA Reg. No. 264-840

EPA SLN. No. MI-060003

FIFRA Section 24(c) Special Local Need (SLN)

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF MICHIGAN

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

DIRECTIONS FOR USE

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves, such as barrier laminate or viton
- Shoes plus socks
- Protective eyewear

RECOMMENDED APPLICATIONS			
CROP	PEST	DOSAGE BAYTHROID® XL	
		LB Al Per Acre	FL Oz Per Acre
Christmas Trees	Adelgids	0.025	3.2
	Bagworms		
	Budworms		
	Grasshoppers		
	Gypsy moth larvae		
	Japanese beetle (adult)		
	Midges		
	Pine shoot beetle		
	Pine shoot moths		
	Pine tip moths		
	Sawfly larvae		
	Scale insects (crawler stages		
	Spittlebugs		
	Tussock moth larvae		
	Weevils (adult foliar feeding stages)		

NOTE: Applications should be started prior to establishment of high pest populations and reapplication made as necessary. Good spray coverage is necessary to provide the most effective level of control. Addition of a spreader/sticker at recommended rates may enhance control of insects on certain species of trees having hard-to-wet foliage.

A total of 16 fluid ounces of BAYTHROID® XL per acre may be applied per crop season.

Applications may also be made to those select trees within Christmas tree plantings that are subsequently removed as a living tree and sold for landscape purposes. Additional treatment with Baythroid XL is not allowed once trees are removed from the field.

Do not harvest trees within 24 hours of last application.

This label expires on June 15, 2021.

For <u>MEDICAL</u> And <u>TRANSPORTATION</u> Emergencies <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577 For <u>PRODUCT USE</u> Information Call 1-866-99BAYER (1-866-992-2937)