# **COMITE®**

VersionRevision Date:MSDS Number:Country: US1.210/29/2015000000036530Language: Z8

#### **SECTION 1. IDENTIFICATION**

Product name : COMITE®

Product code : 00000036530

#### Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc

245 Freight St Waterbury, CT

United States of America

06702

Telephone: +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the material safety data sheet:

sds.request@arysta.com

### 1.4 Emergency telephone

Emergency telephone: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300

For additional emergency telephone numbers see section 16 of the

Safety Data Sheet.

### Recommended use of the chemical and restrictions on use

Recommended use : Miticide

Restrictions on use : Agriculture, For professional users only.

# **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Serious eye damage : Category 1

## **COMITE®**

VersionRevision Date:MSDS Number:Country: US1.210/29/2015000000036530Language: Z8

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Carcinogenicity : Category 2

Aspiration hazard : Category 1

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 1

**GHS Label element** 

Hazard pictograms









Signal Word : Danger

Hazard Statements : H227 Combustible liquid.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P281 Use personal protective equipment as required.

P285 In case of inadequate ventilation wear respiratory protec-

tion.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER or doctor/ physician.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P341 IF INHALED: If breathing is difficult, remove per-

son to fresh air and keep comfortable for breathing.

## **COMITE®**

Version Revision Date: MSDS Number: Country: US 1.2 10/29/2015 000000036530 Language: Z8

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam for extinction.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Substance name : Comite

Chemical nature : Propargite - 6.65 lb/gal

#### Hazardous ingredients

Chemical Name	CAS-No.	Concentration (% w/w)
propargite	2312-35-8	>= 70 - < 90
Distillates (petroleum), hydrotreated light	64742-47-8	>= 10 - < 20
Benzenesulfonic acid, mono-C11-13-branched	68953-96-8	>= 1 - < 5
alkyl derivs., calcium salts		
butan-1-ol (Vapour and gas)	71-36-3	>= 1 - < 5
heptane	142-82-5	>= 0.1 -< 1
4-tert-butylphenol	98-54-4	>= 0.1 -< 1

## **SECTION 4. FIRST AID MEASURES**

If inhaled : Move to fresh air.

If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Call a POISON CENTER or doctor/ physician.

In case of skin contact : Remove contaminated clothing and shoes.

Wash off immediately with plenty of water for at least 15 min-

utes.

# **COMITE®**

 Version
 Revision Date:
 MSDS Number:
 Country: US

 1.2
 10/29/2015
 000000036530
 Language: Z8

Call a POISON CENTER or doctor/ physician.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Remove contact lenses, if present, after the first 5 minutes, then

continue rinsing eye.

Call a POISON CENTER or doctor/ physician.

If swallowed : Call a physician or poison control center immediately.

If swallowed, DO NOT induce vomiting unless directed to do so by

medical personnel.

If a person vomits when lying on his back, place him in the recovery

position.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

: Lung edema irritant effects

Allergic reactions

Symptoms may be delayed.

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage.

May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Suspected of causing cancer.

Notes to physician : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Extinguishing media - large fires

Alcohol-resistant foam

(on small fires) Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing media : Water spray jet

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circum-

stances and the surrounding environment.

Further information : Do not discharge extinguishing waters into streams, rivers and lakes.

Special protective equipment for

fire-fighters

Body covering protective clothing, full "turn-out" gear.

Self-contained breathing apparatus (EN 133)

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective : Evacuate unnecessary personnel.

# **COMITE®**

Version **Revision Date:** MSDS Number: Country: US 1.2 10/29/2015 000000036530 Language: Z8

equipment and emergency pro-

cedures

Avoid all contact with material. Wear suitable protective equipment.

Environmental precautions : Prevent leaks and prevent soil / water pollution caused by leaks.

Methods and materials for containment and cleaning up

: Absorb on inert material such as sand, earth, vermiculite.

Collect for disposal.

Dam up.

Large spills should be collected mechanically (remove by pumping)

for disposal.

Pump excess material into suitable container (metal drums, metal

tank, or such).

In accordance with local and national regulations.

#### **SECTION 7. HANDLING AND STORAGE**

: Wear suitable protective equipment. Advice on safe handling

Warn personnel about the dangers of the product.

Keep container tightly closed.

NOTE TO END-USERS: The employee protection recommendations on this SDS may differ from those on the product label. For normal use of this product, always refer to the personal protective

equipment requirements on the product label.

Conditions for safe storage : Keep in a dry, cool place.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible con- centration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
butan-1-ol (Vapour and gas)	71-36-3	TWA	20 ppm	ACGIH
		TWA	100 ppm 300 mg/m3	OSHA Z-1
		С	50 ppm 150 mg/m3	OSHA P0
		С	50 ppm	NIOSH REL

# **COMITE®**

 Version
 Revision Date:
 MSDS Number:
 Country: US

 1.2
 10/29/2015
 000000036530
 Language: Z8

150 mg/m3

### Hazardous components without workplace control parameters

Ingredients	CAS-No.
propargite	2312-35-8
Benzenesulfonic acid, mono-	68953-96-8
C11-13-branched alkyl derivs.,	
calcium salts	
heptane	142-82-5
4-tert-butylphenol	98-54-4

### Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Use NIOSH approved respiratory protection.

Hand protection

Remarks : Impervious gloves

Eye protection : Face-shield

Skin and body protection : Preventive skin protection

Hygiene measures : Provide adequate ventilation.

Wash hands and face before breaks and immediately after

handling the product.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : brown

Odor : characteristic

Odor Threshold : No data available

Melting point/range : Not applicable

Boiling point/boiling range : No data available

Flash point : 63 °C

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

# **COMITE®**

VersionRevision Date:MSDS Number:Country: US1.210/29/2015000000036530Language: Z8

Relative vapor density : No data available

Relative density : No data available

Density : 1.063 g/cm3

Solubility(ies)

Water solubility : emulsifiable

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Possibility of hazardous reac-

tions

: Hazardous polymerization does not occur.

Incompatible materials : Oxidizing agents

Strong acids and strong bases

Hazardous decomposition prod-

ucts

: Burning produces obnoxious and toxic fumes.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

**Product:** 

Acute oral toxicity : LD50 (Rat): 600 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.125 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum

achievable concentration.

# **COMITE®**

VersionRevision Date:MSDS Number:Country: US1.210/29/2015000000036530Language: Z8

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**Ingredients:** 

propargite:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.5 mg/l

Exposure time: 1 h

Test substance: 10 % gravimetric suspension in distilled water Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 4,000 mg/kg

4-tert-butylphenol:

Acute oral toxicity : LD50 (Rat): 2,990 mg/kg

LD50 (Rat): 4,000 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute dermal toxicity : LD50 (Rabbit): 2,318 mg/kg

GLP: no

LD50 (Rabbit): 2,288 mg/kg

# Skin corrosion/irritation

#### **Product:**

Species: Rabbit

Result: Severe skin irritation

#### **Ingredients:**

**propargite:**Species: Rabbit

Result: Irritating to skin.

4-tert-butylphenol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

## Serious eye damage/eye irritation

### **Product:**

Species: Rabbit Result: Corrosive

#### Ingredients:

**propargite:**Species: Rabbit

## **COMITE®**

VersionRevision Date:MSDS Number:Country: US1.210/29/2015000000036530Language: Z8

Result: Severe eye irritation

Assessment: Risk of serious damage to eyes.

**4-tert-butylphenol:** Species: Rabbit Result: Eye irritation Method: Draize Test

#### Respiratory or skin sensitization

# **Product:**

Species: Guinea pig

Result: Did not cause sensitization on laboratory animals.

#### **Ingredients:**

propargite:

Test Type: Buehler Test Species: Guinea pig

Assessment: Did not cause sensitization on laboratory animals. Result: Did not cause sensitization on laboratory animals.

# 4-tert-butylphenol:

Test Type: Patch Test Species: Human

Assessment: May cause sensitization by skin contact.

#### Germ cell mutagenicity

### **Product:**

Germ cell mutagenicity -

Assessment

: negative

### **Ingredients:**

propargite:

Germ cell mutagenicity -

Assessment

: Not mutagenic in Ames Test.

#### 4-tert-butylphenol:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation Method: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: negative GLP: yes

: Test Type: Chromosome aberration test in vitro

Metabolic activation: with and without metabolic activation

Result: positive GLP: yes

: Test Type: In Vitro mammalian Cell Gene Mutation Test

## **COMITE**®

Version 1.2

**Revision Date:** 10/29/2015

MSDS Number: 000000036530

Country: US Language: Z8

Metabolic activation: with and without metabolic activation Result: negative

: Test Type: Chromosome aberration test in vitro

Metabolic activation: with and without metabolic activation

Result: negative

GLP: yes

Germ cell mutagenicity -Assessment

: In vitro tests showed mutagenic effects

#### Carcinogenicity

**Product:** 

Carcinogenicity - Assess-

ment

: Limited evidence of a carcinogenic effect.

Ingredients:

propargite:

Carcinogenicity - Assess-

ment

: Suspected of causing cancer.

4-tert-butylphenol:

Carcinogenicity - Assess-

ment

: Carcinogenicity classification not possible from current data.

**IARC** 

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** 

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### Reproductive toxicity

#### **Product:**

# **COMITE®**

Version Revision Date: MSDS Number: Country: US 1.2 10/29/2015 000000036530 Language: Z8

Reproductive toxicity - As-

sessment

: negative

**Ingredients:** 

propargite:

Reproductive toxicity - As-

sessment

: Not classified due to data which are conclusive although insufficient

for classification.

4-tert-butylphenol:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction No effects on or via lactation

STOT-single exposure

**Product:** 

Remarks: No data available

**Ingredients:** 

4-tert-butylphenol:

Assessment: May cause respiratory irritation.

STOT-repeated exposure

**Product:** 

Remarks: No data available

**Ingredients:** 

4-tert-butylphenol:

Routes of exposure: Oral

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product:** 

Toxicity to fish : LC50: 0.143 mg/l

Exposure time: 96 h

LC50 (Salmo gairdneri): 0.118 mg/l

Toxicity to daphnia and other

aquatic invertebrates

EC50: 0.075 mg/l Exposure time: 48 h

Toxicity to algae : IC50: 0.31 mg/l

Exposure time: 72 h

**Ingredients:** 

# **COMITE®**

VersionRevision Date:MSDS Number:Country: US1.210/29/2015000000036530Language: Z8

propargite:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.081 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.06 mg/l

Exposure time: 96 h

LC50 (Salmo gairdneri): 0.118 mg/l

Exposure time: 96 h

LC50 (Fish): 0.04 mg/l Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.014 mg/l

Exposure time: 48 h

EC50 (Crangon crangon (shrimp)): 0.101 mg/l

Exposure time: 48 h

Toxicity to algae : IC50 (Pseudokirchneriella subcapitata (green algae)): > 1.08

mg/l

Exposure time: 96 h

4-tert-butylphenol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 5.1 mg/l

Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes

LC50 (Oryzias latipes (Orange-red killifish)): 5.1 mg/l

Exposure time: 96 h Test Type: semi-static test Analytical monitoring: no

Method: OECD Test Guideline 203

GLP: no

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia): 3.4 mg/l Exposure time: 48 h Test Type: semi-static test

Test Type: semi-static test Analytical monitoring: no

Method: OECD Test Guideline 202

GLP: no

Toxicity to algae : EC50 (Desmodesmus subspicatus (Scenedesmus

subspicatus)): 11.2 mg/l End point: Inhibition of growth

Exposure time: 72 h

Test Type: Growth inhibition

EbC50 (Selenastrum capricornutum (green algae)): 22.7 mg/l

End point: Biomass Exposure time: 72 h Analytical monitoring: yes

Method: OECD Test Guideline 201

## **COMITE®**

Version Revision Date: MSDS Number: Country: US 1.2 10/29/2015 000000036530 Language: Z8

GLP: no

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

: NOEC (Daphnia magna (Water flea)): 0.73 mg/l

Exposure time: 21 d Analytical monitoring: no

GLP: no

Toxicity to bacteria : EC10 (Pseudomonas putida): 140 mg/l

Exposure time: 5 h

GLP:

#### Persistence and degradability

### **Ingredients:**

### 4-tert-butylphenol:

Biodegradability : aerobic

Inoculum: activated sludge Result: Readily biodegradable.

Biodegradation: 98 % Exposure time: 28 d

Method: Tested according to Directive 92/69/EEC.

GLP: yes

### **Bioaccumulative potential**

#### **Ingredients:**

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Partition coefficient: n- : log Pow: 5.54 octanol/water : GLP: no

butan-1-ol (Vapour and gas):

Partition coefficient: n-

octanol/water

: log Pow: 0.9

heptane:

Partition coefficient: n-

octanol/water

: log Pow: 4.7

4-tert-butylphenol:

Bioaccumulation : Species: Leuciscus idus (Golden orfe)

Bioconcentration factor (BCF): 120

Partition coefficient: n-

octanol/water

: log Pow: 3.29 (25 °C)

Method: OECD Test Guideline 107

GLP: yes

## Mobility in soil

No data available

#### Other adverse effects

No data available

## **COMITE®**

VersionRevision Date:MSDS Number:Country: US1.210/29/2015000000036530Language: Z8

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of waste in accordance with environmental legislation.

The product should not be allowed to enter drains, water courses or

the soil.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(propargite, n-butanol)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(propargite, n-butanol)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

: 964

: 964

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(propargite, n-butanol)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

49 CFR

UN/ID/NA number : UN 3082

## **COMITE®**

 Version
 Revision Date:
 MSDS Number:
 Country: US

 1.2
 10/29/2015
 000000036530
 Language: Z8

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S.

(propargite, n-butanol)

Class : 9 Packing group : III

Labels : CLASS 9 ERG Code : 171

Marine pollutant : yes(propargite)

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know**

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard Chronic Health Hazard

#### FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals;


## **COMITE®**

Version Revision Date: MSDS Number: Country: US 1.2 10/29/2015 000000036530 Language: Z8

SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

#### **Further information**

#### NFPA:



#### HMIS III:

HEALTH	3*
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

Revision Date : 10/29/2015

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8

### Carechem24 International Worldwide Coverage

#### **Emergency Phone Number**

Europe:	All European Countries	+44 (0) 1235 239 670
Asia Pacific:	East / South East Asia – Regional Number	+65 3158 1074

# **COMITE®**

Version Revision Date: MSDS Number: Country: US 1.2 10/29/2015 000000036530 Language: Z8

Australia +61 2801 44558 New Zealand +64 9929 1483 China +86 532 8388 9090 China Taiwan +86 10 5100 3039 Japan +81 345 789 341 Indonesia 00780 3011 0293 Malaysia +60 3 6207 4347 001800 1 2066 6751 Thailand Korea +65 3158 1285 +82 (0)234 798 401 Vietnam +65 3158 1255 India +65 3158 1198 0800 100 7479 Pakistan +65 3158 1329 Philippines +65 31581203 Sri Lanka +65 3158 1195 **Emergency Phone Number** +65 3158 1200 Arabic speaking countries Middle East / Africa: +44 (0) 1235 239 671 South Africa +27 21 300 2732 All other countries +44 (0) 1235 239 670 United States of America and Canada <u>America</u> +1866 928 0789 +1 215 207 0061 Brazil Latin America: +55 11 3197 5891 Mexico +52 555 004 8763 Chile +56 225 829 336 All other countries +44 (0) 1235 239 670