

## BRAWL II ATZ

Date: 5/27/2015  
Replaces: 1/23/2012

### 1. PRODUCT IDENTIFICATION

Product identifier on label: **BRAWL II ATZ Herbicide**

Product No.: A9560A

Use: Herbicide

Manufacturer: Tenkoz, Inc.  
1725 Windward Concourse  
Alpharetta, GA 30005

Manufacturer Phone: 770-343-8509

**Emergency Phone: 1-800-424-9300**

### 2. HAZARDS IDENTIFICATION

Classifications: Inhalation: Category 4  
Specific Target Organ Toxicity: Repeated Category 2  
Eye Damage/Irritation: Category 2A  
Specific Target Organ Toxicity: Respiratory Irritation Category 3

Signal Word (OSHA): Warning

Hazard Statements: Causes serious eye irritation  
Harmful if inhaled  
May cause respiratory irritation  
May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Do not breathe mist, vapors, spray.  
Wash hands and face thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear eye protection.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Call a poison center, doctor or Syngenta if you feel unwell.  
If eye irritation persists: Get medical advice.  
Store locked up.  
Dispose of contents and container in accordance with local regulations.

## BRAWL II ATZ

Date: 5/27/2015  
Replaces: 1/23/2012

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	Common Name	CAS Number	Concentration
Ethylene Glycol	Ethylene Glycol	107-21-1	<10.0%
2H-1,4-Benzoxazine, 4-(dichloroacetyl)-3,4-dihydro-3-methyl-	Benoxacor	98730-04-2	<5.0%
Other ingredients	Other ingredients	Trade Secret	25.9%
2-chloro-4-ethylamino-6-isopropylamino-s-triazine	Atrazine	1912-24-9	33.0%
Acetamide, 2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)-,(S)	S-Metolachlor	87392-12-9	26.1%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

**4. FIRST AID MEASURES**

Have the product container, label or Safety Data Sheet with you when calling a poison control center or doctor, or going for treatment.

**Ingestion:** If swallowed: Call 800-424-9300, a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-424-9300 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Eye Contact:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**Skin Contact:** If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Inhalation:** If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation  
Respiratory irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.  
Treat symptomatically.

**5. FIRE FIGHTING MEASURES**

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to

**BRAWL II ATZ**

Date: 5/27/2015

Replaces: 1/23/2012

prevent human exposure to fire, smoke, fumes or products of combustion.

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment, and emergency procedures:  
Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

**7. HANDLING AND STORAGE**

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Ethylene Glycol	Not Established	100 mg/m <sup>3</sup> (ceiling) [aerosol]	Not Established	Not Applicable
Benoxacor	Not Established	Not Established	1 mg/m <sup>3</sup> TWA	Syngenta
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Atrazine	Not Established	2 mg/m <sup>3</sup> TWA (inhalable)	Not Applicable	Not Applicable
S-Metolachlor	Not Established	Not Established	5 mg/m <sup>3</sup> TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

**BRAWL II ATZ**

Date: 5/27/2015

Replaces: 1/23/2012

Where eye contact is likely, use chemical splash goggles.

**Skin Contact:**

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

**Inhalation:**

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: White fluid paste

Odor: Latex paint

Odor Threshold: Not Available

pH: 6.9 (1% solution in H<sub>2</sub>O @ 77°F (25°C))

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: 216 °F

Flash Point (Test Method): &gt; 212°F (Abel-Pensky CC)

Flammable Limits (% in Air): Not Available

Flammability: Not Applicable

Vapor Pressure: Atrazine 2.9 x 10<sup>-7</sup> mmHg @ 68°F (20°C)  
S-Metolachlor 2.8 x 10<sup>-5</sup> mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 1.1082 g/cm<sup>3</sup> @ 77°F (25°C) ; 9.25 lbs/gal @ 68°F (20°C)Solubility (ies): Atrazine 33 mg/l @ 68°F (20°C)  
S-Metolachlor 0.48 g/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

**10. STABILITY AND REACTIVITY**

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

**BRAWL II ATZ**

Date: 5/27/2015

Replaces: 1/23/2012

**11. TOXICOLOGICAL INFORMATION**

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Respiratory irritation

Delayed, immediate and chronic effects of exposure: Eye irritation, Respiratory system effects

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Female Rat) : 3271 mg/kg body weight  
 Dermal: Dermal (LD50 Rat) : > 2020 mg/kg body weight  
 Inhalation: Inhalation (LC50 Rat) : > 1.6 mg/l air - 4 hours  
 Eye Contact: Mildly Irritating (Rabbit)  
 Skin Contact: Slightly Irritating (Rabbit)  
 Skin Sensitization: Not a Sensitizer (Guinea Pig)

Reproductive/Developmental Effects

Atrazine : None observed.  
 S-Metolachlor: Did not show reproductive effects in animal experiments.

Chronic/Subchronic Toxicity Studies

Atrazine : Cardiotoxicity in long term study with high doses (dogs).  
 S-Metolachlor: No adverse effect has been observed in chronic toxicity tests.

Carcinogenicity

Atrazine : Mammary tumors (female Sprague-Dawley rats), sex and strain specific.  
 None observed (male Sprague-Dawley rats, F-344 rats or mice).  
 S-Metolachlor: Did not show carcinogenic effects in animal experiments.

Chemical Name	NTP/IARC/OSHA Carcinogen
Ethylene Glycol	No
2H-1,4-Benzoxazine, 4-(dichloroacetyl)-3,4-dihydro-3-methyl-	No
Other ingredients	No
2-chloro-4-ethylamino-6-isopropylamino-s-triazine	IARC Group 3
Acetamide, 2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)-, (S)	No

Other Toxicity Information

None

Toxicity of Other Components

Benoxacor  
 Results in stomach, liver, and kidney toxicity at high doses. Caused tumors in nonglandular portion of stomach

**BRAWL II ATZ**

Date: 5/27/2015

Replaces: 1/23/2012

of rodents (hitomorphologic region not found in humans). Exposure may cause slight eye irritation. Repeated skin contact may cause a sensitization (allergic) reaction in sensitive individuals.

Ethylene Glycol

Ethylene glycol has been shown to produce dose-related teratogenic effects in rats and mice. Exposure to high concentrations of mists or aerosols may result in effects on the hematopoietic system and central nervous system with headache, dizziness and drowsiness. Severe kidney damage results from swallowing large amounts of ethylene glycol.

Other ingredients

Not Applicable

Target Organs

Active Ingredients

Atrazine : Heart

S-Metolachlor: Liver

Inert Ingredients

Benoxacor: Gastrointestinal tract, liver, kidney

Ethylene Glycol: Blood, kidney, CNS

Other ingredients: Not Applicable

**12. ECOLOGICAL INFORMATION**

Eco-Acute Toxicity

Atrazine :

Fish (Rainbow Trout) 96-hour LC50 4.5 ppm

Green Algae 5-day EC50 49 ppb

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 6.9 ppm

Bird (Bobwhite Quail) 12-day LD50 940 mg/kg

S-Metolachlor:

Fish (Rainbow Trout) 96-hour LC50 1.23 mg/l

Green Algae 96-hour ErC50 0.077 mg/l

Invertebrate (Water Flea) 48-hour EC50 11.24 mg/l

Environmental Fate

Atrazine :

The information presented here is for the active ingredient, atrazine.

Low bioaccumulation potential. Not persistent in soil. Stable in water. Highly mobile in soil. Will leach. Sinks in water (after 24 h).

S-Metolachlor:

The information presented here is for the active ingredient, S-Metolachlor.

Low bioaccumulation potential. Not persistent in soil. Stable in water. Sinks in water (after 24 h).

**13. DISPOSAL CONSIDERATIONS**

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

## BRAWL II ATZ

Date: 5/27/2015

Replaces: 1/23/2012

Listed Waste: Not Applicable

### 14. TRANSPORT INFORMATION

#### DOT Classification

Ground Transport - NAFTA  
Road Transport - Not regulated

#### Rail Car Shipments

Proper Shipping Name: RQ Other Regulated Substances, Liquid, N.O.S. (Ethylene Glycol)  
Hazard Class: Class 9  
Identification Number: NA 3082  
Packing Group: PG III

#### Comments

Water Transport - International  
< 13,500 gal.

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (s-Metolachlor, Atrazine), Marine Pollutant  
Hazard Class: Class 9  
Identification Number: UN 3082  
Packing Group: PG III

#### Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (s-Metolachlor, Atrazine)  
Hazard Class: Class 9  
Identification Number: UN 3082  
Packing Group: PG III

### 15. REGULATORY INFORMATION

#### Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Keep out of reach of children.

#### EPA Registration Number(s):

100-817-55467

#### EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Atrazine 33.0% (CAS No. 1912-24-9)  
Ethylene Glycol <10.0% (CAS No. 107-21-1)

#### CERCLA/SARA 304 Reportable Quantity (RQ):

Report product spills > 13,500 gal. (based on ethylene glycol [RQ = 5,000 lbs.] content in the formulation) (CERCLA)

#### RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

## BRAWL II ATZ

Date: 5/27/2015

Replaces: 1/23/2012

TSCA Status:

Exempt from TSCA, subject to FIFRA

### 16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2  
Flammability: 1  
Instability: 0

HMIS Hazard Ratings

Health: 1  
Flammability: 1  
Reactivity: 0

Syngenta Hazard Category: C,S

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Original Issued Date: 12/13/2004

Revision Date: 5/27/2015

Replaces: 1/23/2012

Section(s) Revised: 1-16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.