SNIPER HELIOS

Insecticide/Miticide

2(ee) Recommendation

FOR USE ON BLUEBERRIES FOR CONTROL OF SPOTTED-WINGED DROSOPHILA (SWD) LARVAE

THIS 2(ee) RECOMMENDATION IS FOR DISTRIBUTION AND USE IN THE STATES OF MAINE, MARYLAND, MICHIGAN AND NEW JERSEY.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNNER INCONSISTENT WITH ITS LABELING.

This product bulletin contains new or additional directions for use which are recommended by Loveland Products, Inc. under FIFRA Section 2(ee).

DIRECTIONS FOR USE

CROP	PEST	RATE OF APPLICATION
Blueberry	Spotted-Winged Drosophila (SWD) Larvae	2.1 to 6.4 fl oz (0.033 to 0.10 lb AI)/A

Directions for use:

Apply in a minimum of 2.0 gal of finished spray/A by air or in a minimum of 10.0 gal/A with ground equipment. Thorough coverage is essential to achieve control

RESTRICTIONS AND PRECAUTIONS

- Do not apply more than 0.5 pound active ingredient (32.0 ounces formulated) per acre per season.
- Do not make applications less than 7 days apart.
- Do not apply within 1 day of harvest.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARDS REQUIREMENTS AND PRECAUTIONS ON THE EPA REGISTERED SNIPER HELIOS, EPA REG. NO. 34704-858, LABEL MUST BE FOLLOWED. THE SNIPER HELIOS SECTION 3 LABEL AND THIS RECOMMENDATION MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.



PO Box 1286 Greeley, CO 80632-1286 For Agricultural or Commercial Use Only EPA Reg. No. 34704-858

7/14/2017