



**MAXFORCE® PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

Version 3.0 / USA
102000001393

1/11
Revision Date: 09/08/2014
Print Date: 02/09/2015

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE
COMPANY/UNDERTAKING**

Product identifier

Trade name MAXFORCE® PROFESSIONAL INSECT CONTROL® ROACH KILLER
BAIT GEL

Product code (UVP) 05938384

SDS Number 102000001393

EPA Registration No. 432-1254

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

**Emergency Telephone
Number (24hr/ 7 days)** 1-800-334-7577 (24 hours/day)

**Product Information
Telephone Number** 1-800-331-2867

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Specific target organ toxicity - repeated exposure : Category 1

Reproductive toxicity : Category 1B



Signal word: Danger

Hazard statements

Causes damage to organs (kidneys, testes) through prolonged or repeated exposure.

May damage fertility or the unborn child.



**MAXFORCE® PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

Version 3.0 / USA
102000001393

2/11
Revision Date: 09/08/2014
Print Date: 02/09/2015

Precautionary statements

Do not breathe vapours.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
IF exposed or if you feel unwell:
Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Hydramethylnon	67485-29-4	2.15
Oleic acid	112-80-1	2.15
Starch	9005-25-8	1.00

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed



**MAXFORCE® PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

Version 3.0 / USA
102000001393

3/11
Revision Date: 09/08/2014
Print Date: 02/09/2015

Symptoms	Local:, To date no symptoms are known. Systemic:, May cause stuffy or runny nose and scratchy throat., Lacrimation, Lethargy, Diarrhoea
Indication of any immediate medical attention and special treatment needed	
Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for fire-fighters In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point no data available

Autoignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Explosivity not applicable



MAXFORCE® PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL

Version 3.0 / USA
102000001393

4/11
Revision Date: 09/08/2014
Print Date: 02/09/2015

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion No special precautions required.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.



**MAXFORCE® PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

Version 3.0 / USA
102000001393

5/11
Revision Date: 09/08/2014
Print Date: 02/09/2015

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Hydramethylnon	67485-29-4	1.4ug/m3 (AN ESL)	07 2011	TX ESL
Hydramethylnon	67485-29-4	14ug/m3 (ST ESL)	07 2011	TX ESL
Starch	9005-25-8	10 mg/m3 (TWA)	02 2012	ACGIH
Starch (Respirable.)	9005-25-8	5 mg/m3 (REL)	2010	NIOSH
Starch (Total)	9005-25-8	10 mg/m3 (REL)	2010	NIOSH
Starch (Total dust.)	9005-25-8	15 mg/m3 (PEL)	02 2006	OSHA Z1
Starch (Respirable fraction.)	9005-25-8	5 mg/m3 (PEL)	02 2006	OSHA Z1
Starch (Respirable fraction.)	9005-25-8	5 mg/m3 (TWA)	1989	OSHA Z1A
Starch (Total dust.)	9005-25-8	15 mg/m3 (TWA)	1989	OSHA Z1A
Starch (Respirable fraction.)	9005-25-8	5 mg/m3 (TWA)	06 2008	TN OEL
Starch (Total dust.)	9005-25-8	15 mg/m3 (TWA)	06 2008	TN OEL
Starch (Particulate.)	9005-25-8	50ug/m3 (ST ESL)	02 2013	TX ESL
Starch (Particulate.)	9005-25-8	5ug/m3 (AN ESL)	02 2013	TX ESL

No control parameters known.

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Tightly fitting safety goggles

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.



**MAXFORCE® PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

Version 3.0 / USA
102000001393

6/11
Revision Date: 09/08/2014
Print Date: 02/09/2015

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	brown
Physical State	gel
Odor	odourless
Odour Threshold	no data available
pH	6.5 - 7.5
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	ca. 1.10 g/cm ³
Evaporation rate	no data available
Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	partly soluble
Minimum Ignition Energy	not applicable
Decomposition temperature	no data available
Partition coefficient: n-octanol/water	no data available
Viscosity	ca. 140,000 - 300,000 mPa.s at 25 °C
Flash point	no data available
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable



MAXFORCE® PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL

Version 3.0 / USA
102000001393

7/11
Revision Date: 09/08/2014
Print Date: 02/09/2015

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	no data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Skin Absorption, Eye contact

Immediate Effects

Eye Moderate eye irritation.

Skin Harmful if absorbed through skin.

Ingestion Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity LD50 (rat) > 5,000 mg/kg

Acute dermal toxicity LD50 (rabbit) > 2,000 mg/kg

Skin irritation No skin irritation (rabbit)

Eye irritation No eye irritation (rabbit)

Sensitisation Non-sensitizing. (guinea pig)
OECD Test Guideline 406, Buehler test

Assessment repeated dose toxicity

Hydramethylnon caused specific target organ toxicity in experimental animal studies in the following organ(s): testes, kidneys.

Assessment Mutagenicity

Hydramethylnon was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Hydramethylnon was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH



MAXFORCE® PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL

Version 3.0 / USA
102000001393

8/11
Revision Date: 09/08/2014
Print Date: 02/09/2015

Starch 9005-25-8 Group A4

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Hydramethylnon caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. Hydramethylnon caused testicular damage and male infertility.

Assessment developmental toxicity

Hydramethylnon caused developmental toxicity only at dose levels toxic to the dams. Hydramethylnon caused a delayed foetal growth.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 0.16 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient hydramethylnon.
Toxicity to aquatic invertebrates	EC50 (Water flea (<i>Daphnia magna</i>)) 1.14 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient hydramethylnon.
Toxicity to aquatic plants	EC50 (<i>Selenastrum capricornutum</i>) 0.005 - 0.018 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient hydramethylnon.
Biodegradability	Hydramethylnon: ; not rapidly biodegradable
Koc	Hydramethylnon: Koc: 730000
Bioaccumulation	Hydramethylnon: Bioconcentration factor (BCF) 34,900; Does not bioaccumulate.
Mobility in soil	Hydramethylnon: Immobile in soil
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.



MAXFORCE® PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL

Version 3.0 / USA
102000001393

9/11
Revision Date: 09/08/2014
Print Date: 02/09/2015

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Never place unused product down any indoor or outdoor drain.
Contaminated packaging	Do not re-use empty containers. Place empty container in trash. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG	
UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HYDRAMETHYLNON SOLUTION)
IATA	
UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HYDRAMETHYLNON SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION



**MAXFORCE® PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL**

Version 3.0 / USA
102000001393

10/11
Revision Date: 09/08/2014
Print Date: 02/09/2015

EPA Registration No. 432-1254

US Federal Regulations

TSCA list

Oleic acid 112-80-1
Starch 9005-25-8

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)
None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Hydamethylnon 67485-29-4 25,000lbs

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Hydamethylnon	67485-29-4	Developmental toxin.
Hydamethylnon	67485-29-4	Male reproductive toxin.

US State Right-To-Know Ingredients

Hydamethylnon	67485-29-4	NJ
Oleic acid	112-80-1	RI
Starch	9005-25-8	MN

Canadian Regulations

Canadian Domestic Substance List

Oleic acid	112-80-1
Starch	9005-25-8

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Starch	9005-25-8
--------	-----------

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:



MAXFORCE® PROFESSIONAL INSECT CONTROL®
ROACH KILLER BAIT GEL

Version 3.0 / USA
102000001393

11/11
Revision Date: 09/08/2014
Print Date: 02/09/2015

Signal word: Caution!

Hazard statements: Harmful if swallowed or absorbed through skin.
Moderate eye irritation.
Avoid contact with skin, eyes and clothing.
Keep exposed gel away from open food and food contact surfaces.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 09/08/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.