



Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)
<http://www.bayercropscienceus.com>

ALIETTE® WDG brand Fungicide

Rates for Application on Bearing and Non-bearing Citrus

EPA Reg. No. 264-516

PRODUCT BULLETIN

For Use and Distribution Only in the State of Florida

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA. It is a violation of Federal and State Law to use this product in a manner inconsistent with its label. This product bulletin must be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DISEASE	APPLICATION METHOD	RATE lbs product	APPLICATION PROGRAM
Phytophthora Foot & Root Rot Brown Rot (<i>Phytophthora</i> spp.)	Foliar	*2.5 - 5.0/Acre	Apply as a spray to wet when conditions favor disease development. (If you are unsure about whether these conditions exist, check with your Cooperative Extension Service.)
Phytophthora Foot & Root Rot (<i>Phytophthora</i> spp.)	Chemigation	*2.5 - 5.0/Acre	Begin application when conditions favor disease development. (If you are unsure about whether these conditions exist, check with your Cooperative Extension Service.) Inject ALIETTE® WDG continuously during a scheduled irrigation.

*Rates should be adjusted according to disease history, tree size and population, and current environmental conditions. The 5 lbs per acre rate should be used in all situations requiring maximum activity against *Phytophthora*.

ALIETTE is a registered trademark of Bayer.