

ATROBAN® 11% EC

0061-5055-02

EMULSIFIABLE CONCENTRATE LONG-LASTING INSECTICIDAL SPRAY FOR LIVESTOCK AND THEIR PREMISES




ACTIVE INGREDIENT:
 Permethrin: 3-(phenoxyphenyl)methyl
 (+)-cis, trans-3-(2,2-dichloroethenyl)-2,
 2-dimethylcyclopropanecarboxylate* 11.0%
OTHER INGREDIENTS 89.0%
 100.0%

*cis/trans ratio: Max 55% (+) cis and min 45% (-) trans
 Contains petroleum distillates.
 This product contains 0.107 lbs (48.5 g) of permethrin per pint (473 mL).

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE BACK PANEL FOR ADDITIONAL
 PRECAUTIONARY STATEMENTS

EPA Reg. No. 773-59 EPA Est. No. 6175-LA-1

Copyright © 1997, 1999, 2000, Schering-Plough Animal
 Health Corp., 1095 Morris Avenue, Union, NJ 07083.
 All rights reserved. 20724722 Rev. 9/00








**Treats 400
 550 lb Head
 of Cattle**
 based on horn fly dosage

 Schering-Plough
 Animal Health

Net Contents:
 One U.S. Quart (946 mL)

PANTONE COLORS

CYAN	
MAGENTA	
YELLOW	
BLACK	



 = **BASE COPY IMAGE AREA:**
1/8" CLEARANCE TOP & BOTTOM;
7/16" CLEARANCE LEFT & RIGHT
COLOR DOES NOT PRINT

PACKAGING COMPONENT APPROVAL

SUBMISSION # **2**


EXAMINE BLACK & WHITE COPY AND ACCOMPANYING COLOR BREAK.

	APPROVED	NOT APPROVED	DATE
DESIGNER _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
COPY EDITOR _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
MEDICAL _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
TRADEMARKS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
PATENTS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
PACKAGING _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
SPECIFICATIONS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
MARKETING _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
REGULATORY _____	<input type="checkbox"/>	<input type="checkbox"/>	_____

ART DUE DATE: _____ INV. LOCATION: _____

SQA: _____
 APPROVAL VERIFIED: _____ DATE: _____

PANTONE COLORS

BLACK	

DIRECTIONS FOR USE continued			
Target Species	Use	Dilute	Application Rate
LACTATING AND NON-LACTATING DAIRY CATTLE AND GOATS, BEEF CATTLE, HORSES, AND SHEEP			

SWINE

Lice, mange	Sprayer	1 qt to 50 gals water (6 tbsp/5 gals)	Thoroughly wet animals, including ears. For mange, repeat at 14 days.
-------------	---------	---------------------------------------	---

For swine, allow 5 days between last treatment and slaughter.

PREMISES — in and around horse, beef, dairy, swine, sheep, and poultry premises, animal hospital pens and kennels, and *outside* meat processing premises. NOTE: This product is not recommended for use on vinyl or plastic surfaces.

Target Species	Use	Dilute	Application Rate
House flies, Stable flies, Little house flies (<i>Fannia</i> spp.)	Sprayer	1 qt to 20 gals water (6 tbsp/2 gals)	Spray to point of runoff or 1 gal per 750-1000 sq ft.
Aids in control of cockroaches, ants, spiders, mosquitoes, crickets, Face flies.	Overhead space spray system	1 qt to 20 gals diesel or mineral oil (6 tbsp/2 gals)	4 oz spray per 1000 cu ft of air space.

Do not apply dilutions for premise treatment directly on livestock or poultry. Ensure that animals' feed and water are not contaminated by spray drift. For space spraying, do not remain in treated areas and ventilate the areas before reoccupying. Animals should be removed from areas prior to treatment. Do not use in milk rooms. The use of any residual fly spray should be supplemented with proper manure management and general sanitation to reduce or eliminate fly breeding sites.

- 4 -

ATROBAN® 11% EC

Insecticidal Spray

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARD

Do not use or store near heat or open flame.

FIRST AID

If In Eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a physician or poison control center for treatment advice. **If On Skin Or Clothing** • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. **If Swallowed** • Call poison control center or doctor for treatment advice. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person. **If Inhaled** • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.

PULL HERE TO OPEN
PRESS TO RESEAL ➤

24012425 Rev. 4/03

HOT LINE NUMBER

Have the product container or label with you when calling the poison control center or doctor or going for treatment. You may also contact the Rocky Mountain Poison Center at 1-303-595-4869 for emergency medical treatment information.

Note to Physician: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in cool, dry place.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Mix ATROBAN® 11% EC Insecticide thoroughly according to the following table: Repeat applications as needed but not more often than once every 2 weeks. Spray lactating dairy animals *only* after milking is completed. Use as needed on horses. Not intended for human consumption.

- 2 -

DIRECTIONS FOR USE continued

Target Species	Use	Dilute	Application Rate
LACTATING AND NON-LACTATING DAIRY CATTLE AND GOATS, BEEF CATTLE, HORSES, AND SHEEP			
Horn flies only	Sprayer	1 qt to 100 gals water (6 tbsp/10 gals)	1 qt of coarse spray per animal.
Horn flies, Face flies, Stable flies, House flies, Horse flies, Black flies, mosquitoes, Eye gnats, Mange mites, Scabies mites, ticks, lice, Sheep keds	Sprayer	1 qt to 50 gals water (6 tbsp/5 gals)	1-2 qts of coarse spray per animal over whole body surface. For mange, scabies, ticks, and lice, thoroughly wet animal. Repeat application in 10-14 days for mites.
Horn flies, Face flies, Stable flies, Ear ticks	Low pressure sprayer	1 qt to 5 gals water (6 tbsp/½ gal)	1-2 oz spray per animal. Spot treat back, face, legs, and ears.
Horn flies, Face flies, Stable flies	Back rubber/ Self oiler	1 qt to 20 gals diesel oil (6 tbsp/2 gals)	Keep rubbing device charged. Results improved by daily forced use.
POULTRY			
Northern fowl mites, Lice	Sprayer	1 qt to 50 gals water (6 tbsp/5 gals)	1 gal of coarse spray per 100 birds, paying particular attention to vent area.

- 3 -

