### **SAFETY DATA SHEET**

### 1. Identification

Product identifier MOCAP® EC

Other means of identification

SDS number 424

Synonym(s) Ethoprop EC 720

**Recommended use** Organophosphate nematicide/insecticide.

**Recommended restrictions**This is a Restricted Use Pesticide and is for use by licensed applicators only.

Keep out of the Reach of Children!

EPA Registration number 5481-9041

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

**Company name** AMVAC Chemical Corporation Address 4100 E Washington Blvd

Los Angeles, CA 90023 USA

**Telephone** AMVAC Chemical Corp 323-264-3910

AMVAC Chemical Corp 323-268-1028 (FAX)

Website www.Amvac-Chemical.com

E-mail CustServ@Amvac-Chemical.com

Emergency phone number Medical 888-681-4261

CHEMTREC® 800-424-9300

(USA+Canada)

Product Use 888-462-6822 CHEMTREC® (Outside +1-703-527-3887

USA)

### 2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 4Health hazardsAcute toxicity, oralCategory 2Acute toxicity, dermalCategory 2Acute toxicity, inhalationCategory 2Sensitization, skinCategory 1CarcinogenicityCategory 1B

Aspiration hazard

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Combustible liquid.

Fatal if swallowed.

May be fatal if swallowed and enters airways.

Fatal in contact with skin.

May cause an allergic skin reaction.

Fatal if inhaled.

Suspected of causing cancer.

Material name: MOCAP® EC SDS US

Category 1

### **Precautionary statement**

Prevention Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not breathe mist/vapors/spray.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Wear respiratory protection.

Response IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.

IF ON SKIN: Wash with plenty of soap and water. Take off immediately all contaminated clothing

and wash it before reuse. Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a poison center/doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

In case of fire: Use appropriate media to extinguish.

Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

Very toxic to aquatic life.

**classified (HNOC)** Very toxic to aquatic life with long lasting effects.

Supplemental information None.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%	
O-Ethyl-S,S-dipropyl phosphorodithionate	ETHOPROFOS ETHOPROPHOS ETHOPROP	13194-48-4	69.6	
Solvent naphtha (petroleum), heavy arom.		64742-94-5	20-25	
Constituents	Common name and synonyms	CAS number	%	
Chemical name				
Naphthalene		91-20-3	<2.5	
1,3-Diethyl benzene		141-93-5	<0.3	

#### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

**Skin contact**Take off immediately all contaminated clothing. Take off immediately all contaminated clothing.

Wash off with soap and water. Call a physician or poison control center immediately. For minor skin contact, avoid spreading material on unaffected skin. Wash contaminated clothing before

reuse. Wash clothing separately before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth thoroughly. Never give

anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way

valve or other proper respiratory medical device.

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

May cause allergic skin reaction. Irritation of eyes and mucous membranes. This product is a Cholinesterase Inhibitor. Preexisting skin or respiratory disorders may be aggravated by exposure to components of this product. Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. these include: (for plasma) chronic alcoholism; malnutrition; dermatomyositis; existing toxicity from exposure to carbon disulfide; benzalkonium salts, organic mercury compounds, ciguatoxins or solanines; and (for RBC) hemolytic anemia.

Treat symptomatically. This product is an Organophosphate (OP) Insecticide. Do not handle the patient without the following protective equipment in place: chemical resistant gloves and apron (preferably nitrile). Remove contaminated clothing and do not reuse without thorough cleaning with detergent and hot water. Dispose of heavily contaminated clothing, including shoes, as a hazardous waste. Do not wait for laboratory confirmation to treat patients with strong clinical evidence of poisoning. In the USA and other countries, contact your local or national poison control center for more information.

Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred.

Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes.

After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Avoid morphine, aminophylline, phenothiazine, reserpine, furosemide and ethacrynic acid. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Bathe and shampoo contaminated skin and hair. If ingested, empty stomach; activated charcoal is useful to further limit absorption. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) is indicated.

If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed endotracheal tube.

Take off contaminated clothing and shoes immediately. In case of shortness of breath, give oxygen. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep victim warm. Wash contaminated clothing before reuse. Discard any shoes or clothing items that cannot be decontaminated. This product is a Cholinesterase Inhibitor. A physician should be contacted in all cases of exposure to the technical and its formulations.

## 5. Fire-fighting measures

General information

Suitable extinguishing media
Unsuitable extinguishing
media

media
Specific hazards arising from The

the chemical
Special protective equipment
and precautions for firefighters

Fire fighting

equipment/instructions
Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible liquid.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Material name: MOCAP® EC

vever return spins to original containers for re-use. For waste disposal, see section 13 of the 3D3.

#### **Environmental precautions**

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

### 7. Handling and storage

### Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Air Contaminants (29 CFR 1910.100 Type	Value	
Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)	PEL	400 mg/m3	
,		100 ppm	
Constituents	Туре	Value	
Naphthalene (CAS 91-20-3)	PEL	50 mg/m3	
		10 ppm	
US. ACGIH Threshold Limit Val	ues		
Components	Туре	Value	Form
Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)	TWA	200 mg/m3	Non-aerosol.
Constituents	Туре	Value	
Naphthalene (CAS 91-20-3)	TWA	10 ppm	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Constituents	Туре	Value	
Naphthalene (CAS 91-20-3)	STEL	75 mg/m3	
		15 ppm	
	TWA	50 mg/m3	
		10 ppm	
US. Workplace Environmental I	Exposure Level (WEEL) Guides		
Constituents	Type	Value	
1,3-Diethyl benzene (CAS 141-93-5)	TWA	5 ppm	

Biological limit values

No biological exposure limits noted for the ingredient(s).

### **Exposure guidelines**

### US - California OELs: Skin designation

Naphthalene (CAS 91-20-3)

Can be absorbed through the skin.

### **US ACGIH Threshold Limit Values: Skin designation**

Naphthalene (CAS 91-20-3)

Solvent naphtha (petroleum), heavy arom. (CAS

Can be absorbed through the skin.

Can be absorbed through the skin.

64742-94-5)

# Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). If there is a potential for splashing Goggles or

a full face shield should be used.

Skin protection

**Hand protection** Nitrile gloves are recommended (minimum thickness 0.40 mm). Wash when contaminated.

Dispose of gloves when contaminated inside, when perforated or when contamination outside cannot be removed. Always wash hands before eating, drinking, smoking or using the toilet. Wear

appropriate chemical resistant gloves.

Other The following clothing is required: overalls or pants and long-sleeved shirt, chemical resistant

gloves (preferably nitrile), chemical resistant boots. For added protection a chemical resistant apron and a full face shield are recommended. It there is a risk of splashing, misting or release the following additional PPE is required: two piece hooded chemical resistant suit with either a full face respirator or a SCBA. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions are available, use detergent and hot water. Keep and wash PPE separately.

Respiratory protection Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release,

exposure levels are not known, or any other circumstances where air-purifying respirators may not

provide adequate protection.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene When using do not smoke. Keep away from food and drink. Always observe good personal

considerations when using do not smoke, neep away non-rood and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

### 9. Physical and chemical properties

Appearance Amber to brown oily liquid

Physical state Liquid.

Form Oily liquid

Color Amber to brown

Odor Skunk-like (Mercaptan-like)

Odor threshold Not available.
pH Not available.

Melting point/freezing point 9 °F (-13 °C) estimated
Initial boiling point and boiling 360 °F (182 °C) estimated

range

Flash point 183 °F (84 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

0.7 % estimated

Flammability limit - upper

(%)

5 % estimated

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 1.33E+00 hPa estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Emulsifies

Solubility (solvents) Soluble in common organic solvents, including mineral oils

Auto-ignition temperature Not available.

**Decomposition temperature** 397.4 °F (203 °C) (a.i.)

Viscosity Not available.

Other information

Bulk density 8.6 lb/gal

Specific gravity 1.03

### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizers. Strong bases.

Hazardous decomposition Emits hazardous fumes and smoke of unknown composition when heated to decomposition or

products burned.

### 11. Toxicological information

### Information on likely routes of exposure

Inhalation Fatal if inhaled.

Skin contact Fatal in contact with skin. May cause an allergic skin reaction. Eye contact Direct contact with eyes may cause temporary irritation.

Fatal if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction. Dermatitis. Rash.

### Information on toxicological effects

**Acute toxicity** Fatal if inhaled. Fatal in contact with skin. Fatal if swallowed. May cause an allergic skin reaction.

Product	Species	Test Results		
MOCAP® EC				
<u>Acute</u>				
Dermal				
Liquid				
LD50	Rabbit	369 mg/kg (male)		
		166 mg/kg (female)		
Inhalation				
Mist				
LC50	Rat	0.86 mg/l/4h (male)		
		0.32 mg/l/4h (female)		
Oral				
Liquid				
LD50	Rat	46.7 mg/kg (male)		
		15.9 mg/kg (female)		

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Naphthalene (CAS 91-20-3) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

### US. National Toxicology Program (NTP) Report on Carcinogens

Naphthalene (CAS 91-20-3) Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

**Aspiration hazard** 

Not classified.

repeated exposure

If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary

injury or death.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

### 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Components **Species Test Results** O-Ethyl-S,S-dipropyl phosphorodithionate (CAS 13194-48-4) Aquatic Acute Algae EC50 Algae 2.4 mg/l, 5 days EC50 Daphnia magna 0.2 mg/l, 48 hours Crustacea Fish LC50 Bluegill (Lepomis macrochirus) 0.3 mg/l, 96 hours Chronic LC50 Crustacea Daphnia 0.002 mg/l, 21 days

Persistence and degradability

(Oncorhynchus mykiss)

No data is available on the degradability of this product.

Rainbow trout, donaldson trout

Bioaccumulative potential

Fish

Partition coefficient n-octanol / water (log Kow)

O-Ethyl-S,S-dipropyl phosphorodithionate 2.99

LC50

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

0.064 mg/l, 21 days

### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

US RCRA Hazardous Waste U List: Reference

Naphthalene (CAS 91-20-3) U165

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal methods/information).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

DOT

UN number UN3018

UN proper shipping name

Transport hazard class(es)

Organophosphorus pesticides, liquid, toxic (Ethoprophos), MARINE POLLUTANT

Class 6.1(PGI, II)

Subsidiary risk -

Label(s) 6.1 Packing group Ш

**Environmental hazards** 

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB2, N76, T11, TP2, TP13, TP27 **Special provisions** 

Packaging exceptions 153 Packaging non bulk 202 243 Packaging bulk

**IATA** 

UN3018 **UN number** 

UN proper shipping name Organophosphorus pesticides, liquid, toxic (Ethoprophos)

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk Label(s) 6.1 Packing group Ш **Environmental hazards** Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Not established.

Cargo aircraft only Allowed with restrictions.

**IMDG** 

UN3018 **UN number** 

**UN** proper shipping name Organophosphorus pesticides, liquid, toxic (Ethoprophos), MARINE POLLUTANT Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk 6.1 Label(s) Ш Packing group

**Environmental hazards** 

Yes Marine pollutant

**EmS** Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

#### DOT



### IATA; IMDG



### Marine pollutant



**General information** 

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

### 15. Regulatory information

### **US federal regulations**

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS.

DANGER: Fatal if inhaled. Fatal in contact with the skin. Fatal if swallowed. Corrosive. Causes irreversible eye damage. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame. Do not store in or around home or residence.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to aquatic organisms (fish and invertebrates) and wildlife and extremely toxic to birds. Birds feeding in treated areas may be killed. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Runoff may be hazardous to aquatic organisms in neighboring areas. For specific No-Spray Zone requirements, see the Spray Zone Application Restrictions. This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Naphthalene (CAS 91-20-3) Listed.

SARA 304 Emergency release notification

O-Ethyl-S,S-dipropyl phosphorodithionate (CAS 1000 LBS

13194-48-4)

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Ch	emical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)	
0-	Ethyl-S,S-dipropyl	13194-48-4	1000	1000			

O-Ethyl-S,S-dipropyl phosphorodithionate

phosphorodithionate

chemical

SARA 313 (TRI reporting)

SARA 311/312 Hazardous

Chemical nameCAS number% by wt.O-Ethyl-S,S-dipropyl phosphorodithionate13194-48-469.6Naphthalene91-20-3<2.5</td>

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No

Naphthalene (CAS 91-20-3)

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### US state regulations

### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Naphthalene (CAS 91-20-3) Listed: April 19, 2002 O-Ethyl-S,S-dipropyl phosphorodithionate (CAS Listed: February 27, 2001

13194-48-4)

### US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Naphthalene (CAS 91-20-3)

#### **International Inventories**

Country(s) or regionInventory nameOn inventory (yes/no)\*United States & Puerto RicoToxic Substances Control Act (TSCA) InventoryNo

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date May-18-2015
Revision date Nov-17-2016

References ACGIH®: American Conference of Governmental Industrial Hygienists

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

EPA: Environmental Protection Agency

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act IARC: International Agency for Research on Cancer

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Agency

SARA: Superfund Amendments and Reauthorization Act

TSCA: Toxic Substances Control Act DOT: Department of Transportation

IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association

Version # 02

Further information Not available.

HMIS® ratings Health: 3
Flammability: 2

Physical hazard: 0

NFPA ratings Health: 3

Flammability: 2 Instability: 0

Material name: MOCAP® EC Sps us

997 Version #: 02 Revision date: Nov-17-2016 Issue date: May-18-2015

#### **Disclaimer**

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2016 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation.

Mocap is a trademark owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

#### **Revision information**

This document has undergone significant changes and should be reviewed in its entirety.