

MAX-IN[®] for Beans

The Next Generation of Crop Booster[®] for Beans

2-0-0

<u>Guaranteed Analysis</u>	
Total Nitrogen (N)	2.00%
1.75% Nitrate nitrogen	
0.25% Urea nitrogen	
Boron (B)	0.20%
Iron (Fe)	0.30%
0.30% Water soluble Iron (Fe)	
Manganese (Mn)	3.20%
3.20% Water soluble Manganese (Mn)	
Molybdenum (Mo)	0.01%
Zinc (Zn)	2.10%
2.10% Water soluble Zinc (Zn)	

Derived from: Urea, Sodium borate, iron nitrate, manganese nitrate, sodium molybdate, and zinc nitrate.

* U.S. Patent No. 7,666,242

F1683

CAUTION
KEEP OUT OF REACH OF CHILDREN
In case of contact, flush with water.

DIRECTIONS FOR USE:

For use in a balanced fertility program for all crops requiring boron, iron, manganese, molybdenum and zinc. User should seek the advice of a certified crop advisor or trained agronomist. For specific crop recommendations in your area, consult your state's recommendations.

CAUTION: Over-application or excessive use of boron, or use on crops other than those listed can result in boron toxicity and may cause serious crop injury.

CAUTION: The application of fertilizer materials containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum (Mo) that are toxic to ruminant animals.

MAX-IN for Beans is not to be used as a replacement for any surfactant in recommendations tank-mixed with herbicides. The use of ammonium sulfate is always recommended when tank-mixed with glyphosate based products and other herbicides.

MAX-IN for Beans is specifically designed for use on soybeans in conjunction with glyphosate products. However, this product can be used on other crops where the addition of micronutrients would be beneficial. For use on crops other than soybeans, apply according to directions of your regional Winfield Plant Nutrition Specialist or local agricultural professional to crops. It is compatible with most agricultural pesticides. However, if local information is not available, a jar test for compatibility should be conducted prior to large scale mixing.

Mixing Instructions:

1. Add water and agitate
2. Add an ammonium sulfate source (such as Class Act[®] NG[®] or Alliance[®]) or water conditioner
3. Add MAX-IN for Beans
4. Add Pesticides

NOTE: If wettable powders or water dispersible granules (WDG) are used, slurry them in water prior to addition.

Distributed By:

Winfield Solutions LLC

PO Box 64589

St. Paul, Minnesota 55164-0589

1/0105/7

Weight Per Gallon: 10.5 pounds

NET WEIGHT: 26.26 lbs. (11.91 kg.)

NET CONTENTS: 2.5 Gallons (9.464 Liters)

WINFIELD[™]

Mixing Instructions When Mixed With Glyphosate:

1. Fill tank ½ full with water and agitate
2. Add Class Act NG or AMS and agitate
3. Add MAX IN Beans, continue agitation
4. Fill tank to ¾ full and continue agitation
5. Add glyphosate and continue agitation
6. Fill tank to full

Do not mix **MAX IN Beans** and glyphosate together in the cone inductor. If using a cone induction system rinse it out thoroughly with water between the addition of **MAX IN Beans** and glyphosate. At the end of the day, rinse out spray booms.

CAUTION: Check compatibility with orthophosphates, high potash suspensions, and chemical mixtures.

Not intended for use with phosphate fertilizers.

Foliar Application:

Mild Deficiency	1 quart/acre
Moderate Deficiency	1.5 quarts/acre
Severe Deficiency	2.0 quarts/acre

Apply in a minimum of 10 gallons of water by ground.

Applications should be made in the V3-V5 stage and repeated, if necessary, at the R1-R2 stage.

For Use in Wisconsin: Use 0.15/lbs. of Manganese per acre (0.47 gallons of MAX-IN For Beans) for foliar applications.

This product is not recommended for soil application with liquid fertilizers.

Aerial Application:

Mild Deficiency	1 quart/acre
Moderate Deficiency	1.5 quarts/acre
Severe Deficiency	2.0 quarts/acre

Apply in a minimum of 3 gallons of water by air.

Applications should be made in the V3-V5 stage and repeated, if necessary, at the R1-R2 stage.

Caution:

- Harmful if swallowed
- Avoid breathing spray mist
- Contact may cause eye or skin irritation
- Avoid contact with eyes and prolonged contact with skin

First Aid:

In case of contact, flush eyes with plenty of water for at least 15 minutes and get prompt medical attention. Wash skin thoroughly with soap and water.

STORAGE

MAX-IN FOR BEANS can be corrosive to tanks, pumps, meters and fittings. Store in stainless steel or polyethylene tanks with stainless steel or polyethylene fittings.

Store Above: 40° F.

For Chemical Spill, Leak, Fire or Exposure, Call Chemtrec (800) 424-9300.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

WARRANTY DISCLAIMER

Winfield Solutions, LLC warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

Alliance®, Class Act®, Crop Booster®, MAX-IN®, and NG® are registered trademarks of Winfield Solutions LLC.