

SAFETY DATA SHEET

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: X-Celerate

PRODUCT IDENTIFIER CODE(S): 109087

PRODUCT RECOMMENDED/INTENDED USE: Non-lonic Wetting Agent

MANUFACTURER/SUPPLIER: Royal Oil Company **ADDRESS:** 500 Airport Drive, Mansfield, TX 76063

GENERAL INFORMATION: 817-332-1161

24 HR. EMERGENCY PHONE NUMBER: CHEMTREC 1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

GHS Classification(s):

Health	Physical	Environmental
Eye Irritant- Category 2A	No known physical hazards.	No known environmental hazards.
Skin Irritant- Category 3		

GHS Label:

Pictogram(s):



Signal Word: Warning! Hazard Statements:

Causes serious eye irritation. May cause skin irritation.

Precautionary Statements: Avoid contact with eyes and skin. Wear protective gloves, clothing and eye/face protection. Wash hands thoroughly after handling. Keep container tightly closed when not in use. Store in a cool, dry, well-ventilated area. Keep out of reach of children. Dispose of contents and container in accordance with all federal, state and local regulations. Response: FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get immediate medical attention. IF SKIN IRRITATION OCCURS: Remove contaminated clothing and wash skin thoroughly with soap and water. If skin irritation persists, get medical attention. IF SWALLOWED: Do NOT induce vomiting. Rinse mouth and give large quantities of water if victim is conscious. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep airway open. Get immediate medical attention. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS#	Wt. %
Nonylphenol, ethoxylated	127087-87-0	< 20.0
3,5,7-Triaza-1-azoniatricyclo[3.3.1.13.7]decane, 1-(3-chloro-2-propenyl)-, chloride (CTAC)	4080-31-3	0.1-1.0
Sodium sulfite, anhydrous	7757-83-7	0.1-1.0
Aqueous emulsion of polyorganosiloxanes, additives	N/A	2.0-3.0
Non-hazardous components or components below reportable levels	N/A	75-80

SECTION 4 FIRST AID MEASURES

PRINCIPAL ROUTES OF EXPOSURE: Eyes and skin

EFFECTS OF EXPOSURE (ACUTE AND CHRONIC): May cause skin irritation. However, brief contact is not known to be irritating. Contact with eyes may cause severe irritation with possible chemical burns of the eye. Ingestion may cause abdominal discomfort, nausea, vomiting, and/or diarrhea. If directly inhaled, mist from this product may cause respiratory irritation, chest discomfort and/or coughing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get immediate medical attention.

IF SKIN IRRITATION OCCURS: Remove contaminated clothing and wash skin thoroughly with soap and water. If irritation persists, get medical attention.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth and give large quantities of water if victim is conscious. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep airway open. Get immediate medical attention.

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None known

NOTES TO PHYSICIAN: None

SECTION 5

FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Powder, alcohol-resistant foam, carbon dioxide (CO₂).

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this may spread and scatter the fire. **SPECIAL HAZARDS ARISING FROM THE CHEMICAL:** During a fire, gases hazardous to health may be formed. **SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

FIREFIGHTING EQUIPMENT/INSTRUCTIONS: Move containers from the fire area if you can do so without risk. **SPECIFIC METHODS:** Use standard firefighting procedures and consider the hazards of other involved materials. **UNUSUAL FIRE AND EXPLOSION HAZARDS:** No unusual fire or explosion hazards noted.

SECTION 6

ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during cleanup. Do not touch or walk through spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection refer to Section 8 of the SDS.

MATERIALS AND METHODS FOR CONTAINMENT AND CLEANUP: This product is miscible in water. This material contains a component that is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this can be done without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into appropriate disposal containers. Following product recovery, flush area with water to remove residues.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for reuse. For waste disposal, refer to Section 13 of the SDS.

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 7

HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Avoid contact with eyes, skin and clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release into the environment. Observe good industrial hygiene and safety practices.

STORAGE: Keep container tightly closed when not in use. Keep out of reach of children. Do not allow product to freeze. Store in a cool, dry, well-ventilated place. Store only in the original container. Recommended storage temperature is between 40-120°F.

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS: Occupational exposure limits have not been established for this product as a whole. There is no exposure data available for components of this product.

BIOLOGICAL LIMIT VALUES: No biological exposure limits noted for the ingredient(s).

APPROPRIATE ENGINEERING CONTROLS: Use only in an outdoors or well-ventilated area. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product. It is recommended that users of this product perform a risk assessment to determine the appropriate PPE.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION: Wear chemical goggles and face shield. Avoid contact with eyes. Provide an emergency eyewash fountain and quick drench shower in immediate work areas.

HAND PROTECTION: Wear appropriate chemical resistant gloves.

BODY PROTECTION: Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other items such as chemical resistant boots are recommended.

RESPIRATORY PROTECTION: In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapor cartridge.

GENERAL HYGIENE CONSIDERATIONS: Keep away from food and drink. Always observe good personal hygiene practices, such as washing after handling the material and before eating, drinking, smoking and using toilet facilities. Routinely wash work clothing and protective equipment to remove contaminants. Wash contaminated clothing before reuse. Discard contaminated shoes that cannot be cleaned.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE (Color and physical state): Green liquid

ODOR: Slight detergent odor

ODOR THRESHOLD: Not determined

pH: 10.0-12.5 (Concentrate)

MELTING POINT/FREEZING POINT: Freezing point = 32°F (as water)

BOILING POINT (°F/C): >210/99 FLASH POINT (°F/C): None

EVAPORATION RATE (Butyl Acetate =1): Not determined

FLAMMABILITY (solid, gas): N/A

EXPLOSIVE PROPERTIES: Not an explosive

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: N/A

VAPOR PRESSURE (mm Hg): Not determined VAPOR DENSITY (Air=1): Not determined

SOLUBILITY (in water): Soluble SPECIFIC GRAVITY (H₂O=1): 1.02

PERCENT VOLATILE BY VOLUME (including water): > 80.0

AUTOIGNITION TEMPERATURE: Not determined DECOMPOSITION TEMPERATURE: Not determined

PARTITION COEFFICIENT (n-octanol/water): Not determined

SECTION 10

STABILITY AND REACTIVITY

REACTIVITY: The product is stable and non-reactive under normal conditions of use, storage and transport,

CHEMICAL STABILITY: This material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: Hazardous polymerization does not occur.

CONDITIONS TO AVOID: Avoid excessive heat and contact with incompatible materials. Protect from sunlight. **INCOMPATIBLE MATERIALS:** Strong acids, acids, oxidizing agents, aluminum metals, inorganic acids and bases. **HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon oxides and other organic compounds which may be toxic.

SECTION 11

TOXICOLOGICAL INFORMATION

ACUTE TOXICITY VALUES: There is no data available for this product as a whole. Acute toxicity data for individual components of this product are listed below:

Component/CAS	Oral LD ₅₀	Dermal LD ₅₀	Inhalation LC ₅₀
Nonylphenol, ethoxylated	960-3980 mg/kg (Rat)	2000-2991 mg/kg (Rabbit)	1.15 mg/L;4H dust/mist
(127087-87-0)			(Rat)
3,5,7-Triaza-1-	1000 mg/kg (Rat)	>5000 mg/kg (Rabbit)	>5.2 mg/L;4H (Rat)
azoniatricyclo[3.3.1.13.7]decane, 1-(3-			_ , ,

chloro-2-propenyl)-, chloride (CTAC)			
(4080-31-3)			
Sodium sulfite, anhydrous (7757-83-7)	820 mg/kg (Mouse)	No data available	No data available
Aqueous emulsion of polyorganosiloxanes, additives	No data available	ATEmix: 2013.33 mg/kg	No data available.

IRRITANT EFFECT ON THE SKIN: There is no data available for this product as a whole. May cause skin irritation.

However, brief contact is not known to be irritating.

IRRITANT EFFECT ON THE EYES: There is no data available for this product as a whole. Contact with eyes may cause severe irritation with possible chemical burns of the eye.

SENSITIZATION: There is no data available for this product as a whole.

Nonylphenol, ethoxylated (CAS# 127087-87-0): Not a respiratory sensitizer. Not expected to cause skin sensitization.

MUTAGENICITY: Not classified.

Nonylphenol, ethoxylated: No data available to indicate this component is mutagenic or genotoxic.

Sodium sulfite, anhydrous: Has been genotoxic in many short-term test systems including causing chromosome aberrations in mouse cells and sperm abnormalities in mice. It has been mutagenic in yeast and Mirococcus aureaus, but was not mutagenic in the Ames salmonella/microsome assay. Other genetic studies with sodium sulfite have shown that it did not induce chromosome aberrations, sister chromatid exchanges or micronuclei in hamsters or mice.

CARCINOGENICITY: Not classified.

Nonylphenol, ethoxylated: This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

REPROTOXICITY/TERATOGENICITY: Not classified.

Nonylphenol, ethoxylated: This component is not expected to cause reproductive or developmental effects.

CTAC: CTAC has caused birth defects in rats administered relatively high oral doses; no effects were observed at lower doses. CTAC did not cause birth defects or any other effects on the fetus when relatively high doses were administered dermally, the most likely route of exposure.

Sodium sulfite, anhydrous: No human reproductive hazard data were found for sodium sulfite. When injected at doses of 1 to 5 mg/, sodium sulfite interfered with meiosis (chromosome separation) in the egg production in mice, cows and ewes.

There were no reproductive effects in a multi-generational study in rats.

SINGLE TARGET ORGAN TOXICITY, Single Exposure: Not classified.

SINGLE TARGET ORGAN TOXICITY, Repeated Exposure: Not classified.

CTAC: In animals, effects have been reported on the following organs after ingestion: Liver. High doses of sodium carbonate caused bladder effects in rats; however, repeated ingestion of sodium bicarbonate by humans has not resulted in known significant adverse effects.

ASPIRATION HAZARD: Not an aspiration hazard.
FURTHER INFORMATION ON TOXICOLOGY: None

SECTION 12

ECOLOGICAL INFORMATION

ECOTOXICITY: There is no data available for this product as a whole. Acute ecotoxicity data for individual components of this product are listed below:

Component/CAS	Toxicity to Fish	Toxicity to Invertebrates	Toxicity to Algae		
Nonylphenol, ethoxylated	3.8-6.2 mg/L;96H	9.3-21.4 mg/L;48H	No data available		
(127087-87-0)	(Fathead minnow)	(Water flea)			
3,5,7-Triaza-1-	LC ₅₀ = 66 mg/L;96H	EC ₅₀ = 25.8 mg/L;48H	ErC ₅₀ = 1.5 mg/L;96H		
azoniatricyclo[3.3.1.13.7]decane,	(Bluegill sunfish)	(Water flea)	(Green Algae)		
1-(3-chloro-2-propenyl)-, chloride	LC ₅₀ = 64 mg/L;96H	LC ₅₀ = 14.1 mg/L (Copepod	NOEC= 0.243 mg/L;96H		
(CTAC)	(Rainbow trout)	Acartia tonsa)	(Green Algae)		
(4080-31-3)		LC ₅₀ = >128 mg/L			
		(Grass shrimp)			
		LC ₅₀ = 182 mg/L			
		(Pink shrimp)			
Sodium sulfite, anhydrous	LC ₅₀ = 2600 mg/L;96H	LC ₅₀ = 69 mg/L;50H	No data available		
(7757-83-7)	(Mosquito fish)	(Daphnia magna)			

PERSISTENCE AND DEGRADABILITY: No data is available on the degradability of this product.

Nonylphenol, ethoxylated: For this family of materials: Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable.

Biodegradation: <60% Exposure Time: 28d Method: OECD 301B or Equivalent CTAC: Material is readily biodegradable. Passes OECD (tests) for ready biodegradability.

Biodegradation: 75% Exposure Time: 28d Method: OECD 301A Test 10 Day Window: Pass Biodegradation: 83-90% Exposure Time: 28d Method: OECD 306 Test 10 Day Window: N/A

BIOACCUMULATIVE POTENTIAL: No data available for the product as a whole.

Nonylphenol, ethoxylated: For this family of materials: Partition coefficient: n-octanol/water (log Pow): 2.1-3.4 calculated Bioconcentration factor (BCF): 5.9-48 Fish estimated

CTAC: Bioconcentration potential is low (BCF <100 or Log Pow <3). Partition Coefficient (Log Pow): 0.3 measured **MOBILITY IN SOIL:** No data available.

CTAC: Potential for mobility in soil is medium (Koc between 150 and 500). Partition Coefficient, soil organic carbon/water (Koc): 320 estimated

ENVIRONMENTAL FATE: Sodium sulfite, anhydrous: Oxidizes in air to form sulfates in the environment.

OTHER ADVERSE EFFECTS: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

SECTION 13

DISPOSAL CONSIDERATIONS

PROCEDURES: Dispose of contents and container in accordance with all federal, state and local regulations. Collect and reclaim product or dispose of in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. **CONTAMINATED PACKAGING:** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after a container has been emptied.

SECTION 14

TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING DESCRIPTION: Not regulated INTERNATIONAL MARITIME ORGANIZATION (IMDG) SHIPPING DESCRIPTION: Not regulated

FREIGHT CLASSIFICATION: Adjuvants, Sprayable Product, Dry or Liquid, Designed for Addition to Sprayable

Defoliants, Fertilizers, Fungicides, Herbicides, Insecticides or Mitecides (NMFC 42652)

SECTION 15

REGULATORY INFORMATION

US FEDERAL REGULATIONS

TOXIC SUBSTANCES CONTROL ACT (TSCA): All hazardous components of this product are listed on or exempted from the TSCA inventory.

TSCA Chemical Action Plans: Listed Substances: Nonylphenol, ethoxylated (CAS# 127087-87-0). Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan.

CERCLA Hazardous Substance List (40 CFR 302.4): Not listed.

SARA 311/312 Hazardous Chemical: Yes

SARA 302 Extremely Hazardous Substance: Not listed. SARA 304 Emergency Release Notification: Not listed.

OSHA Specifically Regulated Substances (20 CFR 1910.1001-1050): Not listed.

SARA 313 (TRI Reporting): Nonylphenols, 18.429% by wt.

3,5,7-Triaza-1-azoniatricyclo[3.3.1.13.7]decane, 1-(3-chloro-2-propenyl)-, chloride (CTAC) (CAS# 4080-31-3), 0.1344% by wt.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA) Hazard Categories:

Immediate Hazard Yes
Delayed Hazard No
Fire Hazard No
Pressure Hazard No
Reactivity Hazard No

CLEAN WATER ACT (CWA): If spilled into waters of the U.S., this product may be reportable under the Clean Water Act.

CLEAN AIR ACT (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not listed.

CLEAN AIR ACT (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68-130): Not listed.

SAFE DRINKING WATER ACT (SDWA): Not regulated.

OSHA HAZARD COMMUNICATION STANDARD: This material is considered to be hazardous in accordance with OSHA 29 CFR 1910.1200.

US STATE REGULATIONS

US- California Candidate Chemicals: Listed on Initial List: Not listed.

US California Controlled Substances: CA Department of Justice (California Health and Safety Code Section

11100): Not listed.

US California Proposition 65: Not listed.

INTERNATIONAL INVENTORIES

Component	AICS	DSL	NDSL	IECSC	EINECS	ELINCS	ENCS	ECL	NZIoC	PICCS	TSCA
Nonylphenol,	Χ	Χ		Χ	X		Χ	Χ	Χ	Χ	Χ
ethoxylated											
Sodium		Χ			Х						Χ
sulfite,											
anhydrous											

Legend:

AICS- Australian Inventory of Chemical Substances

DSL/NDSL- Canadian Domestic Substances List/ Non-Domestic Substances List

IECSC- Inventory of Existing Chemical Substances in China

EINECS- European Inventory of Existing Commercial Chemical Substances

ELINCS- European List of Notified Chemical Substances

ENCS- Japan Inventory of Existing and New Chemical Substances

ECL- Korean Existing Chemicals List

NZIoC- New Zealand Inventory

PICCS- Philippine Inventory of Chemicals and Chemical Substances **TSCA-** US and Puerto Rico Toxic Substances Control Act Inventory

SECTION 16 OTHER INFORMATION

REVISION INDICATOR: New SDS compliant with GHS AND OSHA.

DATE OF REVISION: 05/15/2018 SUPERSEDES: 05/25/2017

DISCLAIMER: THIS INFORMATION IS BEING SUPPLIED TO YOU UNDER OSHA "RIGHT TO KNOW" REGULATION 29 CFR 1910.1200 AND IS OFFERED IN GOOD FAITH. THE INFORMATION CONTAINED HEREIN IS BASED ON THE DATA AVAILABLE TO US AND IS BELIEVED TO BE TRUE AND ACCURATE TO THE BEST OF OUR KNOWLEDGE. ROYAL OIL COMPANY MAKES NO WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THIS DATE, THE HAZARDS CONNECTED WITH THE USE OF THE MATERIAL, OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. ROYAL OIL COMPANY MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE SAFE USE OF THIS MATERIAL IN YOUR PROCESS OR IN COMBINATION WITH OTHER SUBSTANCES. ROYAL OIL COMPANY ASSUMES NO RESPONSIBILITY FOR DAMAGE OR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.