

SDS NUMBER: 000857-17-LPI SDS REVISIONS: SECS. 2, 7, 13 DATE OF ISSUE: 01/30/17

**WARHAWK**®

**SUPERSEDES: 03/07/16** 

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER: EPA REGISTRATION NO. 34704-857

TRADE NAME: WARHAWK®

1.2 RECOMMENDED USE: CONTROL OF INSECTS IN CERTAIN FIELD, FRUIT, NUT AND VEGETABLE CROPS

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24 Hour Emergency Phone: 1-800-424-9300 - Medical Emergencies: 1-866-944-8565 - Product Information: 1-888-574-2878 (LPI-CUST) U.S. Coast Guard National Response Center: 1-800-424-8802

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

### Classification according to 29 CFR 1910.1200

Flammable Liquids	Category 3	H226
Acute Toxicity – Oral	Category 3	H301
Acute Toxicity – Inhalation	Category 4	H332
Acute Toxicity – Dermal	Category 4	H312
Specific Target Organ Toxicity (Single Exposure)	Category 3	H335
Aspiration Hazard	Category 1	H304
Eye Damage/Irritation	Category 2B	H320
Sensitization – Skin	Category 1	H317

#### 2.2 Label elements



Signal word: DANGER

Hazard Statement: H226 – Flammable liquid and vapor.

H301 – Toxic if swallowed. H332 – Harmful if inhaled.

H312 – Harmful in contact with skin. H335 – May cause respiratory irritation.

H304 – May be fatal if swallowed and enters airways.

H320 – Causes eye irritation.

H317 - May cause an allergic skin reaction.

Precautionary

Statement: P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

(Prevention): P233 – Keep container tightly closed.

P240 – Ground/bond container and receiving equipment.

P241 – Use explosion-proof electrical/ventilating/lighting/equipment.

P242 - Use only non-sparking tools.

P243 – Take precautionary measures against static discharge.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P264 – Wash hands, face and skin thoroughly after handling. P270 – Do not eat, drink or smoke when using this product. P261 – Avoid breathing dust/fume/gas/mist/vapors/spray. P271 – Use only outdoors or in a well-ventilated area.

P272 – Contaminated work clothing must not be allowed out of the workplace.



SDS NUMBER: 000857-17-LPI SDS REVISIONS: SECS. 2, 7, 13 DATE OF ISSUE: 01/30/17

**WARHAWK**®

SUPERSEDES: 03/07/16

Precautionary

Statement: P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. (Response): P321 – Specific treatment (see First Aid and Notes to Physician on the product label).

P330 – Rinse mouth.

P331 - Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313 – If skin irritation or rash occurs: Get medical advice/attention.

P304+P340: IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P312 – Call a POISON CENTER or doctor/physician if you feel unwell.

P362 – Take off contaminated clothing and wash it before reuse.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do. Continue rinsing.

P337+P313 – If eye irritation persists: Get medical advice/attention.

P303+P361+P353 - IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P370+P378 – In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Precautionary Statement:

(Storage):

P403+P235 – Store in a well-ventilated place. Keep cool.

P403+P233 – Store in a well-ventilated place. Keep container tightly closed.

P405 – Store locked up.

Precautionary Statement:

(Disposal)

P501 - Dispose of contents/container to an approved waste disposal to an approved waste disposal facility.

#### 2.3 Other hazards

None known.

### 3. COMPOSITION, INFORMATION ON INGREDIENTS

#### 3.1 Substances

#### 3.2 Mixtures

# Classification according to 29 CFR 1910.1200

Chemical Name:	CAS No.	Concentration
		[%]
Chlorpyrifos	2921-88-2	44.90
2-Ethylhexanol	104-76-7	1.00
Solvent naphtha (petroleum), light aromatic	64742-95-6	48.60
consists of:		
1,2,4-Trimethylbenzene	95-63-6	14.40
1,3,5-Trimethylbenzene	108-67-8	3.80
Cumene	98-82-2	1.90
Xylene	1330-20-7	0.40



SDS NUMBER: 000857-17-LPI SDS REVISIONS: SECS. 2, 7, 13 DATE OF ISSUE: 01/30/17

**WARHAWK**®

SUPERSEDES: 03/07/16

## 4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or

doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Central nervous system effects.

4.3 Immediate Medical Attention and Special Treatment

Treatment: This product contains petroleum distillates.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565

Take container, label or product name with you when seeking medical attention.

Notes to Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests

may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

This product is contains petroleum distillates. Vomiting may cause aspiration pneumonia.

# 5. FIRE FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use medium appropriate to surrounding fire. Foam, carbon dioxide (CO<sub>2</sub>), dry chemical, soft stream or

water fog.

## 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, smoke may contain the original material in addition to combustion products of varying

composition which may be toxic and/or irritating. Combustion products may include but are not limited to: Oxides of sulfur. Phosphorous compounds. Oxides of nitrogen. Hydrogen chloride. Oxides of

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires

involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate

fire and deny unnecessary entry.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Keep personnel out of low areas. Keep upwind of spill. Ventilate area of leak or spill. No smoking in area. Eliminate all sources of ignition in vicinity of spill or released vapor to avoid fire or explosion. Vapor explosion hazard. Keep out of sewers. Refer to section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**6.2 ENVIRONMENTAL PRECAUTIONS** 

**Environmental Precautions:** 

This pesticide is toxic to fish, aquatic invertebrates, small mammals and birds. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark except as noted on appropriate labels. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are actively visiting the treatment area.



SDS NUMBER: 000857-17-LPI SDS REVISIONS: SECS. 2, 7, 13 DATE OF ISSUE: 01/30/17

**WARHAWK®** 

SUPERSEDES: 03/07/16

#### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Contain spilled material if possible. Pump with explosion-proof equipment. If available,

use foam to smother or suppress.

Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and

properly labeled containers. Remove residual contamination.

Never return spills to original containers for re-use.

#### 7. HANDLING AND STORAGE

# 7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling:

Keep out of reach of children. Keep away from heat, sparks and flame. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapor or mist. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. No smoking, open flames or sources of ignition in handling and storage area. Vapors are heavier than air and may travel a long distance and accumulate in low lying areas. Ignition and/or flash back may occur. Electrically ground and bond all equipment. Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Use of non-sparking or explosion-proof equipment may be necessary, depending upon the type of operation.

#### 7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers:

Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Do not store above 100 °F for extended periods of time. Storage below 20 °F may result in formation of crystals. If product crystallizes, store at 50 °F to 70 °F and agitate to redissolve crystals. Do not contaminate water, food or feed by storage or disposal.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS:

**OCCUPATIONAL EXPOSURE LIMITS** 

U.S. Workplace Exposure Level (ACGIH) TLVs

orkplace Expedict Ecter (Ac			
Components	Type	Value	
Chlorpyrifos	TLV	0.1 mg/m³ (Skin)	
		Measured as inhalable fraction and vapor	
1,2,4-Trimethylbenzene	TLV	25 ppm / 123 mg/m <sup>3</sup>	
1,3,5-Trimethylbenzene	TLV	25 ppm / 123 mg/m <sup>3</sup>	
Cumene	TLV	50 ppm / 245 mg/m <sup>3</sup>	
Xylene	TLV	100 ppm / 434 mg/m <sup>3</sup>	

### U.S. Workplace Exposure Level (OSHA) PELs

Components	Type	Value
Cumene	TWA	50 ppm / 245 mg/m³ (Skin)
Xylene	TWA	100 ppm / 435 mg/m <sup>3</sup>

### **Biological limit values**

#### **ACGIH Biological Exposure Indices**

Components	Value	Specimen
Acetylcholinesterase inhibiting pesticides	70% of individual's baseline	Cholinesterase activity in red blood cells
Xylene		URT & eye irritant; CNS impair



**WARHAWK® SUPERSEDES: 03/07/16** SDS NUMBER: 000857-17-LPI SDS REVISIONS: SECS. 2, 7, 13 **DATE OF ISSUE: 01/30/17** 

#### **8.2 EXPOSURE CONTROLS:**

### **Engineering Measures**

Mixers and loaders supporting aerial applications must use a mechanical transfer system that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4)] for dermal protection, and must: Wear the personal protective equipment required above for mixers/loaders, wear protective eyewear if the system operates under pressure, and be provided and have immediately available for use in an emergency, such as broken package, spill, or equipment breakdown: coveralls, chemical resistant footwear and chemical-resistant headgear if overhead exposure. Pilots must use an enclosed cockpit in a manner that meets the requirements listed in the WPS for agricultural pesticides [40 CFR 170.240(d)(6).

**Individual Protection Measures:** 

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Long-sleeved shirt and long pants. Shoes plus socks. Chemical-resistant gloves, except for pilots. Chemical-resistant Skin Protection:

apron for mixing or loading, cleaning up spills or equipment, or otherwise exposed to the concentrate.

Not normally required. If respirators are used, a program should be in place to assure compliance with 29 CFR Respiratory Protection:

1910.134, the OSHA Respiratory Protection standard.

## PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE: Liquid

ODOR: Aromatic.

ODOR THRESHOLD: No data available.

COLOR: Red. nH: 4.3

MELTING POINT / FREEZING POINT: No data available

BOILING POINT: 143°C / 289°F 106°F / 41°C (TCC). FLASH POINT: FLAMMABILILITY (solid, gas): No data available.

UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: Upper explosion limit: 6% vol. Lower explosion limit: 1% vol.

VAPOR PRESSURE: No data available. SOLUBILITY: Emulsifies.

PARTITION CO-EFFICIENT. n-OCTANOL / WATER: No data available.

AUTO-IGNITION TEMPERATURE: No data available. DECOMPOSITION TEMPERATURE: No data available. VISCOSITY [Dynamic]: 3.2 mPa @ 20°C / 68°F.

SPECIFIC GRAVITY (Water = 1): 1.07 g/ml

DENSITY: 8.96 lbs./gal / 1.07 kg/L

These physical data are typical values based on material tested but may vary from sample to sample. Note:

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

## 10. STABILITY AND REACTIVITY

## 10.1 REACTIVITY

Stable

### 10.2 CHEMICAL STABILITY

Unstable at elevated temperatures.

## 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Will not polymerize.

# 10.4 CONDITIONS TO AVOID

Avoid temperatures above 70°C (158°F). Chlorpyrifos decomposes at elevated temperatures. Generation of gas during decomposition can cause pressure buildup in closed systems.

## 10.5 INCOMPATIBILE MATERIALS

Strong oxidizers. Avoid contact with bases and strong acids.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Decomposition products may be formed in a fire situation: hydrogen chloride, organic sulfides, sulfur dioxide. Incomplete combustion may lead to formation of oxides of carbon and/or other asphyxiants.

SDS NUMBER: 000857-17-LPI SDS REVISIONS: SECS. 2, 7, 13 DATE OF ISSUE: 01/30/17

WARHAWK® SUPERSEDES: 03/07/16

## 11 TOXICOLOGICAL INFORMATION

## 11.3 LIKELY ROUTES OF EXPOSURE

Ingestion. Eye contact. Skin absorption. Skin contact.

LC<sub>50</sub> (rat): >2.00 mg/L (4 HR) estimated. LD<sub>50</sub> Oral (rat): Estimated: 300 mg/kg LD<sub>50</sub> Dermal (rabbit): > 1,000 mg/kg Acute Toxicity Estimates: No data available

Skin Irritation (rabbit): May cause moderate irritation.

Eye Irritation (rabbit): Moderate eye irritation.

Specific Target Organ Toxicity: Skin, Central Nervous System, Liver, Kidneys.

Aspiration: Vomiting may cause aspiration pneumonia.

Skin Sensitization (guinea pig): Sensitizer

Carcinogenicity: ACGIH TLV-A4 (Not Classifiable as a Human Carcinogen)

Germ Cell Mutagenicity: Minimal genetic toxicity potential.

Interactive Effects: None known.

## 12 ECOLOGICAL INFORMATION

#### 12.3 ECOTOXICITY

The product is toxic to fish, aquatic invertebrates, small mammals and birds. Information below is based on the active ingredient Chlorpyrifos. **Ecotoxicological Data** 

	Species	Test Results	
Chlorpyrifos	Rainbow trout	0.003 mg/L – 96-hour LC50	
	Daphnia magna	0.00068 mg/L - 48-hour EC <sub>50</sub>	

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water. Do not apply when weather conditions favor drift from target area.

## 12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: Below detectable levels under aerobic aquatic conditions.

### 12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Bioconcentration potential is moderate (BCF Log Pow between 3 and 5).

### 12.4 MOBILITY IN SOIL

No data available.

### 12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.



 WARHAWK®
DATE OF ISSUE: 01/30/17 SUPERSEDES: 03/07/16

#### 13 DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS

PESTICIDE DISPOSAL: Open dumping is prohibited. Pesticides wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation ofFederal law. If these wastes cannot be disposed of by the use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your sate. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site of picked up for recycling. To find the nearest site, contact you chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at http://www.acrecycle.org/. If not recycled, then puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. For packages up to 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For packages greater than 5 gallons and less than 56 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For packages greater than 56 gallons: To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. For refillable containers: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Do not contaminate water, food or feed by storage or disposal.

### 14 TRANSPORT INFORMATION

#### 14.3 LAND TRANSPORT

DOT Shipping Description: RQ UN3017, ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE (CHLORPYRIFOS), 6.1(3), III MARINE POLLUTANT ERG GUIDE 131

U.S. Surface Freight Classification: INSECTICIDES OR FUNGICIDES, INSECT OR ANIMAL REPELLENTS, NOI, OR VERMIN EXTERMINATORS, ANIMAL OR POULTRY, NOI; POISON (NMFC 102100; CLASS: 77.5)

**HMIS** 

#### 15 REGULATORY INFORMATION

NFPA & HMIS Hazard Ratings:

### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA

2 Health Λ Health Least Flammability Slight Flammability Reactivity Instability 2 1 Moderate 3 G High Δ Severe SARA Hazard Notification/Reporting SARA Title III Hazard Category: Immediate Fire Sudden Release of Pressure Delayed Reactive

Reportable Quantity (RQ) under U.S. CERCLA: Chlorpyrifos (CAS: 2921-88-2) 1 pound; Xylene (mixed isomers) (CAS: 1330-20-7) 100 pounds; Cumene (CAS: 98-82-8) 5000 pounds SARA, Title III, Section 313: 1,2,4-Trimethylbenzene (CAS: 95-63-6) 14.4%; Xylene (mixed isomers) (CAS: 1330-20-7) <1.5% maximum; Cumene (CAS: 98-82-8) 1.9% maximum. RCRA Waste Code: U239 (Xylene [mixed isomers]); U055 (Cumene).

CA Proposition 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.



 WARHAWK® DATE OF ISSUE: 01/30/17 SUPERSEDES: 03/07/16

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### WARNING

May be fatal if swallowed.
Harmful if absorbed through skin.
Causes moderate eye irritation.
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
Avoid contact with skin, eyes, or clothing.

## 16 OTHER INFORMATION

SDS STATUS: Sections 2, 7, and 13 revised.

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

EPA REG. NO.: 34704-857

®Warhawk is a registered trademark of Loveland Products, Inc.

This is a Restricted Use Pesticide (for retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification)

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safety use the product described by this data sheet for their specific purpose.