SAFETY DATA SHEET

BaseLine® Insecticide

SDS #: 6206-3-A **Revision date**: 2016-05-26

Format: NA Version 1.02



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name BaseLine® Insecticide

Other means of identification

Product Code(s) 6206-3-A

Synonyms BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl

3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name);

2-methylbiphenyl-3-ylmethyl

(Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate

(IUPAC name)

Active Ingredient(s) Bifenthrin

Chemical Family Pyrethroid Pesticide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

Medical Emergencies:

1 800 / 331-3148 (PROSAR - U.S.A. & Canada)

1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Category 3 |
|---------------------------|-------------|
| Skin corrosion/irritation | Category 2 |
| Skin sensitization | Category 1B |

SDS #: 6206-3-A **Revision date**: 2016-05-26

Version 1.02

| Carcinogenicity | Category 2 |
|--|------------|
| Specific target organ toxicity (single exposure) | Category 1 |
| Specific target organ toxicity (repeated exposure) | Category 1 |
| Aspiration toxicity | Category 1 |
| Flammable liquids | Category 4 |

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

- H301 Toxic if swallowed
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H351 Suspected of causing cancer
- H370 Causes damage to organs
- H372 Causes damage to organs through prolonged or repeated exposure

Physical Hazards

H227 - Combustible liquid



Precautionary Statements - Prevention

- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves
- P281 Use personal protective equipment as required

Precautionary Statements - Response

- P308 + P311 If exposed or concerned: Call a POISON CENTER or doctor
- P302 + P352 IF ON SKIN: Wash with plenty of water and soap
- P362 + P364 Take off all contaminated clothing and wash it before reuse
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P331 Do NOT induce vomiting
- P330 Rinse mouth
- P370 + P378 In case of fire: Use Foam. Carbon dioxide (CO2). Dry chemical. for extinction

Precautionary Statements - Storage

P405 - Store locked up

P403 + P235 - Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects. May be harmful in contact with skin.

SDS #: 6206-3-A **Revision date:** 2016-05-26

Version 1.02

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Pyrethroid Pesticide.

| Chemical name | CAS-No | Weight % |
|---|------------|----------|
| Bifenthrin | 82657-04-3 | 23.4 |
| 1,1'-Biphenyl, bis(1-methylethyl)- | 69009-90-1 | 30-40 |
| Petroleum distillates, hydrotreated light | 64742-47-8 | 10-20 |
| Calcium dodecylbenzene sulfonate | 26264-06-2 | 1-5 |

Synonyms are provided in Section 1.

| 4 | FIR | ST | MEA | SII | RFS |
|---|-----|----|-----|-----|-----|
| | | | | | |

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin ContactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a

poison control center or doctor for further treatment advice.

Ingestion If swallowed, do not induce vomiting - seek medical advice Immediately call a poison

control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give

anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Central nervous system effects. Allergic skin reactions.

Indication of immediate medical attention and special treatment

needed, if necessary

Treat symptomatically. Contains petroleum distillate. Vomiting may cause aspiration pneumonia. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam. Carbon dioxide (CO₂). Dry chemical. Soft stream or water fog only if necessary.

Contain all runoff.

Specific Hazards Arising from the

Chemical

Other

Hazardous Combustion Products

Combustible liquid

Toxic fumes may be produced.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge Not sensitive. Not sensitive.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.

For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

SDS #: 6206-3-A **Revision date:** 2016-05-26

Version 1.02

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

Methods for Containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with bleach water and

soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled

prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Chemical name | British Columbia | Quebec | Ontario TWAEV | Alberta |
|------------------------|----------------------------|--------|---------------|---------|
| Petroleum distillates, | TWA: 200 mg/m ³ | - | - | - |
| hydrotreated light | Skin | | | |
| (64742-47-8) | | | | |

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

SDS #: 6206-3-A **Revision date: 2016-05-26**

Version 1.02

Amber liquid **Appearance Physical State** Liquid Amber Color

Odor Hydrocarbon-like

No information available **Odor threshold**

рΗ

Melting point/freezing point Not applicable

Boiling Point/Range No information available 73 - 75 °C / 153-158 °F Flash point **Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Density 8.59 lb/gal 1.031 @ 20 °C Specific gravity Water solubility **Emulsifies**

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available Oxidizing properties No information available Molecular weight No information available **Bulk density** No information available

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization does not occur. **Hazardous polymerization**

Conditions to avoid Heat, flames and sparks

Incompatible materials None known.

Hazardous Decomposition Products May emit toxic fumes under fire conditions. Carbon oxides (COx), Hydrogen chloride,

Hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION

Product Information

153 mg/kg (rat) LD50 Oral

> 2,000 5,000 mg/kg (rabbit) LD50 Dermal

> 7.25 mg/L 4 hr LC50 Inhalation

Serious eye damage/eye irritation

Mildly irritating (rabbit).

Skin corrosion/irritation Severely irritating (rabbit).

Sensitization Sensitizer

Information on toxicological effects

Symptoms Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including

convulsions, tremors and bloody nasal discharge.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SDS #: 6206-3-A Revision date: 2016-05-26

Version 1.02

Chronic toxicity Bifenthrin: Long-term exposure caused neurotoxicity (tremors and impaired gait) in the early

exposure in animal studies, but tremors disappeared with continued exposure.

Mutagenicity Bifenthrin: Not genotoxic in animal studies.

Carcinogenicity Bifenthrin: Weak treatment-related response for liver adenocarcinomas and benign bladder

tumors (lesion) in male mice.

Neurological effectsBifenthrin Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive

salivation) following acute or subchronic exposure. Tremors disappeared with continued

exposure.

Reproductive toxicity Bifenthrin: No toxicity to reproduction in animal studies.

Developmental toxicityBifenthrin: Not teratogenic in animal studies.

STOT - single exposure Causes damage to organs. See listed target organs below.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects Bifenthrin: Liver, Testes.

Neurological effects Bifenthrin Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive

salivation) following acute or subchronic exposure. Tremors disappeared with continued

exposure.

Aspiration hazard Potential for aspiration if swallowed.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Bifenthrin (82657-04-3) | | | | |
|-------------------------|-----------|-----------|--------|-------|
| Active Ingredient(s) | Duration | Species | Value | Units |
| Bifenthrin | 96 h LC50 | Fish | 0.1 | μg/L |
| | 72 h EC50 | Algae | 0.822 | mg/L |
| | 48 h EC50 | Crustacea | 0.11 | μg/L |
| | 21 d NOEC | Fish | 0.012 | μg/L |
| | 21 d NOEC | Crustacea | 0.0013 | μg/L |

Persistence and degradability Bifenthrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

Bioaccumulation Bifenthrin: The substance has a potential for bioconcentration.

Mobility Bifenthrin: Immobile. Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate

is prohibited. If these wastes cannot be disposed of by use according to label instructions,

contact appropriate disposal authorities for guidance.

Contaminated PackagingContainers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions. Do not reuse or refill this

container.

14. TRANSPORT INFORMATION

DOT USDOT is requiring that products formerly classified as "Consumer Commodity, ORM-D"

transition to "Limited Quantity" by 12/31/2020. During the transition period the 49CFR carton shipping marks may be Consumer Commodity (old) or Limited Quantity Diamond

(new). Please prepare shipping documents to match the carton mark.

Packaging Type UN/ID no

4 x 1 gallon, 4 x 1 quart, 4 x 4 x 1 quart UN3352

UN/ID no Proper Shipping Name

Pyrethroid pesticide, liquid, toxic

Hazard class

6.1

SDS #: 6206-3-A Revision date: 2016-05-26

Version 1.02

Packing Group III

Description UN3352, Pyrethroid pesticide, liquid, toxic, 6.1, PGIII

The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not

applicable when shipped only by road or rail in Canada.

UN/ID no UN3352

Proper Shipping Name Pyrethroid pesticide, liquid, toxic

Hazard class 6.1 Packing Group

Marine Pollutant Bifenthrin.

Description UN3352, Pyrethroid pesticide, liquid, toxic, 6.1, PGIII, Marine Pollutant

ICAO/IATA

UN/ID no UN3352

Proper Shipping Name Pyrethroid pesticide, liquid, toxic

Hazard class 6.1 Packing Group III

Description UN3352, Pyrethroid pesticide, liquid, toxic, 6.1, PGIII, Marine Pollutant

Limited quantity 611 / 60L

IMDG/IMO

UN/ID no UN3352

Proper Shipping Name Pyrethroid pesticide, liquid, toxic

Hazard class 6.1
Packing Group III
EmS No. F-A, S-A
Marine Pollutant Bifenthrin

Description UN3352, Pyrethroid pesticide, liquid, toxic, 6.1, PGIII, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical name | CAS-No | Weight % | SARA 313 - Threshold Values % |
|-------------------------|------------|----------|----------------------------------|
| Bifenthrin - 82657-04-3 | 82657-04-3 | 23.4 | 1.0 |

SARA 311/312 Hazard Categories

Acute health hazard
Chronic health hazard
Fire hazard
Sudden release of pressure hazard
Reactive Hazard
Yes
Yes
Yes
No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs |
|---------------------|--------------------------|------------------------------------|
| 2-methylpropan-1-ol | 5000 lb | |
| 78-83-1 | 2270 ka | |

SDS #: 6206-3-A **Revision date:** 2016-05-26

Version 1.02

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning

May be fatal is swallowed. Causes skin irritation and moderate eye irritation.

This pesticide is extremely toxic to fish and aquatic invertebrates.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| Bifenthrin | X | | |
| 82657-04-3 | | | |

International Inventories

| Chemical name | TSCA (United States) | DSL (Canada) | EINECS/ELINC S (Europe) | ENCS (Japan) | China (IECSC) | KECL (Korea) | PICCS (Philippines) | AICS (Australia) |
|--|----------------------------|-----------------|----------------------------|-----------------|------------------|--------------|------------------------|---------------------|
| Bifenthrin 82657-04-3 | | | | Χ | Х | X | | |
| 1,1'-Biphenyl, bis(1-methylethyl)- 69009-90-1 | X | Х | X | Х | X | | | |
| Petroleum distillates, hydrotreated light 64742-47-8 | Х | Х | Х | | Х | Х | Х | Х |

Mexico - Grade

Serious risk, Grade 3

| Chemical name | Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities | Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities |
|---------------|---|--|
| Bifenthrin | 100 2500 kg/vr | 100 kg/yr |

WHMIS Hazard Class

B3 - Combustible liquid D1B - Toxic materials D2B - Toxic materials







SDS #: 6206-3-A **Revision date:** 2016-05-26

Version 1.02

| NFPA | Health Hazards 1 | Flammability 2 | Instability 0 | Special Hazards - |
|------|-------------------|----------------|-------------------|-----------------------|
| HMIS | Health Hazards 3* | Flammability 2 | Physical hazard 0 | Personal Protection X |

NFPA/HMIS Ratings Legend * - Chronic hazard

Revision date: 2016-05-26 Reason for revision: Format Change

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet