SAFETY DATA SHEET



1. Identification

Product identifier AquaFusion 20-0-0

Other means of identification

Ag Product - Plant Nutrition Recommended use

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Wilbur-Ellis Company LLC Company name **Address** Wilbur-Ellis Company LLC

16300 Christensen Rd. Ste 135

Tukwila, WA 98188 **United States**

Telephone Branded Products Information (800) 500-1698

E-mail SDS@wilburellis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300

Chemtrec - International +1 703-741-5970

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, inhalation Category 4

> Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if inhaled. Causes severe skin burns and eye damage. Causes serious eye damage. May

cause respiratory irritation.

Precautionary statement

Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective Prevention

clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Wear eye

protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Material name: AguaFusion 20-0-0 SDS US 1/8

Chemical name	Common name and synonyms	CAS number	%
Aqua Ammonia		1336-21-6	10 - < 20
Ammonium Nitrate		6484-52-2	5 - < 10
Urea		57-13-6	5 - < 10
Ammonia, anhydrous		7664-41-7	< 0.1
Other components below reportable	levels		70 - < 80

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or Skin contact

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if **Eve contact**

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

During fire, gases hazardous to health may be formed.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak, Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). For waste disposal, see section 13 of the SDS. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

1742 Version #: 02 Revision date: 08-31-2017 Issue date: 02-23-2016

7. Handling and storage

Precautions for safe handling Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a

well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage. Avoid prolonged exposure.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	for Air Contaminants (29 CFR 1910. Type	Value			
Ammonia, anhydrous (CAS 7664-41-7)	PEL	35 mg/m3			
		50 ppm			
Aqua Ammonia (CAS	PEL	35 mg/m3			
1336-21-6)		50 ppm			
US. ACGIH Threshold Limit	Values				
Components	Туре	Value			
Ammonia, anhydrous (CAS 7664-41-7)	STEL	35 ppm			
	TWA	25 ppm			
Aqua Ammonia (CAS 1336-21-6)	STEL	35 ppm			
	TWA	25 ppm			
US. NIOSH: Pocket Guide to	Chemical Hazards				
Components	Туре	Value			
Ammonia, anhydrous (CAS 7664-41-7)	STEL	27 mg/m3			
766 7)		35 ppm			
	TWA	18 mg/m3			
		25 ppm			
Aqua Ammonia (CAS 1336-21-6)	STEL	27 mg/m3			
,		35 ppm			
	TWA	18 mg/m3			
		25 ppm			
	tal Exposure Level (WEEL) Guides		_		
Components	Туре	Value	Form		
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.		
logical limit values	No biological exposure limits noted	for the ingredient(s).			
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.				
ividual protection measures,	such as personal protective equip				
Eye/face protection	Chemical respirator with organic va	oor cartridge and full facepiece.			
Skin protection					
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.				
Other	Wear appropriate chemical resistant clothing.				
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.				
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.				
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective				

Material name: AquaFusion 20-0-0

SDS US

1742 Version #: 02 Revision date: 08-31-2017 Issue date: 02-23-2016

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.

Color Not available.
Odor Not available.
Odor threshold Not available.
pH 12.7 - 12.9
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point

Evaporation rate

Not available.

Not available.

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Not available.

(%)

Flammability limit - upper

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density7.95 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.

Specific gravity 0.95

10. Stability and reactivity

Reactivity Reacts violently with strong acids. This product may react with oxidizing agents.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials. Do not mix with other chemicals.

Incompatible materials Acids. Oxidizing agents.

Hazardous decomposition

No hazardous decompos

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage.

Material name: AquaFusion 20-0-0

Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Permanent eye damage including blindness could result. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation.

13000 mg/kg

15000 mg/kg

Information on toxicological effects

Acute toxicity Harmful if inhaled.

Addic toxicity	nammar ii iinialoa.			
Components Species		Test Results		
Ammonia, anhydrous (CAS	S 7664-41-7)			
<u>Acute</u>				
Inhalation				
Vapor				
LC50	Mouse	4230 ppm, 1 Hours		
LC50	Rat	19590 mg/l		
		18693 mg/m3, 5 Minutes		
		13770 mg/m3		
Oral				
LD50	Rat	350 mg/kg		
Ammonium Nitrate (CAS 64	484-52-2)			
<u>Acute</u>				
Dermal				
LD50	Rat	> 5000 mg/kg, 24 Hours		
Oral				
LD50	Rat	2950 mg/kg		
Urea (CAS 57-13-6)				
<u>Acute</u>				
Oral				

Skin corrosion/irritation Causes severe skin burns and eye damage.

Mouse

Rat

Serious eye damage/eye

LD50

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated

Not classified.

exposure

Aspiration hazard Not an aspiration hazard.

Material name: AquaFusion 20-0-0

SDS US

^{*} Estimates for product may be based on additional component data not shown.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings, if applicable, even Contaminated packaging

after container is emptied. Empty containers should be taken to an approved waste handling site

for recycling or disposal.

14. Transport information

DOT

UN number UN2672

Ammonia solutions, relative density between 0.880 and 0.957 at 15 degrees C in water, with **UN proper shipping name**

more than 10 percent but not more than 35 percent ammonia (Aqua Ammonia RQ = 5882 LBS)

Transport hazard class(es)

Class 8 Subsidiary risk 8 Label(s) Ш Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB3, IP8, T7, TP1 **Special provisions**

Packaging exceptions 154 Packaging non bulk 203 241 Packaging bulk

IATA

UN2672 **UN number**

Ammonia solution relative density (specific gravity) between 0.880 and 0.957 at 15°C in water, **UN proper shipping name**

with more than 10% but not more than 35% ammonia

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN2672

UN proper shipping name AMMONIA SOLUTION relative density between 0.880 and 0.957 at 15°C in water, with more than

10% but not more than 35% ammonia by mass

Transport hazard class(es)

Class 8

Material name: AguaFusion 20-0-0

Subsidiary risk - Packing group |||

Environmental hazards

Marine pollutant No. EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not established.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

DOT



IATA; IMDG



15. Regulatory information

US federal regulations

All components are listed on or exempted from the U.S. EPA TSCA Inventory List. This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ammonia, anhydrous (CAS 7664-41-7) Listed. Aqua Ammonia (CAS 1336-21-6) Listed.

SARA 304 Emergency release notification

Ammonia, anhydrous (CAS 7664-41-7) 100 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
	7004 44 7	100	E00		

Ammonia, anhydrous 7664-41-7 100 500

SARA 311/312 Hazardous No

chemical

Material name: AquaFusion 20-0-0 SDS US

Chemical name CAS number % by wt.

AMMONIA (INCLUDES ANHYDROUS AMMONIA ANB36-21-6 AQUEOUS AMMONIA FROM WATER DISSOCIABLE AMMONIUM SALTS AND OTHER SOURCES; 10% OF TOTAL AQUEOUS AMMONIA IS REPORTABLE UNDER THIS LISTING)

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Ammonia, anhydrous (CAS 7664-41-7) **Safe Drinking Water Act**Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a)

Ammonia, anhydrous (CAS 7664-41-7)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

 Issue date
 02-23-2016

 Revision date
 08-31-2017

Version # 02

NFPA ratings Health: 3

Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

10 - < 20

Material name: AquaFusion 20-0-0 SDS US