NITRAIN™ SDS NUMBER: 1000692332-16-LPI SDS REVISIONS: SEC. 1 **DATE OF ISSUE: 12/08/16 SUPERSEDES: 11/09/15**

IN CASE OF EMERGENCY DUE TO A MAJOR SPILL, FIRE OR POISONING INVOLVING THIS PRODUCT CALL DAY OR NIGHT, 1-800-561-8273 or CHEMTREC 1-800-424-9300

IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER:

TRADE NAME: NITRAIN™

1.2 RECOMMENDED USE: FERTILIZER COATING

1.3 MANUFACTURED FOR:

LOVELAND PRODUCTS CANADA, INC.

PO Box 5234 | 64137 Hwy 543 E • High River, Alberta T1V 1M4

1.4 24 Hour Emergency Phone: (Chemtrec): 1-800-424-9300 (Toll Free) - Additional Emergency Phone 1-800-561-8273

Loveland Technical Service: 1-800-328-4678

HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Eye Damage/Irritation Skin Corrosion / Irritation Acute Toxicity (Inhalation)

Category 2A H319 Category 2 H315 Category 4 H332

2.2 Label elements



Signal word: WARNING

Hazard Statement: H319 - Causes serious eye irritation.

H315 - Causes skin irritation. H332 - Harmful if inhaled.

H303 - May be harmful if swallowed.

Precautionary

Statement: P260 - Do not breathe dust/fume/gas/mist/vapours / spray.

P264 - Wash thoroughly after handling.

P271 – Use only outdoors or in a well-ventilated area. (Prevention):

P273 – Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

(Response): P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy

to do - continue rinsing.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

P303+P361+P353 - IF ON SKIN: Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+P312 - IF INHALED: Call a POISON CENTRE or doctor / physician if you feel unwell.

P310 – Immediately call a POISON CENTRE or doctor / physician.

P340 – Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P363 – Wash contaminated clothing before reuse.

P391 - Collect spillage.

Precautionary Statement:

P403+P233 - Store in a well-ventilated place. Keep container tightly closed. (Storage):

P405 - Store locked up.

2.3 Other hazards

None known

NITRAIN™

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name: CAS No. Concentration

[%]

 N-(n-butyl)-thiophosphoric triamide (NBPT)
 94317-64-3
 15 - 40

 N-methyl-2-pyrrolidone
 872-50-4
 10 - 30

 Propylene Glycol
 57-55-6
 40 - 70

 Non-hazardous dye
 Proprietary
 1 - 5

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by

mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or

doctor for treatment advice.

Eye contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Ingestion: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to

swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth

to an unconscious person.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Risk of serious damage to eyes. Skin irritation. Respiratory tract irritation.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-561-8273 Take container, label or product name you when seeking medical attention.

Notes to Physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the

patient.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Water fog, water spray, carbon dioxide (CO₂), foam. Do not use water jet as this will spread the fire.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, irritating, corrosive and/or toxic gases may be produced.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires

involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate

fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapours and spray mist and contact with skin and eyes. Ensure adequate ventilation.

Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter

drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is

possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush

contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

Remove residual contamination.

Never return spills to original containers for re-use.

SAFETY DATA SHEET
-16-LPI SDS REVISIONS: SEC. 1

DATE OF ISSUE: 12/08/16 SUPERSE

NITRAINTM SUPERSEDES: 11/09/15

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling:

Avoid inhalation of vapours / spray and contact with eyes, skin and clothing. Do not breathe mist or vapour. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers:

Keep container tightly closed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials. Long term storage at temperatures above 100°F (37.8°C), and long term storage of opened containers will cause product to degrade. As the product degrades, it can release harmful gases. Store below 100°F (37.8°C) and use opened containers within 30 days. Always use oldest stock first. Do not store near food, foodstuffs, drugs or potable water supplies.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (WEEL) Guides

Components	Type	Value
N-methyl-2-pyrrolidone	TWA	40 mg/m ³
(CAS: 872-50-4)		
Propylene Glycol	TWA	10 mg/m³ (Vapour and aerosol, inhalable fraction)
(CAS 57-55-6)		

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen	
N-methyl-2-pyrrolidone	100 mg/L	Urine	
(CAS: 872-50-4)	· ·		

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Chemical goggles are recommended.

Skin Protection: Chemical resistant clothing is recommended. Routinely wash work clothing and protective equipment to remove

contaminants. The use of neoprene gloves is recommended. Be aware that the liquid may penetrate the gloves.

Frequent change is advisable.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment. Wear respiratory

protection during operations where spraying or misting occurs. Wear air supplied respiratory protection. In the U.S.A., if respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

SDS NUMBER: 1000692332-16-LPI SDS REVISIONS: SEC. 1 DATE OF ISSUE: 12/08/16

NITRAIN™

SUPERSEDES: 11/09/15

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE: Red liquid
ODOUR: Ammonia-like.
ODOUR THRESHOLD: 0.1 ppm.
COLOUR: Red.

oH: No data available.

MELTING POINT / FREEZING POINT : No data available

BOILING POINT: No data available FLASH POINT: 178.0°F / 81.1°C

FLAMMABILILITY (solid, gas): Does not support combustion at 187°F. UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: Not applicable.

VAPOR PRESSURE: No data available.

SOLUBILITY: Soluble

PARTITION CO-EFFICIENT, n-OCTANOL / WATER: log Kow: N-methyl-2-pyrrolidone = -0.54; Propylene Glycol: -0.92.

AUTO-IGNITION TEMPERATURE: No data available.
DECOMPOSITION TEMPERATURE: Not determined
VISCOSITY: Not determined
SPECIFIC GRAVITY (Water = 1): 1.07 g/ml

BULK DENSITY: 1.07 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

10.4 CONDITIONS TO AVOID

Extreme temperatures.

10.5 INCOMPATIBILE MATERIALS

Acids. Strong reducing agents. Strong oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Oxides of Carbon, Oxides of Nitrogen. Oxides of Sulphur.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Skin contact, eye contact.

LC₅₀ (rat): > 5.10 mg/l (N-methyl-2-pyrrolidone).

LD₅₀ Oral (rat): >2,823 mg/kg (N-(n-butyl)-thiophosphoric triamide (NBPT))
 LD₅₀ Dermal (rat): >2,000 mg/kg (N-(n-butyl)-thiophosphoric triamide (NBPT))

LD₅₀ Oral (rat): 3,914 mg/kg (N-methyl-2-pyrrolidone) LD₅₀ Dermal (rabbit): 8,000 mg/kg (N-methyl-2-pyrrolidone)

LD₅₀ Oral (rat): 30 g/kg (Propylene Glycol) Acute Toxicity Estimates: No data available Skin Irritation (rabbit): Moderate irritant Eye Irritation (rabbit): Severe irritant

Specific Target Organ Toxicity: Single exposure: No data available.

Aspiration: No data available

Skin Sensitization (guinea pig): Not a sensitizer

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known

NITRAINTM
DATE OF ISSUE: 12/08/16
SUPERSEDES: 11/09/15

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Ecotoxicological Data

Components **Test Results Species** N-(n-butyl)-thiophosphoric triamide (CAS: 94317-64-3) Aquatic Crustacea Daphnia 290 mg/l, 48 hours EC_{50} **NOEL** Daphnia 150 mg/l Fish 1,140 mg/l, 96 hours LC_{50} Fish N-methyl-2-pyrrolidone (CAS: 872-50-4) Aquatic Crustacea Daphnia magna > 1,000 mg/l, 24 hours EC₅₀ Propylene Glycol (CAS: 57-55-6) Aquatic EC_{50} Crustacea Daphnia magna > 10,000 mg/l, 48 hours Fish LC_{50} Fathead minnow (Pimephales promelas) 710 mg/l, 96 hours

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: The product is not readily biodegradable

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

This product is water soluble and may disperse in soil.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Do not reuse containers for any purpose. Container is recyclable, and is to be disposed of at a container collection site. Contact your local dealer/distributor for the location of the nearest collection site. Before taking container to the collection site: Triple or pressure-rinse the empty container, adding the rinsate to the spray tank. Make the empty container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

DOT/TDG Shipping Description: NOT REGULATED

U.S. Surface Freight Classification: FERTILIZING COMPOUNDS (MANUFACTURED FERTILIZERS), NOI; LIQUID (NMFC 68140, SUB 6; CLASS 70)

SDS NUMBER: 1000692332-16-LPI SDS REVISIONS: SEC. 1

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NITRAIN™

SUPERSEDES: 11/09/15

NFPA & HMIS Hazard Ratings: NFPA HMIS

2 Health 2 Health 0 Least Flammability Slight Flammability Reactivity Instability 2 Moderate 0 3 High Χ PPE

DATE OF ISSUE: 12/08/16

4 Severe

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: Immediate Y Fire N Sudden Release of Pressure N Delayed Y Reactive N

Reportable Quantity (RQ) under U.S. CERCLA: Not listed.

SARA, Title III, Section 313: N-methyl-2-pyrrolidone (CAS: 872-50-4)

RCRA Waste Code: Not listed CA Proposition 65: Not applicable

16. OTHER INFORMATION

SDS STATUS: Section 1 revised.

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.