

## SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL AFFIXED TO THE CONTAINER FOR WARRANT® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

Use of Warrant Herbicide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container and in this supplemental labeling for Warrant Herbicide.

It is a violation of federal law to use this product in any manner inconsistent with its labeling. The labeling must be in the possession of the user at the time of herbicide application. This supplemental label expires on December 31, 2018 and must not be used or distributed after this date.

ACETOCHLOR	GROUP	15	HERBICIDE
------------	-------	----	-----------



EPA Reg. No. 524-591

Roundup®, Roundup Ready®, and WARRANT® are registered trademarks of Monsanto Technology LLC.

---

### Postemergence Applications in Sugar Beet

---

Keep Out of Reach of Children.

### CAUTION!

In case of an emergency involving this product, call collect, day or night, 314-694-4000.

---

#### DIRECTIONS FOR USE

---

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of herbicide application.

See the "Product Information" and "Mixing, Spraying, and Handling Instructions" sections of the label booklet for Warrant Herbicide for essential product performance information.

**Read the "Limit of Warranty and Liability" in the label booklet for Warrant Herbicide before using. These terms apply to this supplemental label and if these terms are not acceptable, return the product unopened at once.**

---

This product, when applied preplant, at-planting, preemergence, or postemergence in sugar beets, will provide preemergence control or reduced competition of the annual weeds listed in the "WEEDS CONTROLLED" section of this label. If weeds are emerged at the time of application, apply a labeled foliar herbicide with this product to control the emerged weeds. Observe the directions for use, precautions, and restrictions on the label of the foliar herbicide.

#### Approved Application Systems

**Ground:** Broadcast boom

**Aerial:** Fixed-wing and helicopter. **Allowed in selected states only** - see Aerial Application Equipment section of the label booklet for additional information.

#### Approved Application Methods

##### Postemergence Surface

Warrant Herbicide may be applied postemergence to sugar beets at 1.25 to 2 quarts per acre from the 2 leaf up to the 8-leaf stage, with the 4-leaf stage being the ideal timing. Apply broadcast over top of the crop or directed to soil surface according to the rate table listed below. Do not exceed 2 quarts (1.5 lbs a.i.) per acre as a single application. Allow at least 7 days between sequential applications.

**Tank Mixtures:** It is the applicator's responsibility to ensure that all products used in a tank mixture with this product are registered for the specific postemergence application timing in sugar beet. Read and follow all applicable restrictions and limitations and directions for use on all product labels included in the tank mixture, including any applicable crop injury

precautions. The end-user must follow the most restrictive directions for use and precautionary statements on the labeling of each product in the tank mixture.

This product may be applied in a tank-mixture postemergence to sugar beets with the following products to expand weed control spectrum or for control of emerged weeds at the time of application, however, severe crop injury may result:

ethofumesate, desmedipham, chlethodim, clopyralid, triflurosulfuron methyl, Betamix®, Nortron® SC, Select®, Stinger®, UpBeet®

Application of this product in a tank mixture with Betamix®, Nortron® SC, Select®, Stinger® or UpBeet® may result in severe crop injury; refer the individual product labels for crop injury precautions.

Warrant Herbicide may be applied postemergence to sugar beets in a tank-mix with Roundup® Brand Agricultural Herbicides only when used on Roundup Ready® Sugarbeets.

Application of this product in tank mixtures with other products, including with adjuvants, or to soils where other applications of soil applied herbicides have been made, may increase the potential for crop injury.

Application of this product followed by, conditions that do not foster adequate crop growth or cause stress (cold, wet soils), waterlogged conditions, or, excessive irrigation or rainfall, may result in crop injury.

Application of this product followed by conditions that result in loss of sugar beet stand may result in significant crop injury when a subsequent sugar beet crop is replanted into the treated area. User should take care to ensure that the sugar beet stand is at a desirable level before using Warrant Herbicide. If this product has been applied and the crop fails because of adverse weather or any other reason, replanting sugar beets is not recommended. A crop that is approved for preemergence application on the Warrant Herbicide label may be replanted if the sugar beet stand is lost.

Application of this product before weeds emerge or after clean cultivation, or application in a labeled tank-mix with an effective postemergence herbicide, is necessary, as Warrant Herbicide will not control emerged weeds.

DO NOT exceed a total of 4 quarts (3 lbs a.i.) per acre per season when making multiple applications.

Do not exceed a total of 3 applications per season in sugar beets.

Allow a minimum of 70 days between last application and harvest of sugar beet, and grazing or harvest and feeding of sugar beet tops to livestock.

**Application Rates (minimum and maximum range):**

SOIL TEXTURAL GROUP	BROADCAST RATE PER ACRE*					
	Less than 1.5% Organic Matter (quarts)			1.5% or More Organic Matter (quarts)		
Coarse	1.25	to	1.6	1.25	to	1.7
Medium	1.25	to	1.7	1.25	to	1.9
Fine	1.25	to	1.9	1.25	to	2.0

\* Use the higher rate in the range for areas of heavy weed infestation.

All other trademarks are the property of their respective owners.

©2018 MONSANTO COMPANY  
MONSANTO COMPANY  
800 NORTH LINDBERGH BLVD.  
ST. LOUIS, MISSOURI 63167 USA

36067S1-47