

Report 15-May-15 Date

Page 1 of 4

Identification

Product Name : INDUCE (CA)

Synonyms: None

Product Use: Nonionic Low Foam Wetter/Spreader Adjuvant

Manufacturer/Supplier: Helena Chemical Company

Address: 225 Schilling Blvd. Collierville, TN 38017

General Information: 901-761-0050

Transportation Emergency Number : CHEMTREC:800-424-9300

Hazard Identification





Signal Word: Warning

Skin Irritation: Moderately irritating

Eye Irritation: Severely irritating in non-washed eye (35.8); moderately irritating in

washed eye (16.3); Injury was reversible.

Acute Toxicity Oral : LD50 >4,000 mg/kg (rat) Acute Toxicity Dermal : LD50 >2,000 mg/kg (rat)

Hazard Categories: Oral/Dermal/Inhalation Toxicity - 5/5/5; Eye Irritation - 2A; Skin Irritation -

Hazard Statement: May be harmful if swallowed

May be harmful in contact with skin

May be harmful if inhaled Causes serious eye irritation Causes skin irritation

Composition / Information on Ingredients

Component **CAS Number** Weight % Alkyl Aryl Polyoxylkane Ethers and Free Proprietary 90.00 Fatty Acids Constituents ineffective as spray Proprietary 10.00 adjuvants

First Aid Measures

Eye: Immediately flush eyes with water for at least 15 minutes. See a physician. Skin: Remove contaminated clothing and wash skin with soap and water. Call a

physician if irritation persists.

Inhalation: Move victim to fresh air. Give artificial respiration if needed. See a physician. Ingestion: Give a large amount of water to drink, induce vomiting and immediately call a

physician. Do not induce vomiting or give anything by mouth to an unconscious

person.

Indication of Immediate Medical : If contact is made with the spray solution containing pesticides, refer to the

"Statement of Practical Treatment/First Aid" on the pesticide label(s). Otherwise, **Attention and Special Treatment**

treat symptomatically. Needed



Report Date 15-May-15

Page 2 of 4

5. Fire Fighting Measures

Extinguishing Media: Use dry chemical, water spray, water fog, carbon dioxide, foam, or sand/earth.

Specific Hazards Arising from the : Water spray be ineffective. Cool fire-exposed containers with water. Fog

Chemical nozzles are preferable. Closed containers may rupture or explode when exposed to extreme heat.

Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing.

6. Accidental Release Measures

Personal Precautions: Keep unprotected and unnecessary personnel out of spill area.

Protective Equipment : Splashproof goggles or face shield, chemical-resistant gloves, impervious apron

and footwear. Eyewash should be available in work area. Use NIOSH-approved

respirator with organic vapor cartridge if PEL exceeded.

Emergency Procedures: Prevent spreading of spilled material into any waterways, drains or sewers.

Methods and Materials for: Absorb with an inert material such as sand, soil or vermiculite. Sweep up and **Containment and Cleanup** dispose of in accordance with Federal, State and Local regulations.

7. Handling and Storage

Precautions for Safe Handling : Keep out of reach of children. Keep container tightly closed. Do not contaminate

water sources by runoff from cleaning of equipment, disposal of equipment

wash waters or spray waste.

Conditions for Safe Storage : Do not store with food, feed or other material to be used or consumed by

humans or animals. Store in original container only. Do not allow water to be

introduced into the contents of this container.

8. Exposure Controls / Personal Protection

TLV/PEL: PEL 100 mg/m3.

Appropriate Engineering Controls : Mechanical exhaust system

Personal Protective Equipment : Splashproof goggles or face shield, chemical-resistant gloves, impervious apron

and footwear. Eyewash should be available in work area. Use NIOSH-approved

respirator with organic vapor cartridge if PEL exceeded.

9. Physical and Chemical Properties

Odor/Appearance: Clear-slightly hazy colorless to yellow liquid.

Flash Point, °F : >200 Degrees F.

Boiling Point, °F : >250 Degrees F.

Melting Point(Freezing point), °C : Not applicable

Vapor Pressure, mm Hg @ 20 °C : Not established

Vapor Density : 2.1 Solubility in Water : Dispersible

Molecular Formula: Not applicable, formulated mixture.

Density, g/mL @ 25 °C : 0.956-1.033 Evaporation Rate(Butyl Acetate = : Not applicable

1)

Octanol/Water Partition : No information found

Coefficient

pH : 4-5.0

Flammable Limits (approximate : No information found

volume % in air)



Report Date 15-May-15

Page 3 of 4

Auto-ignition Temperature : >750 Degrees F. **Decomposition temperature** : No information found

10. Stability and Reactivity

Reactivity: No information found

Chemical Stability: Stable

Hazardous Decomposition : Carbon monoxide and carbon dioxide under fire conditions.

Products

Hazardous Polymerization: Will not occur

Conditions to Avoid: Excessive heat and open flames.

Incompatible Materials: Do not mix with strong oxidizers such as hydrogen peroxide, bromine and

chromic acid.

11. Toxicological Information

Acute Toxicity (Oral LD50) : >4,000 mg/kg (rat)
Acute Toxicity (Dermal LD50) : >2,000 mg/kg (rat)
Acute Toxicity Inhalation LC50 : 2.02 mg/L (vapor limit)

Likely Routes of Exposure : Eyes, skin.

Skin Irritation: Moderately irritating.

Eye Irritation: Severely irritating in non-washed eyes (35.8), moderately irritating in washed

eyes (16.3). Injury was reversible.

Skin Sensitization: Not listed as a sensitizer.

Carcinogenic: Not listed by IARC, NTP or OSHA.

Chronic Effects: None currently known.

Other Hazards: May contain components which, in laboratory tests, have been toxic to the fetus

only at doses toxic to the mother.

12. Ecological Information

Ecotoxicity : No information found
Persistence and Degradability : No information found
Bioaccumulative Potential : No information found

Mobility in Soil: No information found

Other Adverse Effects: Contains Alcohol C-12-C-16 Poly (1-6) Ethoxylate - a marine pollutant.

13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State or Local

procedures under the Resource Conservation and Recovery Act.

14. Transport Information

UN Proper Shipping Name : Not regulated by DOT in non-bulk packages. Regulated in bulk or if shipped by

air (IATA) or vessel (IMDG) as Environmentally Hazardous Substance, Liquid,

n.o.s., (Alcohol C12-C16 Poly (1-6) Ethoxylate)

Transport Hazard Class : Class 9 (bulk/IATA/IMDG)
UN Identification Number : 3082(bulk/IATA/IMDG)

Packaging Group : PG III (bulk/IATA/IMDG)

Environmental Hazards: Marine Pollutant



Report Date 15-May-15

Page 4 of 4

Transport in Bulk : Marine Pollutant Special Precautions for : No information found

Transportation

Freight Classification: Adhesives, Adjuvants, Spreaders or Stickers, N.O.I. (NMFC Item 42652, Class

60)

15. Regulatory Information

National Fire Protection :

Association Rating

Health: 1 Fire: 1 Reactivity: 0

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

Immediate(Acute) Health: Y
Delayed (Chronic) Health: N
Sudden Release of N
Pressure:
Fire: N

Reactive: N

16. Other Information

Data of Preparation/Revision: 15-May-2015