



FLUENCY AGENT

Seed Flow Additive

Net Weight:

4.4 lbs.

Chemical Name	CAS-No.	Average % by Weight
Ethene, homopolymer	9002-88-4	80.00

KEEP OUT OF REACH OF CHILDREN

PERSONAL PROTECTION EQUIPMENT

Wear long-sleeved shirt, long pants, shoes plus socks and protective gloves.

General protection measures: Do not smoke when handling the product. Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.

Keep and wash PPE separately from other laundry. Eye wash facility and safety shower should be available. Train employees in safe use of the product.



CAUTION: Follow chemical manufacturer's precautions when handling parts coated with seed treatments. Use proper skin, eye, and respiratory protection.

Directions of Use

IMPORTANT! THIS PRODUCT IS EFFECTIVE AT RATES LOWER THAN IS USED BY TALC OR TALC/GRAPHITE BLEND LUBRICANTS. DO NOT USE MORE THAN 1/8 CUP EQUIVALENT PER BUSHEL AS THIS MAY RESULT IN REDUCED PERFORMANCE IN THE EQUIPMENT!

For best performance apply the Fluency Agent according to the rate/unit size specified below:

Fluency Agent Rates	
Amount of Fluency Agent	Unit Size
1/8 cup*	Per 1 bushel or per 80,000 kernel seed corn unit or per 140,000 seed soybean unit.

* Measuring scoop enclosed, one level scoop equals 1/8 cup (.28 oz. or 8 grams).

- **IMPORTANT: Mix the fluency agent thoroughly into the seed.**
- **When filling large central fill seed hoppers, add the fluency agent to seed as it is filling the hopper to assure even distribution.**

STORAGE

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container and out of the reach of children, preferably in a locked storage area.

ACCIDENTAL RELEASE MEASURES

Precautions: If spilled, take caution, as material can cause surfaces to become very slippery. Keep unauthorized people away.

Methods for Cleaning Up: Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional Advice: Use personal protective equipment. Do not allow to enter waterways, or waste water canal.

For additional safety information, see current Bayer CropScience Safety Data Sheet.

12/13

For all **EMERGENCIES** call: 1-800-334-7577 (24 hr/ 7 days)
For **PRODUCT** Information call: 1-866-99BAYER (1-866-992-2937)

Produced for:
Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
©2013 Bayer CropScience

Bayer

4.5"



FLUENCY AGENT

Seed Flow Additive

Chemical Name	CAS-No.	Average % by Weight
Ethene, homopolymer	9002-88-4	80.00

KEEP OUT OF REACH OF CHILDREN

Read the Label Before Using

For French translation see inside booklet beginning on page 3.

Produced for:
Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
©2013 Bayer CropScience

For all **EMERGENCIES** call:
1-800-334-7577 (24 hr/7days)
For **PRODUCT** Information call:
1-866-99BAYER (1-866-992-2937)

131108A 12/13

US81759626A

Net Weight: 4.4 lb. (2 kg)

Bayer

5.0"

4.5"

PERSONAL PROTECTION EQUIPMENT

Wear long-sleeved shirt, long pants, shoes plus socks and protective gloves.

General protection measures: Do not smoke when handling the product. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.

Keep and wash PPE separately from other laundry. Eye wash facility and safety shower should be available. Train employees in safe use of the product.

 **CAUTION:** Follow chemical manufactures precautions when handling parts coated with seed treatments. Use proper skin, eye, and respiratory protection.

Directions of Use

IMPORTANT! THIS PRODUCT IS EFFECTIVE AT RATES LOWER THAN IS USED BY TALC OR TALC/ GRAPHITE BLEND LUBRICANTS.

DO NOT USE MORE THAN 1/8 CUP EQUIVALENT PER BUSHEL AS THIS MAY RESULT IN REDUCED PERFORMANCE IN THE EQUIPMENT!

For best performance apply the Fluency Agent according to the rate/unit size specified below:

Fluency Agent Rates	
Amount of Fluency Agent	Unit Size
1/8 cup*	Per 1 bushel or per 80,000 kernel seed corn unit or per 140,000 seed soybean unit.

* Measuring scoop enclosed, one level scoop equals 1/8 cup (.28 oz. or 8 grams).

- **IMPORTANT: Mix the fluency agent thoroughly into the seed.**
- **When filling large central fill seed hoppers, add the fluency agent to seed as it is filling the hopper to assure even distribution.**

5.0"

4.5"

STORAGE

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container and out of the reach of children, preferably in a locked storage area.

ACCIDENTAL RELEASE MEASURES

Precautions: If spilled, take caution, as material can cause surfaces to become very slippery. Keep unauthorized people away.

Methods for Cleaning Up: Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional Advice: Use personal protective equipment. Do not allow to enter waterways, or waste water canal.

For additional safety information, see current Bayer CropScience Safety Data Sheet.

5.0"

Bayer