# BRANDT

# SAFETY DATA SHEET

## 1. Identification

Product identifier Brandt 4-0-8

Other means of identification

Product code 32054

Recommended use Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.

**Recommended restrictions** Refer to product label. **Manufacturer/Importer/Supplier/Distributor information** 

Manufacturer

Company nameBrandt Consolidated, Inc.Address2935 South Koke Mill Road

Springfield, IL 62711

**United States** 

**Telephone** Corporate Office 1-217-547-5800

Website www.brandt.co E-mail wsds@brandt.co

Contact person EH&S / Regulatory Department

**Emergency phone number** CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Serious eye damage/eye irritation Category 1

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Harmful if swallowed. Causes serious eye damage.

Precautionary statement

Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye

protection/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a poison center/doctor.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Calcium Nitrate		10124-37-5	10 - < 20*
Potassium Nitrate		7757-79-1	10 - < 20*
Manganese Sulfate, monohydrate		10034-96-5	< 0.2*
Acetic Acid		64-19-7	< 0.1*
Cupric Sulfate, pentahydrate		7758-99-8	< 0.1*
Disodium Octaborate Tetrahydrate		12008-41-2	< 0.1*
Other components below reportab	le levels		70 - < 80

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

**Ingestion** Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

**General information** 

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

equipment/instructions
Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

**Environmental precautions** 

# 7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Туре	Value	
Acetic Acid (CAS 64-19-7)	PEL	25 mg/m3	
		10 ppm	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m3	
<b>US. ACGIH Threshold Limit</b>	Values		
Components	Туре	Value	Form
Acetic Acid (CAS 64-19-7)	STEL	15 ppm	
	TWA	10 ppm	
Cupric Sulfate, pentahydrate (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.
,	TWA	2 mg/m3	Inhalable fraction.
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m3	Inhalable fraction.
		0.02 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
Acetic Acid (CAS 64-19-7)	STEL	37 mg/m3	
		15 ppm	
	TWA	25 mg/m3	
		10 ppm	
Cupric Sulfate, pentahydrate (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
Manganese Sulfate, monohydrate (CAS 10034-96-5)	STEL	3 mg/m3	Fume.
,	TWA	1 mg/m3	Fume.
ogical limit values	No biological exposure limits noted for	or the ingredient(s).	
propriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.		
vidual protection measures.			

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Material name: Brandt 4-0-8

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Liquid.
Physical state Liquid.
Form Liquid.

Color Clear to slightly hazy yellow

Odor None.

Odor threshold Not available.

**oH** 6.5

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

pernower maininability of explosive

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor density Not available.

Relative density 1.22 g/cm3 (typical)

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

Pounds per gallon 10.18 lb/gal (typical)
Specific gravity 2.26 estimated

VOC 0.01 % estimated

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition**No hazardous decomposition products are known.

products

# 11. Toxicological information

# Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Causes serious eye damage.

**Ingestion** Harmful if swallowed.

Symptoms related to the physical, chemical and

toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

# Information on toxicological effects

Acute toxicity Harmful if swallowed.

Product	Species	Test Results
Brandt 4-0-8		
<u>Acute</u>		
Inhalation		
LC50	Rat	49351 mg/l, 4 Hours estimated
LD50	Rat	4486 mg/l estimated
Oral		
LD50	Rabbit	6554 mg/kg estimated
	Rat	2873 mg/kg estimated
Components	Species	Test Results
Acetic Acid (CAS 64-19-7)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	1060 mg/kg
Inhalation		
LC50	Guinea pig	5000 ppm, 1 Hours
	Mouse	5620 ppm, 1 Hours
	Rat	11.4 mg/l, 4 Hours
Oral		
LD50	Mouse	4960 mg/kg
	Rabbit	1200 mg/kg
	Rat	3.31 g/kg
Calcium Nitrate (CAS 1012	24-37-5)	
<u>Acute</u> `	,	
Oral		
LD50	Rat	302 mg/kg
Cupric Sulfate, pentahydra	ite (CAS 7758-99-8)	
Acute		
Oral		
LD100	Mouse	50 mg/kg
LD50	Rat	960 mg/kg
Disodium Octaborate Tetra	ahydrate (CAS 12008-41-2)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Guinea pig	5300 mg/kg
	Rat	2550 mg/kg

Material name: Brandt 4-0-8

SDS US

32054 Version #: 01 Issue date: 07-12-2016

Components Species Test Results

Manganese Sulfate, monohydrate (CAS 10034-96-5)

<u>Acute</u>

Oral

LD100 Mouse 305 mg/kg

Potassium Nitrate (CAS 7757-79-1)

<u>Acute</u> Oral

LD50 Rabbit 1166 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Not classified.

Specific target organ

toxicity - repeated

exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

2 g/kg

			5 5
Product		Species	Test Results
Brandt 4-0-8			
Aquatic			
Crustacea	EC50	Daphnia	22554.6934 mg/l, 48 hours estimated
Fish	LC50	Fish	1616.3007 mg/l, 96 hours estimated
Components		Species	Test Results
Acetic Acid (CAS 64-1	19-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	65 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	75 mg/l, 96 hours
Calcium Nitrate (CAS	10124-37-5)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	2400 mg/l, 96 hours

Material name: Brandt 4-0-8

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Components Species Test Results

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia magna) 0.0058 - 0.0073 mg/l, 48 hours
Fish LC50 Bluegill (Lepomis macrochirus) 0.66 - 1.15 mg/l, 96 hours

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

Aquatic

Acute

Crustacea LC50 Daphnia magna 619 mg/l
Fish LC50 Pimephales promelas 370 mg/l

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Aquatic

Crustacea EC50 Water flea (Daphnia obtusa) 30.8 - 44.1 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 36.9 mg/l, 96 hours

29.7 - 52.7 mg/l, 192 hours

Potassium Nitrate (CAS 7757-79-1)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) 1200 mg/l, 96 hours

Acute

Fish LC50 Fish 1378 - 3000 mg/l

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Acetic Acid -0.17

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Acetic Acid (CAS 64-19-7)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Listed.

## SARA 304 Emergency release notification

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes Delayed Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Calcium Nitrate	10124-37-5	10 - < 20
Potassium Nitrate	7757-79-1	10 - < 20

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Acetic Acid (CAS 64-19-7) High priority

## **US** state regulations

## US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

# US. Massachusetts RTK - Substance List

Acetic Acid (CAS 64-19-7)

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

Potassium Nitrate (CAS 7757-79-1)

## US. New Jersey Worker and Community Right-to-Know Act

Acetic Acid (CAS 64-19-7)

Calcium Nitrate (CAS 10124-37-5)

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Potassium Nitrate (CAS 7757-79-1)

# US. Pennsylvania Worker and Community Right-to-Know Law

Acetic Acid (CAS 64-19-7)

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

Potassium Nitrate (CAS 7757-79-1)

# **US. Rhode Island RTK**

Acetic Acid (CAS 64-19-7)

Calcium Nitrate (CAS 10124-37-5)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Potassium Nitrate (CAS 7757-79-1)

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

#### **International Inventories**

Inventory name	On inventory (yes/no)*
Australian Inventory of Chemical Substances (AICS)	Yes
Domestic Substances List (DSL)	Yes
Non-Domestic Substances List (NDSL)	No
Inventory of Existing Chemical Substances in China (IECSC)	Yes
European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
European List of Notified Chemical Substances (ELINCS)	No
Inventory of Existing and New Chemical Substances (ENCS)	No
Existing Chemicals List (ECL)	Yes
New Zealand Inventory	Yes
Philippine Inventory of Chemicals and Chemical Substances	Yes
	Australian Inventory of Chemical Substances (AICS) Domestic Substances List (DSL) Non-Domestic Substances List (NDSL) Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Existing Chemicals List (ECL) New Zealand Inventory

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

**Issue date** 07-12-2016

Version # 01

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of Manufacturer's

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

Material name: Brandt 4-0-8 SDS US

Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).