



# Zicron-F®

## GUARANTEED ANALYSIS

Sulfur (S) .....	3.00%
Manganese (Mn) .....	1.00%
Zinc (Zn) .....	6.00%

Derived from: Manganese Sulfate and  
Zinc Sulfate Monohydrate

2.50 US Gal / 9.46 Liters  
10.77 lbs per Gallon @ 68° F  
1.29 kg per Liter @ 20° C  
**Net Wt. 26.92 lb / 12.20 kg**

## DESCRIPTION

**Zicron-F** is a foliar-applied liquid nutrient product that is designed to provide Zinc (Zn) and other nutrients that may be deficient in the soil or plant.

## DIRECTIONS FOR USE

Tank mix compatibility is impacted by water quality which may vary by location. When mixing with phosphate fertilizers adjusting the pH of the final tank mix to 5.0 with citric acid will improve compatibility and improve uptake. When mixing **Zicron-F** with other materials always establish compatibility using the standard quart jar method prior to tank mixing.

**Zicron-F** should be applied as a foliar spray. Spray in the late evening or early morning. DO NOT spray in the heat of the day or when plants are under moisture stress. DO NOT spray to the point of runoff. Use as fine a spray mist as possible with a volume that covers the foliage. Allow 3-4 hours after application before sprinkler irrigating to avoid washing the product off.

## WARRANTY & CONDITIONS OF SALE

Manufacturer warrants that this material conforms to the chemical description hereon & is reasonably fit for use as directed. No other warranty is made, either expressed or implied. **BEFORE OPENING**, see other conditions and limitations that apply which are available at: <http://www.FBSciences.com/ProductConditionsOfSale/>.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.htm>

**READ ENTIRE LABEL BEFORE USE**  
**SHAKE WELL BEFORE USE**  
**DO NOT STORE BELOW 40°F (5°C)**

**KEEP OUT OF REACH OF CHILDREN**  
**WARNING**



## HAZARD STATEMENTS

Contact with eyes or skin may cause irritation.

## PRECAUTIONARY STATEMENTS

Wear protective gloves and protective eyewear. Wash skin thoroughly after handling. Clothing should be thoroughly washed before re-use.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

**IF SWALLOWED:** Do not induce vomiting. Clean mouth with water. Call a Poison Control Center or doctor if you feel unwell.

**IF ON SKIN:** Remove immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs get medical attention.

**IF INHALED:** Remove person to fresh air and obtain medical attention immediately if breathing becomes difficult.

CROP TYPES	RATE PER ACRE	DETAILS
Orchards & Vineyards	1-4 Pints	Apply at any point during active growth; in extreme deficiencies, rates of 4-6 pints may be applied; DO NOT apply these higher rates with crop oil concentrates.
Field & Row Crops	1-6 Pints	Apply any time during growing season; repeat as needed.
Vegetable & Fruit Crops	1-6 Pints	Apply any time during growing season; repeat as needed.

**FBSciences Inc.**

153 North Main Street, Suite 100 | Collierville, Tennessee 38017 USA

F1837  
V121615