

**RESTRICTED USE PESTICIDE**

**Toxic to fish and aquatic organisms.**

For retail sale to and use only by certified applicators, or persons under their direct supervision and only for the uses covered by the certified applicator's certification.

**THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.**



**EPA Registration No. 279-3315**

**2(ee) Recommendation**

**FOR DISTRIBUTION AND USE ONLY IN Delaware, Maine, Maryland, Massachusetts, Michigan, New Jersey, North Carolina, Ohio, South Carolina, Virginia, and West Virginia.**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING**

**THIS PRODUCT BULLETIN CONTAINS NEW OR ADDITIONAL DIRECTIONS FOR USE WHICH ARE RECOMMENDED BY FMC CORPORATION UNDER FIFRA SECTION 2(ee)**

| CROP   | PEST                      | RATE OF APPLICATION |
|--|---------------------------|---------------------|
| Field Corn (Grain and Silage), Popcorn, Field Corn Grown for Seed. | Brown Marmorated Stinkbug | 7.1 to 10.3 oz/A    |

**DIRECTION FOR USE:** Apply 7.1 to 10.3 oz/A HERO insecticide by ground or air equipment using sufficient water to obtain full coverage of foliage (minimum of 10 gallons by ground and 2-5 gallons by air). When applying by air, 1-2 quarts of emulsifiable oil may be substituted for 1-2 quarts of water in the finished spray. Thorough coverage is essential to achieve control. Apply as required by scouting. Timing and frequency of applications should be based upon insect populations reaching locally determined economic threshold levels. Under heavy outbreak conditions tankmixing with another insecticide or use of HERO in a sequential insecticide program with an insecticide labeled for this insect pest is recommended. HERO may be used in a sequential insecticide program with STALLION insecticide where sequential applications may be warranted.

**RESTRICTIONS:** Do not apply more than 10.3 fluid ounces of product or 0.10 pound active ingredient per acre per application. Do not apply more than 41.2 fluid ounces of product or 0.40 pound active ingredient per acre per season. Do not apply within 30 days of harvest for grain and stover and 60 days for forage.

Do not graze livestock in treated areas or cut treated crops for feed within 30 days of the last application. Use of ultra low volume (ULV) application on corn is prohibited. Do not make aerial or ground applications to corn if heavy rainfall is imminent.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARDS REQUIREMENTS AND PRECAUTIONS ON THE EPA REGISTERED HERO INSECTICIDE LABEL MUST BE FOLLOWED. THIS RECOMMENDATION MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.



FMC Corporation  
Agriculture Products Group  
1735 Market Street  
Philadelphia, PA 19103

HERO and  FMC Trademarks  
©2011 FMC Corporation  
Hero\_2ee\_Crop\_Pest-date(Draft)