

SAFETY DATA SHEET

RANCONA CREST WR

Version	Revision Date:	MSDS Number:	Country: US
1.3	10/27/2015	000000004573	Language: EN

SECTION 1. IDENTIFICATION

Product name : RANCONA CREST WR

Product code : 000000004573

Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc
245 Freight St
Waterbury, CT
United States of America
06702
Telephone : +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the safety data sheet :
sds.request@arysta.com

1.4 Emergency telephone number

Emergency telephone number: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300
For additional emergency telephone numbers see section 16 of the
Safety Data Sheet.

Recommended use of the chemical and restrictions on use

Recommended use : Seed treatment

Restrictions on use : Agriculture, For professional users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2B

Reproductive toxicity : Category 2

Acute aquatic toxicity : Category 2

Chronic aquatic toxicity : Category 1

SAFETY DATA SHEET

RANCONA CREST WR

Version	Revision Date:	MSDS Number:	Country: US
1.3	10/27/2015	000000004573	Language: EN

GHS Label element

Hazard pictograms



Signal word

: Warning

Hazard statements

: H320 Causes eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H401 Toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P391 Collect spillage.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Chemical nature

: Ipconazole - 0.0385 lbs/gal
Metalaxyl - 0.0513 lbs/gal
Iidacloprid - 0.259 lb/gal

Ipconazole - 4.61 gm/L
Metalaxyl - 6.15 gm/L
Iidacloprid - 31 gm/L

Hazardous components

SAFETY DATA SHEET

RANCONA CREST WR

Version 1.3 Revision Date: 10/27/2015 MSDS Number: 000000004573 Country: US
Language: EN

Chemical Name	CAS-No.	Concentration (% w/w)
ethane-1,2-diol	107-21-1	>= 20 - < 30
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	>= 10 - < 20
Imidacloprid	138261-41-3	>= 1 - < 5
metalaxyl	57837-19-1	>= 0.1 - < 1
Ipconazole	125225-28-7	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

- If inhaled : Move to fresh air.
Call a POISON CENTER or doctor/ physician.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off with soap and water.
If skin irritation persists, call a physician.
- In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.
Get medical attention if irritation develops and persists.
- If swallowed : Do NOT induce vomiting.
Rinse mouth with water.
Call a POISON CENTER or doctor/ physician.
- Most important symptoms and effects, both acute and delayed : irritant effects
Symptoms may be delayed.
May cause an allergic skin reaction.
Causes eye irritation.
Suspected of damaging fertility or the unborn child.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam
Foam
(on small fires)
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : Water spray jet
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Do not release chemically contaminated water into drains, soil or surface water.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Wear suitable protective clothing, gloves and eye/face protection.

SAFETY DATA SHEET

RANCONA CREST WR

Version 1.3 Revision Date: 10/27/2015 MSDS Number: 000000004573 Country: US
Language: EN

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
Avoid contact with skin and eyes.
- Environmental precautions : Avoid release to the environment.
- Methods and materials for containment and cleaning up : Absorb on inert material such as sand, earth, vermiculite.
Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Wear personal protective equipment.
Keep tightly closed.
NOTE TO END-USERS: The employee protection recommendations on this SDS may differ from those on the product label. For normal use of this product, always refer to the personal protective equipment requirements on the product label.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethane-1,2-diol	107-21-1	C	50 ppm 125 mg/m ³	OSHA P0
		C	100 mg/m ³	ACGIH
		C (Aerosol only)	100 mg/m ³	ACGIH
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m ³	ACGIH
		TWA	5 mg/m ³	OSHA P0
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL
		TWA (Mist)	5 mg/m ³	OSHA P0

Hazardous components without workplace control parameters

Components	CAS-No.
Imidacloprid	138261-41-3
metalaxyl	57837-19-1
Ipconazole	125225-28-7

SAFETY DATA SHEET

RANCONA CREST WR

Version	Revision Date:	MSDS Number:	Country: US
1.3	10/27/2015	000000004573	Language: EN

Personal protective equipment

Respiratory protection : In the absence of engineering controls sufficient to maintain airborne concentrations below recommended occupational exposure limit values, appropriate respiratory protection should be utilized.

A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Hand protection

Remarks : Chemical resistant protective gloves

Eye protection : Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Preventive skin protection

Hygiene measures : Wash hands thoroughly with soap and water after handling and before eating, drinking or using tobacco.
Use only with adequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid, suspension

Colour : red

Odour : mild, sweet

Odour Threshold : No data available

pH : 7.5 - 9

: No data available

: No data available

Flash point : > 93 °C

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.051 g/cm³ (20 °C)

Solubility(ies)

SAFETY DATA SHEET

RANCONA CREST WR

Version 1.3	Revision Date: 10/27/2015	MSDS Number: 000000004573	Country: US Language: EN
----------------	------------------------------	------------------------------	-----------------------------

Water solubility	: soluble, dispersible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Self-Accelerating decomposition temperature (SADT)	: Method: No information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Will not occur.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: Thermal decomposition can lead to release of irritating gases and vapours.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	: LD50 (Rat, female): 3,129 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.52 mg/l
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg

Components:

ethane-1,2-diol:

Acute oral toxicity	: LD50 (Rat, female): 4,700 mg/kg
---------------------	-----------------------------------

SAFETY DATA SHEET

RANCONA CREST WR

Version	Revision Date:	MSDS Number:	Country: US
1.3	10/27/2015	000000004573	Language: EN

Acute dermal toxicity : LD50 (Rabbit): 10,670 mg/kg

Ipconazole:

Acute oral toxicity : LD50 (Rat, male): 1,338 mg/kg
Method: OECD Test Guideline 401
GLP: yes

LD50 (Rat, female): 888 mg/kg
Method: OECD Test Guideline 401
GLP: yes

LD50 (Mouse, male): 537 mg/kg
Method: OECD Test Guideline 401
GLP: yes

LD50 (Mouse, female): 468 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.88 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

LC50 (Rat, male and female): > 3.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Skin corrosion/irritation

Product:

Exposure time: 72 h
Result: slight irritation

Components:

Ipconazole:

Species: Rabbit
Exposure time: 4 h
Result: No skin irritation
GLP: yes

Serious eye damage/eye irritation

Product:

Species: Rabbit

SAFETY DATA SHEET

RANCONA CREST WR

Version	Revision Date:	MSDS Number:	Country: US
1.3	10/27/2015	000000004573	Language: EN

Result: Mild eye irritation

Components:

Ipconazole:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

Product:

Result: Did not cause sensitisation on laboratory animals.

Components:

Ipconazole:

Species: Guinea pig

Method: Magnusson-Kligmann-Test

Result: Did not cause sensitisation on laboratory animals.

GLP: yes

Germ cell mutagenicity

Components:

Ipconazole:

Genotoxicity in vitro

: Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: Mutagenicity (Escherichia coli - reverse mutation assay)
Result: negative

: Test Type: In Vitro mammalian Cell Gene Mutation Test
Metabolic activation: with and without metabolic activation
Result: negative

: Test Type: Chromosome aberration test in vitro
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo

: Species: Mouse
Cell type: Bone marrow
Result: negative

Germ cell mutagenicity -
Assessment

: In vitro tests did not show mutagenic effects

Carcinogenicity

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Carcinogenicity - Assess-
ment

: Weight of evidence does not support classification as a carcinogen

SAFETY DATA SHEET

RANCONA CREST WR

Version 1.3 Revision Date: 10/27/2015 MSDS Number: 000000004573 Country: US
Language: EN

Ipconazole:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

IARC

Group 1: Carcinogenic to humans

Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

Known to be human carcinogen

Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0

Reproductive toxicity

Components:

Ipconazole:

Effects on fertility : Species: Rat
Dose: 0, 30, 100 or 300 ppm
General Toxicity F1: No observed adverse effect level: 9 - 10 mg/kg bw/day

STOT - single exposure

Product:

Remarks: No data available

STOT - repeated exposure

Components:

Ipconazole:

Target Organs: Eyes

Assessment: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Ipconazole:

Species: Rat, female

NOAEL: 7 mg/kg

LOAEL: 33.2 mg/kg

Application Route: Oral

Exposure time: 13 weeks

Dose: 3.1, 7.0, 15.4 and 33.2 mg/kg

GLP: yes

SAFETY DATA SHEET

RANCONA CREST WR

Version	Revision Date:	MSDS Number:	Country: US
1.3	10/27/2015	000000004573	Language: EN

Target Organs: Adrenal gland, thymus gland

Species: Rat, male
NOAEL: 25.9 mg/kg
LOAEL: 52.2 mg/kg
Application Route: Oral
Exposure time: 13 weeks
Dose: 2.5, 5.8, 12.6, 25.9 and 52.2
GLP: yes
Target Organs: Adrenal gland, thymus gland

Species: Rat, male and female
NOAEL: 10 mg/kg
LOAEL: 40 mg/kg
Application Route: Dermal
Exposure time: 13 weeks
Dose: 0, 2, 10 or 40 mg/kg bw/day
GLP: yes

Species: Rat, male and female
NOAEL: 30 mg/kg
LOAEL: 100 mg/kg
Application Route: Inhalation
Exposure time: 28-day
Dose: 0, 30, 100, 300 or 1000 mg/m³
GLP: yes

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Imidacloprid:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 211 mg/l
Exposure time: 96 h

Toxicity to terrestrial organisms : LC50 (*Colinus virginianus* (Bobwhite quail)): 1,500 ppm

LC50 (*Anas platyrhynchos* (Mallard duck)): 4,700 ppm

Remarks: Highly toxic.

Ipconazole:

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 1.3 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 1.7 mg/l
Exposure time: 48 h
GLP: yes

SAFETY DATA SHEET

RANCONA CREST WR

Version	Revision Date:	MSDS Number:	Country: US
1.3	10/27/2015	000000004573	Language: EN

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.62 mg/l
Exposure time: 72 h
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.00044 mg/l
Exposure time: 28 d
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0109 mg/l
Exposure time: 21 d
GLP: yes

M-Factor (Chronic aquatic toxicity) : 100

Persistence and degradability

No data available

Bioaccumulative potential

Components:

ethane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.3

Ipconazole:

Partition coefficient: n-octanol/water : log Pow: 4.28 - 4.49

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of waste in accordance with environmental legislation.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

SAFETY DATA SHEET

RANCONA CREST WR

Version	Revision Date:	MSDS Number:	Country: US
1.3	10/27/2015	000000004573	Language: EN

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid, Ipconazole)
Class	: 9
Packing group	: III
Labels	: 9

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid, Ipconazole)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid, Ipconazole)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Imidacloprid, Ipconazole)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(Imidacloprid, Ipconazole)
Remarks	: RQ may apply Not regulated by DOT and TDG if shipped or transported in packaging less than 450 liters by road and/or rail. Please refer to 49 CFR for any details.

SAFETY DATA SHEET

RANCONA CREST WR

Version 1.3 Revision Date: 10/27/2015 MSDS Number: 000000004573 Country: US
Language: EN

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Component RQ (lbs)
Ethylene glycol	107-21-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ethylene oxide	75-21-8	10	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 302

:			
	ethylene oxide	75-21-8	0.0001 %
	ethane-1,2-diol	107-21-1	27.6 %

California Prop. 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

Distillates (petroleum), solvent-dewaxed	64742-65-0
heavy paraffinic	
quartz (SiO ₂)	14808-60-7
acetaldehyde	75-07-0
ethylene oxide	75-21-8
1,4-dioxane	123-91-1

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

ethylene oxide	75-21-8
----------------	---------

FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

CAUTION

SAFETY DATA SHEET

RANCONA CREST WR

Version	Revision Date:	MSDS Number:	Country: US
1.3	10/27/2015	000000004573	Language: EN

Harmful if swallowed.

This compound is highly toxic to bees exposed directly (contact).

This product is highly toxic to birds and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate or by disposal of wastes.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant discharge elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

Metalaxyl is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; EC_x - Concentration associated with x% response; EL_x - Loading rate associated with x% response; EmS - Emergency Schedule; ErC_x - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC₅₀ - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC₅₀ - Lethal Concentration to 50 % of a test population; LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

SAFETY DATA SHEET

RANCONA CREST WR

Version
1.3


Revision Date:
10/27/2015

MSDS Number:
000000004573

Country: US
Language: EN

Further information

NFPA:



HMIS III:

HEALTH	1*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 10/27/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

Carechem24 International Worldwide Coverage

Emergency Phone Number

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479

SAFETY DATA SHEET

RANCONA CREST WR

Version 1.3 Revision Date: 10/27/2015 MSDS Number: 000000004573 Country: US
Language: EN

	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670