

## PRINCEP® LIQUID

Date: 7/31/2018  
Replaces: 8/3/2016

### 1. PRODUCT IDENTIFICATION

Product identifier on label: **PRINCEP® LIQUID**  
Product No.: A8563B  
Use: Herbicide  
Manufacturer: Syngenta Crop Protection, LLC  
Post Office Box 18300  
Greensboro NC 27419  
Manufacturer Phone: 1-800-334-9481

**Emergency Phone: 1-800-888-8372**

### 2. HAZARDS IDENTIFICATION

Classifications: Carcinogenicity: Category 2  
Eye Damage/Irritation: Category 2A  
Signal Word (OSHA): Warning  
Hazard Statements: Causes serious eye irritation  
Suspected of causing cancer

Hazard Symbols:



Precautionary Statements: Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wash hands and face thoroughly after handling.  
Wear protective gloves, protective clothing, eye protection.  
Wear eye protection.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If exposed or concerned: Get medical advice/attention.  
If eye irritation persists: Get medical advice.  
Store locked up.  
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

## PRINCEP® LIQUID

Date: 7/31/2018  
Replaces: 8/3/2016

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	Common Name	CAS Number	Concentration
Ethylene Glycol	Ethylene Glycol	107-21-1	<10.0%
Glycerin	Glycerin	56-81-5	Trade Secret
Other ingredients	Other ingredients	Trade Secret	<48.1%
2-chloro-4,6-bis(ethylamino)-s-triazine	Simazine	122-34-9	41.9%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

**4. FIRST AID MEASURES**

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion:** If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact:** If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation:** If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

**5. FIRE FIGHTING MEASURES**

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

## PRINCEP® LIQUID

Date: 7/31/2018

Replaces: 8/3/2016

### Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions in Protective Equipment Section. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

## 7. HANDLING AND STORAGE

### Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

### Conditions for safe storage, including any incompatibilities:

Not Applicable

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

### Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Ethylene Glycol	Not Established	100 mg/m <sup>3</sup> (ceiling) [aerosol]	Not Established	Not Applicable
Glycerin	15 mg/m <sup>3</sup> TWA (total); 5 mg/m <sup>3</sup> TWA (respirable)	Not Established	Not Established	Not Applicable
Other ingredients	Not Established	Not Established	Not Established	Not Applicable
Simazine	Not Established	Not Established	.5 mg/m <sup>3</sup> TWA	Syngenta

### Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

### Individual protection measures:

#### Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

#### Eye Contact:

Where eye contact is likely, use chemical splash goggles.

#### Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

#### Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

## PRINCEP® LIQUID

Date: 7/31/2018  
Replaces: 8/3/2016

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light tan liquid  
Odor: Odorless  
Odor Threshold: Not Available  
pH: 6 - 8 (10% suspension in H<sub>2</sub>O)  
Melting point/freezing point: Not Applicable  
Initial boiling point and boiling range: 207 - 225 °F  
Flash Point (Test Method): > 200°F  
Flammable Limits (% in Air): Not Available  
Flammability: Not Applicable  
Vapor Pressure: Simazine 2.2 x 10<sup>-2</sup> mmHg @ 77°F (25°C)  
Vapor Density: Not Available  
Relative Density: 9.54 lbs/gallon  
Solubility (ies): Simazine 6.2 mg/l @ 72°F (22°C)  
Partition coefficient: n-octanol/water: Not Available  
Autoignition Temperature: Not Available  
Decomposition Temperature: Not Available  
Viscosity: Not Available  
Other: None

### 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.  
Chemical stability: Stable under normal use and storage conditions.  
Possibility of hazardous reactions: Will not occur.  
Conditions to Avoid: None known.  
Incompatible materials: None known.  
Hazardous Decomposition Products: None known.

### 11. TOXICOLOGICAL INFORMATION

#### Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Eye irritation

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

## PRINCEP® LIQUID

Date: 7/31/2018  
Replaces: 8/3/2016

Ingestion: Oral (LD50 Rabbit) : > 5000 mg/kg body weight  
 Dermal: Dermal (LD50 Rabbit) : > 5050 mg/kg body weight  
 Inhalation: Inhalation (LC50 Rat) : > 2.58 mg/l air - 4 hours  
 Eye Contact: Moderately Irritating (Rabbit)  
 Skin Contact: Practically Non-Irritating (Rabbit)  
 Skin Sensitization: Not a Sensitizer (Guinea Pig)

### Reproductive/Developmental Effects

Simazine: None observed.

### Chronic/Subchronic Toxicity Studies

Simazine: Decreased survival at high doses (rats).

### Carcinogenicity

Simazine: Increased incidence of mammary tumors (female Sprague-Dawley rats) sex and species specific effect.

Chemical Name	NTP/IARC/OSHA Carcinogen
Ethylene Glycol	No
Glycerin	No
Other ingredients	No
2-chloro-4,6-bis(ethylamino)-s-triazine	No

### Other Toxicity Information

None

### Toxicity of Other Components

#### Ethylene Glycol

Ethylene glycol has been shown to produce dose-related teratogenic effects in rats and mice. Exposure to high concentrations of mists or aerosols may result in effects on the hematopoietic system and central nervous system with headache, dizziness and drowsiness. Severe kidney damage results from swallowing large amounts of ethylene glycol.

#### Glycerin

Repeated or prolonged exposure to concentrated solutions may result in dermatitis.

#### Other ingredients

Not Established

### Target Organs

#### Active Ingredients

Simazine: Mammary gland

#### Inert Ingredients

Ethylene Glycol: Blood, kidney, CNS

Glycerin: Skin

Other ingredients: Not Established

## PRINCEP® LIQUID

Date: 7/31/2018

Replaces: 8/3/2016

---

### 12. ECOLOGICAL INFORMATION

#### Eco-Acute Toxicity

##### Simazine:

- Fish (Rainbow Trout) 96-hour LC50 > 10 ppm
- Invertebrate (Water Flea) Daphnia Magna EC50 1.1 ppm
- Bird (Mallard Duck) 8-day LD50 > 4640 mg/kg
- Green Algae 24-day EC50 2.0 ppm

#### Environmental Fate

##### Simazine:

The information presented here is for the active ingredient, simazine.  
Low bioaccumulation potential. Not persistent in soil. Stable in water. Moderate mobility in soil. Sinks in water (after 24 h).

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

---

### 14. TRANSPORT INFORMATION

#### DOT Classification

Ground Transport - NAFTA  
Not regulated

#### Comments

Water Transport - International  
Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Simazine), Marine Pollutant  
Hazard Class or Division: Class 9  
Identification Number: UN 3082  
Packing Group: PG III

Air Transport - International  
Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Simazine)  
Hazard Class or Division: Class 9  
Identification Number: UN 3082  
Packing Group: PG III

Note: This product is currently not regulated for airfreight within the NAFTA region. However, effective 01/01/2011 the above classification must be used.

## PRINCEP® LIQUID

Date: 7/31/2018  
 Replaces: 8/3/2016

### 15. REGULATORY INFORMATION

**Pesticide Registration:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if absorbed through the skin. Causes moderate eye irritation. Harmful if swallowed or inhaled. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing.

**EPA Registration Number(s):**

100-526

**EPCRA SARA Title III Classification:**

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Simazine 41.9% (CAS No. 122-34-9)  
 Ethylene Glycol <10.0% (CAS No. 107-21-1)

**California Proposition 65:**

ATTENTION: This product can expose you to chemicals including simazine, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**CERCLA/SARA 304 Reportable Quantity (RQ):**

Report product spills > 7,800 gal. (based on ethylene glycol [RQ = 5,000 lbs.] content in the formulation)

**RCRA Hazardous Waste Classification (40 CFR 261):**

Not Applicable

**TSCA Status:**

Exempt from TSCA, subject to FIFRA

### 16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 1  
 Flammability: 1  
 Instability: 0

HMIS Hazard Ratings

Health: 2  
 Flammability: 1  
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: D,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 8/7/1991

Revision Date: 7/31/2018

Replaces: 8/3/2016

Section(s) Revised: 8

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.