



TARTAN® STRESSGARD®

Version 2.0 / USA
102000013748

1/11
Revision Date: 11/25/2014
Print Date: 05/18/2016

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name TARTAN® STRESSGARD®

Product code (UVP) 05810050

SDS Number 102000013748

EPA Registration No. 432-1446

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

**Product Information
Telephone Number**

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity (Inhalation): Category 4

Reproductive toxicity : Category 2



Signal word: Warning

Hazard statements

Harmful if inhaled.

Suspected of damaging fertility or the unborn child.

Precautionary statements

Avoid breathing mist and spray.

Use only outdoors or in a well-ventilated area.



TARTAN® STRESSGARD®

Version 2.0 / USA
102000013748

2/11
Revision Date: 11/25/2014
Print Date: 05/18/2016

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF exposed or concerned: Get medical advice/ attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Triadimefon	43121-43-3	20.90
Trifloxystrobin	141517-21-7	4.20
Glycerine	56-81-5	10.70

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the



TARTAN® STRESSGARD®

Version 2.0 / USA
102000013748

3/11
Revision Date: 11/25/2014
Print Date: 05/18/2016

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Carbon dioxide (CO₂), Dry chemical, Foam, Water spray

Unsuitable None known.

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point > 93.3 °C

Autoignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Explosivity not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.



TARTAN® STRESSGARD®

Version 2.0 / USA
102000013748

4/11
Revision Date: 11/25/2014
Print Date: 05/18/2016

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Triadimefon	43121-43-3	0.7 mg/m3 (TWA)		OES BCS*
Triadimefon	43121-43-3	100ug/m3 (ST ESL)	07 2011	TX ESL
Triadimefon	43121-43-3	10ug/m3 (AN ESL)	07 2011	TX ESL
Trifloxystrobin	141517-21-7	2.7 mg/m3 (TWA)		OES BCS*
Glycerine (Total dust.)	56-81-5	15 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust.)	56-81-5	10 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust and mist.)	56-81-5	10 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Respirable fraction and dust or fume.)	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
Glycerine	56-81-5	50ug/m3	02 2013	TX ESL



TARTAN® STRESSGARD®

Version 2.0 / USA
102000013748

5/11
Revision Date: 11/25/2014
Print Date: 05/18/2016

(Particulate.)		(ST ESL)		
Glycerine (Particulate.)	56-81-5	5ug/m3 (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	100ug/m3 (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	1000ug/m3 (ST ESL)	02 2013	TX ESL
Pyrogenic (fumed) amorphous silica (Particulate.)	112945-52-5	2ug/m3 (AN ESL)	02 2013	TX ESL
Pyrogenic (fumed) amorphous silica (Particulate.)	112945-52-5	27ug/m3 (ST ESL)	02 2013	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Safety glasses with side-shields

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	green
Physical State	liquid viscous
Odor	slight
Odour Threshold	no data available
pH	6.5 - 7.5 at 10 % (25 °C) aqueous suspension
Vapor Pressure	no data available



TARTAN® STRESSGARD®

Version 2.0 / USA
102000013748

6/11
Revision Date: 11/25/2014
Print Date: 05/18/2016

Vapor Density (Air = 1)	no data available
Density	1.15 g/cm ³ at 20 °C
Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	dispersible
Minimum Ignition Energy	not applicable
Decomposition temperature	no data available
Partition coefficient: n-octanol/water	no data available
Viscosity	600 - 950 mPa.s
Flash point	> 93.3 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	no data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	freezing
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Eye contact, Skin contact
Immediate Effects	
Eye	Moderate eye irritation.
Ingestion	Harmful if swallowed.



TARTAN® STRESSGARD®

Version 2.0 / USA
102000013748

7/11
Revision Date: 11/25/2014
Print Date: 05/18/2016

Information on toxicological effects

Acute oral toxicity	LD50 (female rat) 3,129 mg/kg
Acute inhalation toxicity	LC50 (male/female combined rat) > 2.1 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. No deaths LC50 (male/female combined rat) > 8.4 mg/l Exposure time: 1 h Determined in the form of a respirable aerosol. Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (male/female combined rat) > 5,000 mg/kg
Skin irritation	No skin irritation (rabbit)
Eye irritation	Mild eye irritation. (rabbit)
Sensitisation	Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Triadimefon did not cause specific target organ toxicity in experimental animal studies.
Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Triadimefon was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Triadimefon was not carcinogenic in a lifetime feeding study in rats. Triadimefon caused an increased incidence of tumours in mice in the following organ(s): liver. The mechanism that triggers these tumours is not relevant to humans.
Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Triadimefon caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. Triadimefon caused reduced fertility, a reduced pup survival.
Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental toxicity.



TARTAN® STRESSGARD®

Version 2.0 / USA
102000013748

8/11
Revision Date: 11/25/2014
Print Date: 05/18/2016

Assessment developmental toxicity

Triadimefon caused developmental toxicity in only at dose levels toxic to the dams. Triadimefon caused an increased incidence of non-specific malformations.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.015 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient trifloxystrobin.
LC50 (Oncorhynchus mykiss (rainbow trout)) 4.08 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient triadimefon.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.016 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient trifloxystrobin.
EC50 (Daphnia magna (Water flea)) 7.16 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient triadimefon.

Toxicity to aquatic plants

IC50 (Desmodemus subspicatus) 0.0053 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient trifloxystrobin.
IC50 (Pseudokirchneriella subcapitata) 2.01 mg/l
Growth rate; Exposure time: 120 h
The value mentioned relates to the active ingredient triadimefon.

Biodegradability

Triadimefon: ; not rapidly biodegradable
Trifloxystrobin: ; not rapidly biodegradable

Koc

Triadimefon: Koc: 150 - 510
Trifloxystrobin: Koc: 2377

Bioaccumulation

Triadimefon: Bioconcentration factor (BCF) 31; Does not bioaccumulate.
Trifloxystrobin: Bioconcentration factor (BCF) 431; Does not bioaccumulate.

Mobility in soil

Triadimefon: Moderately mobile in soils
Trifloxystrobin: Slightly mobile in soils

Environmental precautions

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.



TARTAN® STRESSGARD®

Version 2.0 / USA
102000013748

9/11
Revision Date: 11/25/2014
Print Date: 05/18/2016

Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites.
Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.
Do not apply when weather conditions favor runoff or drift.
Apply this product as specified on the label.
Do not allow to get into surface water, drains and ground water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Dispose in accordance with all local, state/provincial and federal regulations.
Follow container label instructions for disposal of wastes generated during use in compliance with the product label.

Contaminated packaging

Triple rinse containers.
Puncture container to avoid re-use.
Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning.
If burned, stay out of smoke.

RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

Not dangerous goods / not hazardous material

IMDG

UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN SOLUTION)

IATA

UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN SOLUTION)



TARTAN® STRESSGARD®

Version 2.0 / USA
102000013748

10/11

Revision Date: 11/25/2014
Print Date: 05/18/2016

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1446

US Federal Regulations

TSCA list

Glycerine 56-81-5

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Triadimefon 43121-43-3 25,000lbs

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Triadimefon	43121-43-3	Developmental toxin.
Triadimefon	43121-43-3	Male reproductive toxin.
Triadimefon	43121-43-3	Female reproductive toxin.

US State Right-To-Know Ingredients

Triadimefon	43121-43-3	NJ
Glycerine	56-81-5	MN

Canadian Regulations

Canadian Domestic Substance List

Glycerine 56-81-5

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Triadimefon	43121-43-3
Glycerine	56-81-5

EPA/FIFRA Information:



TARTAN® STRESSGARD®

Version 2.0 / USA
102000013748

11/11
Revision Date: 11/25/2014
Print Date: 05/18/2016

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed.
Moderate eye irritation.
Avoid contact with skin, eyes and clothing.
Wash thoroughly with soap and water after handling.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 11/25/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.