

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version 1.2 Revision Date: 03/24/2026 SDS Number: S1344523915 Date of last issue: 04/30/2018
Date of first issue: 04/30/2018

SECTION 1. IDENTIFICATION

Product name : PREFIX HERBICIDE
Design code : A14972F

Product Registration number : 100-1268

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

Precautionary Statements :

Prevention:

P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version 1.2 Revision Date: 03/24/2026 SDS Number: S1344523915 Date of last issue: 04/30/2018
Date of first issue: 04/30/2018

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
S-metolachlor (ISO)	87392-12-9*	46.359	-
fomesafen-sodium	108731-70-0*	10.7	-
(2-methoxymethylethoxy)propanol	34590-94-8*	$\geq 5 - \leq 10$	TSC
fatty acids, tall-oil, ethoxylated	61791-00-2*	$\geq 3 - \leq 7$	TSC
propane-1,2,3-triol	56-81-5*	$\geq 1 - \leq 5$	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
Causes serious eye irritation.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 04/30/2018
1.2	03/24/2026	S1344523915	Date of first issue: 04/30/2018

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds
Sulfur oxides
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version 1.2 Revision Date: 03/24/2026 SDS Number: S1344523915 Date of last issue: 04/30/2018
Date of first issue: 04/30/2018

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
S-metolachlor (ISO)	87392-12-9	TWA	5 mg/m ³	Syngenta
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	100 ppm 600 mg/m ³	NIOSH REL
		ST	150 ppm 900 mg/m ³	NIOSH REL
		TWA	100 ppm 600 mg/m ³	OSHA Z-1
		TWA	100 ppm 600 mg/m ³	OSHA P0
		STEL	150 ppm 900 mg/m ³	OSHA P0
		TWA	50 ppm	ACGIH
propane-1,2,3-triol	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m ³	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m ³	OSHA P0

- Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 04/30/2018
1.2	03/24/2026	S1344523915	Date of first issue: 04/30/2018

standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required.

Eye protection : Tightly fitting safety goggles
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Skin and body protection : No special protective equipment required.
Select skin and body protection based on the physical job requirements.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : slightly amber

Odor : Paint

Odor Threshold : No data available

pH : 7.0 (77 °F / 25 °C)
Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Method: Pensky-Martens closed cup
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 04/30/2018
1.2	03/24/2026	S1344523915	Date of first issue: 04/30/2018

flammability limit

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.1170 g/cm³ (68 °F / 20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : 797 °F / 425 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 161 mPa.s (68 °F / 20 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion

Inhalation

Skin contact

Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version 1.2 Revision Date: 03/24/2026 SDS Number: S1344523915 Date of last issue: 04/30/2018
Date of first issue: 04/30/2018

Product:

- Acute oral toxicity : LD50 (Rat, female): 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.58 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

Components:

S-metolachlor (ISO):

- Acute oral toxicity : LD50 (Rat, male and female): 2,672 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.91 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

LC50 (Rat, male and female): > 4.33 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
The value is given in analogy to the following substances:
metolachlor
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

fomesafen-sodium:

- Acute oral toxicity : LD50 (Rat, female): Calculated value > 982 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 1.38 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 982 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

(2-methoxymethylethoxy)propanol:

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat): 3.35 mg/l
Exposure time: 7 h
Test atmosphere: vapor

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version 1.2 Revision Date: 03/24/2026 SDS Number: S1344523915 Date of last issue: 04/30/2018
Date of first issue: 04/30/2018

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 9,510 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

fatty acids, tall-oil, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg

propane-1,2,3-triol:

Acute oral toxicity : LD50 (Rat, female): > 4,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male): > 2.75 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, female): > 5,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

S-metolachlor (ISO):

Species : Rabbit
Result : No skin irritation

fomesafen-sodium:

Species : Rabbit
Result : No skin irritation

fatty acids, tall-oil, ethoxylated:

Result : No skin irritation

propane-1,2,3-triol:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version 1.2 Revision Date: 03/24/2026 SDS Number: S1344523915 Date of last issue: 04/30/2018
Date of first issue: 04/30/2018

Product:

Species : Rabbit
Result : Eye irritation

Components:

S-metolachlor (ISO):

Species : Rabbit
Result : No eye irritation

fomesafen-sodium:

Species : Rabbit
Result : Irreversible effects on the eye

fatty acids, tall-oil, ethoxylated:

Result : No eye irritation

propane-1,2,3-triol:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Species : Guinea pig
Result : Does not cause skin sensitization.

Components:

S-metolachlor (ISO):

Species : Guinea pig
Result : May cause sensitization by skin contact.

fomesafen-sodium:

Test Type : mouse lymphoma cells
Species : Mouse
Result : Does not cause skin sensitization.

fatty acids, tall-oil, ethoxylated:

Species : Guinea pig
Result : The product is a skin sensitizer, sub-category 1B.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 04/30/2018
1.2	03/24/2026	S1344523915	Date of first issue: 04/30/2018

propane-1,2,3-triol:

Species : Guinea pig
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

S-metolachlor (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

fomesafen-sodium:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.
Remarks: Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

fatty acids, tall-oil, ethoxylated:

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

propane-1,2,3-triol:

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified due to lack of data.

Components:

S-metolachlor (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

fomesafen-sodium:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.
Remarks: Based on data from similar materials

propane-1,2,3-triol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Not classified due to lack of data.

Components:

S-metolachlor (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction
No effects on or via lactation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version 1.2 Revision Date: 03/24/2026 SDS Number: S1344523915 Date of last issue: 04/30/2018
Date of first issue: 04/30/2018

fomesafen-sodium:

Reproductive toxicity - Assessment : No toxicity to reproduction
Remarks: Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Reproductive toxicity - Assessment : No toxicity to reproduction

propane-1,2,3-triol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Components:

S-metolachlor (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

fomesafen-sodium:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Remarks : Based on data from similar materials

propane-1,2,3-triol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 16.25 mg/l
Exposure time: 96 h

Components:

S-metolachlor (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 12 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 1.4 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version 1.2 Revision Date: 03/24/2026 SDS Number: S1344523915 Date of last issue: 04/30/2018
Date of first issue: 04/30/2018

- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.056 mg/l
Exposure time: 72 h
- EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.014 mg/l
End point: Growth rate
Exposure time: 72 h
- ErC50 (Elodea canadensis (Canadian waterweed)): 0.062 mg/l
Exposure time: 7 d
- NOEC (Lemna gibba (gibbous duckweed)): 0.00384 mg/l
Exposure time: 7 d
- Toxicity to fish (Chronic toxicity) : EC10 (Pimephales promelas (fathead minnow)): 0.22 mg/l
Exposure time: 35 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Americamysis): 0.13 mg/l
Exposure time: 28 d
- fomesafen-sodium:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 96 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.54 mg/l
Exposure time: 72 h
Remarks: Information given is based on data obtained from similar substances.
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.023 mg/l
End point: Growth rate
Exposure time: 72 h
Remarks: Information given is based on data obtained from similar substances.
- ErC50 (Lemna gibba (gibbous duckweed)): 0.29 mg/l
Exposure time: 14 d
Remarks: Information given is based on data obtained from similar substances.
- NOEC (Lemna gibba (gibbous duckweed)): 0.03 mg/l
End point: Growth rate
Exposure time: 14 d
Remarks: Information given is based on data obtained from similar substances.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version 1.2 Revision Date: 03/24/2026 SDS Number: S1344523915 Date of last issue: 04/30/2018
Date of first issue: 04/30/2018

M-Factor (Acute aquatic toxicity) : 1
Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.1 mg/l
Exposure time: 33 d
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Americamysis): 0.69 mg/l
Exposure time: 28 d
Remarks: Information given is based on data obtained from similar substances.

M-Factor (Chronic aquatic toxicity) : 1

(2-methoxymethylethoxy)propanol:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 1,919 mg/l
Exposure time: 48 h
Test Type: static test

LC50 (Crangon crangon (shrimp)): > 1,000 mg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 0.5 mg/l
Exposure time: 22 d

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

fatty acids, tall-oil, ethoxylated:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 12.41 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 39.7 mg/l
Exposure time: 72 h

Persistence and degradability

Components:

S-metolachlor (ISO):

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 04/30/2018
1.2	03/24/2026	S1344523915	Date of first issue: 04/30/2018

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 53 - 147 d
Remarks: Product is not persistent.

fomesafen-sodium:

Stability in water : Remarks: No data available

(2-methoxymethylethoxy)propanol:

Biodegradability : Result: Readily biodegradable.

fatty acids, tall-oil, ethoxylated:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

S-metolachlor (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.05 (77 °F / 25 °C)

fomesafen-sodium:

Bioaccumulation : Remarks: No data available

Mobility in soil

Components:

S-metolachlor (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 12 - 46 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

fomesafen-sodium:

Distribution among environmental compartments : Remarks: No data available

Stability in soil : Remarks: No data available

Other adverse effects

Components:

S-metolachlor (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

Endocrine disrupting potential : Substance does not have endocrine disrupting properties.

fomesafen-sodium:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version 1.2 Revision Date: 03/24/2026 SDS Number: S1344523915 Date of last issue: 04/30/2018
Date of first issue: 04/30/2018

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

(2-methoxymethylethoxy)propanol:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(S-METOLACHLOR, FOMESAFEN-SODIUM)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(S-METOLACHLOR, FOMESAFEN-SODIUM)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 04/30/2018
1.2	03/24/2026	S1344523915	Date of first issue: 04/30/2018

Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (S-METOLACHLOR, FOMESAFEN-SODIUM)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning

Causes substantial but temporary eye injury.

Do not get in eyes or on clothing.

Wear protective eyewear, goggles, or face shields.

Harmful if swallowed.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version 1.2 Revision Date: 03/24/2026 SDS Number: S1344523915 Date of last issue: 04/30/2018
Date of first issue: 04/30/2018

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.


SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	/	2
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "/" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- NIOSH REL : USA. NIOSH Recommended Exposure Limits
- OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
- OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
- Syngenta : Syngenta Occupational Exposure Limits
- ACGIH / TWA : 8-hour, time-weighted average
- NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
- NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
- OSHA P0 / TWA : 8-hour time weighted average
- OSHA P0 / STEL : Short-term exposure limit
- OSHA Z-1 / TWA : 8-hour time weighted average
- Syngenta / TWA : Time weighted average

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREFIX HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 04/30/2018
1.2	03/24/2026	S1344523915	Date of first issue: 04/30/2018

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/24/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN