

SUPPLEMENTAL LABELING

**DuPont Crop
Protection**

**DUPONT™ HARMONY® SG
HERBICIDE
(with TotalSol® soluble granules)**

DUPONT™ HARMONY® SG HERBICIDE (with TotalSol® soluble granules)

EPA Reg. No. 352-633

FOR POST EMERGENCE CONTROL OF CERTAIN BROADLEAF WEEDS IN FIELD CORN FOR USE ONLY IN THE STATES OF CT, DE, IA, IN, MA, MD, ME, MI, MN, NH, NC, NJ, NY, OH, PA, RI, VA, VT, AND WV

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DuPont™ HARMONY® SG Herbicide (with TotalSol® soluble granules) may be used for postemergence control of certain broadleaf weeds in field corn.

Do not apply this product through any kind of irrigation system.

Do not graze or feed forage or grain from treated field corn to livestock within 30 days of application.

Do not apply to fields treated with "Counter"™ Insecticide applied at planting or over-the-row at cultivation as severe crop injury may result.

RESTRICTION

This product is limited to ground application only in the State of New York. Do not apply by air in that state.

APPLICATION INFORMATION

HARMONY® SG can be applied to 2-6 leaf field corn (1-4 collars, up to 12 inches tall) at a rate of 0.125 (1/8) ounce per acre. Do not apply to field corn taller than 12 inches or 4 collars, whichever is more restrictive.

HARMONY® SG may be applied as a tank mixture with labeled rates of atrazine. Do not tank mix with other corn herbicides unless specified on HARMONY® SG labels.

Apply HARMONY® SG to field corn hybrids with a Relative Maturity (RM) of 88 days or more, including "food grade" (yellow dent, hard endosperm), waxy and DuPont Optimum High-Oil corn. Not all field corn hybrids of less than 88 days RM, not all white corn hybrids or Hi-Lysine hybrids have been tested for crop safety, nor does DuPont have access to all seed company data. Consequently, injury arising from the use of HARMONY® SG on these types of corn is the responsibility of the user. Consult with your seed supplier before applying HARMONY® SG to any of these corn types.

Apply with ground equipment set to deliver 10-40 GPA. Use only flat fan nozzles operating at 20-40 PSI. Do not make more than one application per season.

TIMING TO WEEDS

Apply to weeds whose first true leaves are expanded but before weeds exceed the sizes listed below.

When applied as directed, HARMONY® SG will control the following weeds:

WEED	SIZE (Inches)
Velvetleaf	2-6
Pigweed species	2-12
Lambsquarters	2-4
Annual smartweeds	2-6
Wild mustard up to	4(°)

(°) indicates diameter

Apply in 10-40 gallons of water per acre. Always add either nonionic surfactant at 0.25% v/v (1 qt/100 gal) or crop oil concentrate at 1% v/v (1 gal/100 gal) plus either ammonium nitrogen solution such as 28% UAN (2-4 qt/acre) of ammonium sulfate (2-4 lb/acre).

SOIL INSECTICIDE INTERACTIONS

HARMONY® SG may interact with certain insecticides previously applied to the crop. Crop response varies with field corn type, insecticide used, insecticide application method, and soil type.

HARMONY® SG may be applied to corn previously treated with "Fortress™", "Aztec™", "Force™" or non-organophosphate (OP) soil insecticides regardless of soil type.

© 2009 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, Delaware 19898

R-944 022609 06-01-09

Page 1 of 2

• DO NOT APPLY HARMONY® SG to corn previously treated with Counter 15G¹.

• APPLICATIONS of HARMONY® SG TO CORN PREVIOUSLY TREATED WITH “COUNTER 20 CR”², DYFONATE, “LORSBAN”³ OR “THIMET”⁴ MAY CAUSE UNACCEPTABLE CROP INJURY, ESPECIALLY ON SOILS OF LESS THAN 4% ORGANIC MATTER.

¹ Trademark of BASF Corporation

² Trademark of Syngenta Crop Protection, Inc.

³ Trademark of Bayer Corporation.

⁴ Trademark of Amvac Chemical Corporation

⁵ Trademark of Dow Agrosiences, LLC

IMPORTANT

BEFORE USING HARMONY® SG HERBICIDE, READ AND CAREFULLY NOTE THE CAUTIONARY STATEMENTS AND OTHER PROCEDURAL INFORMATION APPEARING ON THE EPA REGISTERED LABEL OR ON OTHER SUPPLEMENTAL LABELS.

This bulletin contains new or supplemental instructions for use of these products in combination which does not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

(Replaces R-346-3 101508 10-09-08)

R-944 022609 06-01-09