

ACTIVE INGREDIENTS:

2,4-Decadienoic Acid, Ethyl Ester, (E, Z) 5.00 % **OTHER INGREDIENTS:** 95.00 %

TOTAL: 100.00 %

EPA Registration No. 51934-12 EPA Establishment No. 51934-OK-001^A, 51934-OK-002^C Superscript is first letter of lot number NET CONTENTS: 4.06 fl. oz. (120 mL)

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear the appropriate PPE. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material such as nitrile rubber, butyl rubber, neoprene rubber, barrier laminate, polyethylene, polyviny chloride (PVC), or Viton.
- Shoes plus socks
- Protective eyewear

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID STATEMENT

If on skin	Take off contaminated clothing.
or clothing	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5
	minutes, then continue rinsing.
	Call a poison control center or doctor for treatment advice.
If	Call a poison control center or doctor immediately for treatment advice.
swallowed	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to by a poison control center or doctor.
	Do not give anything to an unconscious person.
Hot line	Have the product container or label with you when calling a poison control center or doctor or going for treatment. — For
number	emergency information on (product, use, etc.), call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to
	4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222. For additional
	information, you may also contact Trece Inc. at 1-866-785-1313.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate wate when disposing of equipment washwater or rinsate.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handers may be in the area during application. For any requirement specific to your State and Tribe, consult the State/Tribal agency responsible for pesticide regulation.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets underneath clothing. Then, shower cleaning skin thoroughly with soap and water and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves with soap and water before removing
- Remove and wash contaminated clothing before reuse. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool, dry place, out of direct sunlight, and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container (equal to or less than 5 gallons): Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

AN ENHANCEMENT FOR CONTROL OF: LARVAE AND ADULT CODLING MOTH, Cydia pomonella

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protection equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- · Long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material such as nitrile rubber, butyl rubber, neoprene
- rubber, barrier laminate, polyethylene, polyvinyl chloride (PVC), or Viton.
- Shoes plus socks
- Protective evewear

CIDETRAK® DA MEC™ is enhancement for mixing with insecticides or Codling Moth pheromone formulations intended to be applied to apple, pear and walnut orchards for control of Codling Moth (Cydia pomonella).

Crop	Apple, Pear, Walnut, Pecan, Quince, and other pome fruits
Targeted Pest	Codling Moth (Cydia pomonella), Hickory Shuckworm (Cydia caryana).
Rate	Mix CIDETRAK® DA MEC™ with prescribed and/or lower label rates of a suitable insecticide or CM pheromone for control of Codling Moth (Cydia pomonella) only if such reduced rates of the insecticide or CM pheromone have been shown effective by industry, government and/or university scientists. Use CIDETRAK DA MEC at a rate of 0.41-2.37 fl. oz/acre (12 to 70 mls/acre (0.6-3.5 gms acre)) or 1.01-5.92 fl. oz/hectare (30 to 175 mls/hectare (1.5-8.75 gms/hectare)). Apply CIDETRAK DA MEC usually at a rate of 0.41 fl. oz. (12 mls (0.6 gms)) per acre or 1.01 fl. oz. (30 mls (1.5 gms)) per hectare in a mixture only, with a suitable, registered insecticide or CM pheromone and water. Do not exceed 8 applications of CIDETRAK DA MEC at 0.41 fl. oz. (12 mls (0.6 gms)) product per acre or 1.01 fl. oz. (30 mls) per hectare per application or a total seasonal amount of 3.25 fl. oz. (96 mis or 4.8 gms a.i.) per acre or 8.12 fl. oz. (240 mls (12 gms a.i.)) per hectare.
Application	Apply the foregoing mixture in a full coverage spray, according to directions for use of the insecticide or pheromone. Coverage should be complete but do not allow "run-off."
Monitoring/ Timing	Always monitor for codling moth presence and phenology with PHEROCON® CM-DA COMBO + AA lures in CIDETRAK® DA MEC™ + insecticide or pheromone treated orchards. Time applications of CIDETRAK DA MEC + insecticide or CM pheromone mixtures according to the directions of the manufacturer of the insecticide or CM pheromone with which CIDETRAK DA MEC is mixed, local extension agents and other authorities. Repeat applications of CIDETRAK DA MEC + insecticide or CM pheromone mixtures according to directions for insecticide.
Chemical Compatibility	Check physical compatibility of CIDETRAK® DA MEC™ + insecticide or CM pheromone formulations before mixing in spray tanks. No plant phytotoxicity has been observed with mixtures of CIDETRAK DA MEC. But one may check plant phytotoxic response to mixtures of CIDETRAK DA MEC + insecticide or CM pheromone formulations by treating 4-5 plants or small area of foliar surface of plantings with chosen mixtures. Observe the effect over 2 days.
Spray/ Sprayer Preparation	Shake CIDETRAK® DA MEC™ vigorously before measuring for spray solution. Fill sprayer half full of water. Start physical or by-pass agitation on spray application equipment. Carefully measure and pour or place insecticide or CM pheromone formulation into the spray tank. Carefully measure and pour the required amount of CIDETRAK DA MEC into the spray tank. Fill spray tank to the required level and initiate application.

WARRANTY AND LIMITATION OF DAMAGES

All statements concerning the use of this product apply only when used as directed as stated on this product label. Trece Inc. warrants that the product conforms to this label and under normal conditions of use according to this label, is reasonably fit for the stated label purpose.

To the extent consistent with applicable law, the manufacturer makes no express or implied warranties of merchantability or fitness for a purpose concerning this product, or its use, extending beyond the label. To the extent consistent with applicable law, under no circumstance will Trece Inc. be liable for damage (special, consequential or incidental) that result from the handling, storage, or use of this product which is not in compliance with the label. Read all label directions carefully.

To the extent consistent with applicable law, buyer's exclusive remedy, should this product be defective, is replacement of the product, or if this is impracticable, a purchase price refund.

Manufactured by: TRECE INCORPORATED, 7569 Hwy. 28 W, Adair, Oklahoma 74330



INSECT PHEROMONE & KAIROMONE SYSTEMS

www.trece.com

Mailing Address: P.O. Box 129 • Adair, Oklahoma 74330 Shipping Address: 7569 Hwy 28 W. • Adair, Oklahoma 74330 Phone: (918) 785-3061 • Fax: (918) 785-3063