according to the OSHA Hazard Communication Standard



PALISADE XT

Version Revision Date: SDS Number: Date of last issue: -

0.0 04/15/2024 S00078207898 Date of first issue: 04/15/2024

SECTION 1. IDENTIFICATION

Product name : PALISADE XT
Design code : A23898A

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300

Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Plant growth regulator

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
trinexapac-ethyl	95266-40-3	22.9942	
2-ethylhexyl (2S)-2-	186817-80-1	>= 10 - < 20	
hydroxypropanoate			

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

according to the OSHA Hazard Communication Standard



PALISADE XT

Version Revision Date: SDS Number: Date of last issue: -

0.0 04/15/2024 S00078207898 Date of first issue: 04/15/2024

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms

and effects, both acute and

delayed

Nonspecific

No symptoms known or expected.

Notes to physician : There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses

Cool closed containers exposed to fire with water spray.

Special protective equipment:

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

according to the OSHA Hazard Communication Standard



PALISADE XT

Version Revision Date: SDS Number: Date of last issue: -

0.0 04/15/2024 S00078207898 Date of first issue: 04/15/2024

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes.

When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
trinexapac-ethyl	95266-40-3	TWA	5 mg/m3	Syngenta

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the

actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

according to the OSHA Hazard Communication Standard



PALISADE XT

Revision Date: Version SDS Number: Date of last issue: -

0.0 04/15/2024 S00078207898 Date of first issue: 04/15/2024

Remarks Wear protective gloves. The choice of an appropriate glove

> does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection No special protective equipment required.

Skin and body protection Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures The use of technical measures should always have priority

> over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid

Color brown

No data available Odor

Odor Threshold No data available

Melting point/freezing point No data available

Initial boiling point and boiling :

range

No data available

Flash point : 270 °F / 132 °C

Method: Seta closed cup

No data available Evaporation rate

No data available Flammability (solid, gas)

Upper explosion limit / Upper : No data available

flammability limit

flammability limit

Lower explosion limit / Lower : No data available

according to the OSHA Hazard Communication Standard



PALISADE XT

Version Revision Date: SDS Number: Date of last issue: -

0.0 04/15/2024 S00078207898 Date of first issue: 04/15/2024

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.042 g/cm3

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : 660 °F / 349 °C

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- : No dangerous reaction known under conditions of normal use.

tions

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

according to the OSHA Hazard Communication Standard



PALISADE XT

Version Revision Date: SDS Number: Date of last issue: -

0.0 04/15/2024 S00078207898 Date of first issue: 04/15/2024

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.18 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Expert judgment

Components:

trinexapac-ethyl:

Acute oral toxicity : LD50 (Rat, male and female): 4,460 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.69 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

2-ethylhexyl (2S)-2-hydroxypropanoate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 5.6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Components:

trinexapac-ethyl:

Species : Rabbit

Result : No skin irritation

2-ethylhexyl (2S)-2-hydroxypropanoate:

Result : Irritating to skin.

according to the OSHA Hazard Communication Standard



PALISADE XT

Version Revision Date: SDS Number: Date of last issue: -

0.0 04/15/2024 S00078207898 Date of first issue: 04/15/2024

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Components:

trinexapac-ethyl:

Species Rabbit

Result No eye irritation

2-ethylhexyl (2S)-2-hydroxypropanoate:

Result : Eye irritation

Respiratory or skin sensitization

Product:

Test Type : Local lymph node assay (LLNA)

Species Mouse

Result : Does not cause skin sensitization.

Components:

trinexapac-ethyl:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result Does not cause skin sensitization.

2-ethylhexyl (2S)-2-hydroxypropanoate:

Result : May cause sensitization by skin contact.

Germ cell mutagenicity

Components:

trinexapac-ethyl:

Germ cell mutagenicity -

: Animal testing did not show any mutagenic effects.

Assessment

2-ethylhexyl (2S)-2-hydroxypropanoate:

Germ cell mutagenicity -: Weight of evidence does not support classification as a germ

Assessment cell mutagen.

Carcinogenicity

Components:

trinexapac-ethyl:

Carcinogenicity - Assess-

: No evidence of carcinogenicity in animal studies.

ment

according to the OSHA Hazard Communication Standard



PALISADE XT

Version Revision Date: SDS Number: Date of last issue: -

0.0 04/15/2024 S00078207898 Date of first issue: 04/15/2024

2-ethylhexyl (2S)-2-hydroxypropanoate:

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

trinexapac-ethyl:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

2-ethylhexyl (2S)-2-hydroxypropanoate:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

STOT-single exposure

Components:

trinexapac-ethyl:

Assessment The substance or mixture is not classified as specific target

organ toxicant, single exposure.

2-ethylhexyl (2S)-2-hydroxypropanoate:

Assessment The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Components:

trinexapac-ethyl:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

2-ethylhexyl (2S)-2-hydroxypropanoate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

trinexapac-ethyl:

: LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l Toxicity to fish

Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Americamysis): 6.5 mg/l

aquatic invertebrates

Exposure time: 96 h

according to the OSHA Hazard Communication Standard



PALISADE XT

Version Revision Date: SDS Number: Date of last issue: -

0.0 S00078207898 04/15/2024 Date of first issue: 04/15/2024

Toxicity to algae/aquatic

plants

: ErC50 (Raphidocelis subcapitata (freshwater green alga)):

24.5 mg/l

Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):

13.39 mg/l

End point: Growth rate Exposure time: 72 h

ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 1.2

mg/l

Exposure time: 14 d

EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.011

mg/l

End point: Growth rate Exposure time: 14 d

Toxicity to fish (Chronic tox-

icity)

EC10 (Pimephales promelas (fathead minnow)): 1.37 mg/l

Exposure time: 35 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 2.4 mg/l

Exposure time: 21 d

EC50 (activated sludge): > 100 mg/l Toxicity to microorganisms

Exposure time: 3 h

2-ethylhexyl (2S)-2-hydroxypropanoate:

Toxicity to fish : LC50 (Fish): 10 - 100 mg/l

Exposure time: 96 h

Remarks: Information given is based on data obtained from

similar substances.

Ecotoxicology Assessment

Acute aquatic toxicity Harmful to aquatic life.

Persistence and degradability

Components:

trinexapac-ethyl:

Biodegradability : Result: Not readily biodegradable.

Stability in water Degradation half life: 3.9 - 5.5 d

Remarks: Product is not persistent.

2-ethylhexyl (2S)-2-hydroxypropanoate:

Biodegradability : Result: Readily biodegradable.

according to the OSHA Hazard Communication Standard



PALISADE XT

Version Revision Date: SDS Number: Date of last issue: -

04/15/2024 S00078207898 Date of first issue: 04/15/2024 0.0

Bioaccumulative potential

Components:

trinexapac-ethyl:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

: log Pow: -2.1 (77 °F / 25 °C)

log Pow: -0.29 (77 °F / 25 °C)

log Pow: 1.5 (77 °F / 25 °C)

Mobility in soil

Components:

Stability in soil

trinexapac-ethyl:

Distribution among environ-

mental compartments

Remarks: Moderately mobile in soils

Dissipation time: < 0.2 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

trinexapac-ethyl:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative

(vPvB).

2-ethylhexyl (2S)-2-hydroxypropanoate:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative

(vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not contaminate ponds, waterways or ditches with

chemical or used container. Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

according to the OSHA Hazard Communication Standard



PALISADE XT

Revision Date: Version SDS Number: Date of last issue: -

0.0 S00078207898 Date of first issue: 04/15/2024 04/15/2024

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRINEXAPAC-ETHYL)

9 Class Ш Packing group Labels 9 Environmentally hazardous yes

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA-DGR

UN 3082 UN/ID No.

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(TRINEXAPAC-ETHYL)

Class 9 Ш Packing group

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous

This product can be subject to exemptions when packaged in Remarks

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

964

964

(TRINEXAPAC-ETHYL)

Class 9 Packing group Ш Labels 9 EmS Code F-A. S-F Marine pollutant yes

Remarks This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

according to the OSHA Hazard Communication Standard



PALISADE XT

Version Revision Date: SDS Number: Date of last issue: -

0.0 04/15/2024 S00078207898 Date of first issue: 04/15/2024

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards


SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

Syngenta / TWA : Time weighted average

according to the OSHA Hazard Communication Standard



PALISADE XT

Version Revision Date: SDS Number: Date of last issue: -

0.0 04/15/2024 S00078207898 Date of first issue: 04/15/2024

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified: NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/15/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8