

UNIFAST-B

**SPREADER
ACTIVATOR
BUFFER**

PRECAUTIONARY STATEMENTS

DANGER: Hazardous to humans and animals. Harmful to aquatic life with long lasting effects. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure. May be harmful in contact with skin. May be harmful if inhaled. When mixing or applying agricultural sprays, always wear spray goggles and impervious gloves plus protective clothing as recommended on pesticide labels.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear long sleeved shirt and long pants, impermeable or chemical resistant gloves, protective eye wear (goggles or face shield), and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. User should wash hands before eating, drinking, chewing gum, using tobacco or using toilet. Remove clothing immediately if pesticide gets inside. Wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

CONDITIONS OF SALE

Follow directions carefully. Timing and methods of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

PRINCIPAL FUNCTIONING AGENTS:

Alkylarylpoloxyethylene Glycols
Isopropanol, Phosphoric Acid.....80%
Constituents ineffective as a spray adjuvant20%
TOTAL.....100%

All ingredients are exempt from tolerance levels in CFR 40, 180,1001.

CORROSIVE LIQUIDS, N.O.S. (CONTAINS PHOSPHORIC ACID), UN1760

**KEEP OUT OF REACH OF
CHILDREN**

DANGER



FIRST AID:

IF IN EYES: Immediately flush eyes with plenty of water, lifting the eyelids and rinse for 15-20 minutes. Remove contact lenses, if present, then continue rinsing. Call Poison Control Center or doctor for advise.

IF ON SKIN OR HAIR: Take off contaminated clothing. Rinse skin immediately with plenty of water for 10-15 minutes. Get medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

IF INHALED: Move person to fresh air and keep at rest in a position comfortable for breathing if they feel unwell. If person is not breathing, call 911 or an ambulance, then give artificial respiration, mouth to mouth if possible Call poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Rinse Mouth. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.

CA Reg. No. 1051080-50019

GENERAL INFORMATION

UNIFAST-B is designed to increase wetting and give a more uniform coverage. When used with systemic or translocated material, UNIFAST-B increases absorption and aids in the translocation of certain herbicides, insecticides and miticides. UNIFAST-B is a combination spreader, activator, and buffer with non-foaming properties. UNIFAST-B is an 80% active non-ionic surfactant and is 8% active as a buffer. UNIFAST-B provides wetting, pH adjustment and also acts as an anti-foam agent.

DIRECTIONS FOR USE

This product may be used in dilute or concentrate sprays. Add UNIFAST-B to spray tank first.

Rates Per 100 gallons or less of spray mix.

For use with Acaracides, Insecticides, Fungicides Herbicides, and Defoliantes:

Use 1/2 pt. To 2 qts. per 100 gals. of spray solution.

Note: The above use recommendations are considered to be adequate for most uses. Some pesticides, however, may require higher rates for optimum effect. Follow the pesticide label directions when this occurs. However, do not add this product at a rate which exceeds 5% of the finished spray volume.

NOTE: Rates vary with the pH of the spray water. Spray water pH levels can be lowered by adding UNIFAST-B until the most effective pH level as recommended by the chemical manufacturer is achieved. If these levels are not known, consult the chemical manufacturer.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Keep in original container. Store in cool, dry place. Protect from excessive heat. Do not store below 4°C as product will freeze. Keep locked up and away from children. Do not reuse empty container. Triple rinse during mixing and loading and add rinse water to spray tank. Offer decontaminated containers for recycling or reconditioning, or puncture and dispose of in sanitary landfill.

Manufactured by:

Custom Agricultural Formulators
P.O. Box 26104, Fresno, CA 93729 800-355-4457

Net Contents: 1 Gallon