ENSIGN® 720 SUPERSEDES: 06/03/14 SDS NUMBER: 000966-15-LPI SDS REVISIONS: FORMAT **DATE OF ISSUE: 01/15/15**

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

IDENTIFICATION OF THE MATERIAL AND SUPPLIER

PRODUCT IDENTIFIER:

TRADE NAME: **ENSIGN® 720 FLOWABLE FUNGICIDE**

1.2 RECOMMENDED USE: GROUP M5 FUNGICIDE - FOR CONTROL OF TURF AND ORNAMENTAL DISEASES

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24 Hour Emergency Phone: 1-800-424-9300 - Medical Emergencies: 1-866-944-8565 - Product Information: 1-888-574-2878 (LPI-CUST)

U.S. Coast Guard National Response Center: 1-800-424-8802

HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200

Acute toxicity - Oral Category 4 H302 Skin sensitization Category 1B H317 Acute toxicity - Inhalation Category 3 H331 Carcinogenicity Category 2 H351 Specific Target Organ Toxicity Category 3 H335

Hazards Not Otherwise Classified (HNOC)

May cause respiratory irritation

2.2 Label elements



Signal word: **DANGER**

Hazard Statement: H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H331 - Toxic if inhaled.

H351 - Suspected of causing cancer. H335 - May cause respiratory irritation.

Precautionary

Statement: P261 – Avoid breathing dust/fume/gas/mist/vapors/spray. P264 – Wash hands and face thoroughly after handling.

(Prevention): P270 - Do not eat, drink or smoke when using this product.

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P271 – Use only outdoors or in a well-ventilated area.

P284 - Wear respiratory protection.

P272 – Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary

Statement: P308 – Is exposed or concerned: Get medical advice/attention.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and

easy to do - continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower.

(Response): P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P364 – Wash contaminated clothing before reuse.

Precautionary Statement:

(Storage): P405 - Store locked up.

Precautionary Statement:

(Disposal): P501 - Dispose of contents/container in accordance with local regulations. SAFETY DATA SHEET

ENSIGN® 720 SUPERSEDES: 06/03/14 SDS NUMBER: 000966-15-LPI SDS REVISIONS: FORMAT **DATE OF ISSUE: 01/15/15**

Environmental

Hazards: None known.

2.3 Other hazards

None known

COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Classification according to 29 CFR 1910.1200

Chemical Name: CAS No. Classification Concentration

[%] Chlorothalonil 1897-45-6 Acute. tox. Oral: 4: H302 54.00

> Skin sens. 1B; H317 Acute tox; inh. 3; H331 Carc. 2; H351 STOT. 3; H335

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

Ingredients - Not classified

Other Ingredients 46.00 Trade Secret Propylene Glycol 57-55-6

Silica, amorphous 112926-00-8 Trade Secret

FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an

unconscious person.

If on skin or clothing: Take of contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably

mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 If in eyes:

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Harmful if swallowed. Toxic if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause Symptoms:

respiratory irritation.

4.3 Immediate Medical Attention and Special Treatment

NOTES TO PHYSICIAN: Persons suffering with temporary allergic skin reactions may respond to treatment with oral antihistamine and Treatment:

topical or oral steroids.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565

Take container, label or product name with you when seeking medical attention.

SDS NUMBER: 000966-15-LPI SDS REVISIONS: FORMAT DATE OF ISSUE: 01/15/15

ENSIGN® 720 SUPERSEDES: 06/03/14

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use medium appropriate to surrounding fire. Dry chemical, carbon dioxide (CO₂), foam.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or

combustion.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires

involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate

fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Follow exposure controls/personal protection as outlined in Section 8.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below

the mean high water mark. Do not contaminate water when disposing of equipment washwaters or

rinsate.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is

possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush

contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

Remove residual contamination.

Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Store in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food,

beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap

and water after handling.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Keep container tightly closed and store in a cool, dry, well-ventilated place. Store locked up. Keep out of

reach of children. Store at ambient conditions. Store away from food stuffs. Do not contaminate water,

food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (ACGIH) TLVs

<u>Components</u> <u>Type</u> <u>Value</u>

No listings

U.S. Workplace Exposure Level (OSHA) PELs

Components Type Value

Silica, amorphous TWA 80 mg/m³/% SiO₂

Biological limit values

ACGIH Biological Exposure Indices

Components Value Specimen

No listings

ENSIGN® 720 SDS NUMBER: 000966-15-LPI SDS REVISIONS: FORMAT **DATE OF ISSUE: 01/15/15 SUPERSEDES: 06/03/14**

8.2 EXPOSURE CONTROLS:

Engineering Measures

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Skin Protection: Coveralls. Chemical-resistant gloves, such as viton, polyethylene or polyvinylchloride. Socks and chemical-resistant

footwear.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of mists or vapors, use suitable respiratory equipment approved

by MSHA/NIOSH with any N, R, P, or HE filter. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are

PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE: Liquid ODOR: Slight.

ODOR THRESHOLD: No data available. COLOR: Light gray. 6.5 - 8.5

MELTING POINT / FREEZING POINT: No data available

BOILING POINT: 212°F / 100°C) FLASH POINT: Not applicable. FLAMMABILILITY (solid, gas): Not applicable.

UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: Not applicable.

VAPOR PRESSURE: 0.00000057 mmHg @ 25°C.

SOLUBILITY: 0.81 mg/L @ 25°C.

PARTITION CO-EFFICIENT, n-OCTANOL / WATER: No data available.

AUTO-IGNITION TEMPERATURE: No data available. DECOMPOSITION TEMPERATURE: No data available. VISCOSITY: (kinematic): No data available

SPECIFIC GRAVITY (Water = 1): 1.34 g/ml

BUI K DENSITY: 11.18 lbs./gal / 1.34 kg/L

These physical data are typical values based on material tested but may vary from sample to sample. Note:

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No data available. Will not polymerize.

10.4 CONDITIONS TO AVOID

None known

10.5 INCOMPATIBILE MATERIALS

None known.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

None known.

11 TOXICOLOGICAL INFORMATION

11.3 LIKELY ROUTES OF EXPOSURE: Dermal, inhalation

 LC_{50} (rat): > 0.704 mg/L (4 HR) LD₅₀ Oral (rat): 9,000 mg/kg LD₅₀ Dermal (rabbit): > 2,000 mg/kg Acute Toxicity Estimates: No data available.

Skin Irritation: Mild skin irritant. Eye Irritation: Moderate eye irritant. Inhalation: Toxic if inhaled. Ingestion: Harmful if swallowed.

Specific Target Organ Toxicity: May cause respiratory irritation. Aspiration: May be fatal if swallowed and enters airways.

Skin Sensitization (guinea pig): Sensitizer

Carcinogenicity: Based on information provided, this product is classified IARC 2B (Possibly Carcinogenic to Humans) by IARC.

Germ Cell Mutagenicity: No data available.

Interactive Effects: None known

SDS NUMBER: 000966-15-LPI SDS REVISIONS: FORMAT

ENSIGN® 720 DATE OF ISSUE: 01/15/15 SUPERSEDES: 06/03/14

ECOLOGICAL INFORMATION

12.3 ECOTOXICITY

12

The pesticide is toxic to fish and aquatic invertebrates.

Ecotoxicological Data

Test Results Chlorothalonil Oncorhynchus mykiss 47 ppb - 96-hour LC₅₀ Daphnia magna 70 ppb - 48-hour EC₅₀

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: Not persistent in soil or water.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Low.

12.4 MOBILITY IN SOIL

Low mobility

12.5 OTHER ADVERSE EFFECTS

No data available. Assessment:

13 **DISPOSAL CONSIDERATIONS**

13.1 WASTE TREATMENT METHODS

CONTAINER DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle.org. If not recycled, then puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. For packages up to 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment

or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For packages greater than 5 gallons and less than 56 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For refillable containers: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

14 TRANSPORT INFORMATION

14.3 LAND TRANSPORT

DOT Shipping Description: NOT REGULATED BY DOT FOR SURFACE TRANSPORTATION

U.S. Surface Freight Classification: INSECTICIDES OR FUNGICIDES, INSECT OR ANIMAL REPELLENTS; NOI; OTHER THAN POISON (NMFC 102120; CLASS: 60)

SAFETY DATA SHEET

SDS NUMBER: 000966-15-LPI

DATE OF ISSUE: 01/15/15 SDS REVISIONS: FORMAT

ENSIGN® 720 SUPERSEDES: 06/03/14

REVIEWED BY: Environmental Health and Safety

15 REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA HMIS NFPA & HMIS Hazard Ratings:

> 2 Health 0 2 Health Least Flammability Flammability Slight 1 Instability 2 Moderate 0 Reactivity

> > High Severe

3

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: **Immediate** Fire Sudden Release of Pressure Ν Reactive Delayed

Reportable Quantity (RQ) under U.S. CERCLA: Not listed. SARA, Title III, Section 313: Chlorothalonil (CAS: 1897-45-6)

RCRA Waste Code: Not listed

CA Proposition 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive

Н PPE

harm.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Harmful if swallowed, absorbed through skin, or inhaled.

Causes moderate eye irritation.

Avoid contact with skin, eyes, or clothing.

Avoid breathing spray mist.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

OTHER INFORMATION 16

SDS STATUS: Format revised.

PREPARED BY: Registrations and Regulatory Affairs

EPA REG. NO.: 34704-966

®Ensign is a registered trademark of Loveland Products Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.