



SecureTM 67C

Polymer seed conditioner film

- Easy clean-up
- Low viscosity
- Neutral pH
- Water based

FOR PROFESSIONAL USE ONLY

Keep Out of Reach of Children

This product does not require a hazard warning in accordance with GHS criteria.

Net Contents:

BASF Corporation 26 Davis Drive, Research Triangle Park, NC 27709

Directions For Use

- 1. Agitate or shake well prior to use.
- 2. Fill mix tank one-half to two-thirds full with water. Start and maintain constant agitation throughout entire mixing and treating process.
- 3. Add seed treatment materials in the following order:
 - A. WSP® (water-soluble packets or wettable powders)
 - B. Dry Flowables
 - C. Liquid Flowables
 - D. Color Coat™ liquid colorant
 - E. Emulsifiable Concentrates
 - F. Soluble powders or liquids
 - G. Add recommended amount of **Secure™ 67C** polymer
- 4. Bring the volume of slurry treatment mixture to the desired volume, with water.
- 5. To maintain a trouble-free application system, it is recommended that you back-flush your treating system at the end of each work day.

A jar test of all components in the slurry is strongly recommended to ensure compatibility and the correct order of product addition into the slurry prior to committing to a large-mix batch. Always allow enough time between the addition of each component of a slurry mixture to ensure adequate suspension of the component prior to adding the next component.

Do not apply to grain used for food or feed purposes or processed for oil.

A spray shield is recommended for applications if overspray or drift is a potential problem.

Usage Rates*

Crop	FI oz / 100 lbs of seed
Cotton	1.0-2.0 fl oz
Canola (treated)	0.50-1.0 fl oz
Canola (5% wt. grain)	2.0 fl oz

^{*}Suggested rates. Some variation may occur. Adjust the rates to obtain the desired color and coverage due to seed size, seed coat, conditioning equipment and total slurry.

Storage and Disposal

Storage: Segregate from foods and animal feeds. Keep away from heat. Protect from direct sunlight. Protect from temperatures below 32°F (0°C) and above 104°F (40°C). Changes in the properties of the product may occur if substance/product is stored outside the indicated temperature window for extended periods of time.

Waste Disposal of Substance: Must be disposed of or incinerated in accordance with local regulations.

Container Disposal: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Accidental Release Measures: Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). For large amounts: Dike spillage, Pump off product. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

State Right To Know Description and CAS # / TSRN
Mica group minerals / 12001-26-2; Titanium dioxide /
13463-67-7; Methanol / 67-56-1; Proprietary compound /
TSRN 161090809-5100; Proprietary polymer / TSRN
161090809-5305

EMERGENCY CONTACT: CHEMTREC 1-800-424-9300 BASF Corporation 1-800-832-HELP (4357)

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions. presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. All such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE. SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT. BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR **CONSEQUENTIAL, EXEMPLARY, SPECIAL OR** INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Limitations of Use: Any purchaser or user agrees to handle and/or use this product in strict conformity with all limitations of use, including the prohibition of analyzing for content, disassembling, extracting, purifying, or otherwise obtaining any material, for any use whatsoever, from the product in any form. This prohibition specifically includes the growing or culturing of any material for further use of such material (or any progeny thereof) for ANY use whatsoever. User agrees that this product will only be used as instructed on the product label and only for the crop and purpose stated therein.

WSP is a registered trademark of BASF. **Color Coat** and **Secure** are trademarks of BASF.

© 2015 BASF Corporation All rights reserved.

BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709

